

DANGER

Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. During commercial or prolonged exposure in spray mixing and loading operations, wear clean, synthetic rubber gloves and a mask or respirator of a type passed by the U.S. Bureau of Mines for Endrin protection. Use this product only for recommended purposes and at recommended dosages. Unprotected humans or beneficial animals should be kept out of treated areas for at least one hour after treatment. When workers must enter fields within 5 days of a spray application, they should be protected.

Birds feeding on treated areas may be killed.

This product is toxic to fish and wildlife. Keep out of any body of water.

Do not apply when weather conditions favor drift from areas treated.

Do not apply where runoff is likely to occur.

Do not contaminate water by cleaning of equipment, or disposal of wastes.

Apply this product only as specified on this label.

DIRECTIONS


SMALL GRAINS (wheat, barley, oats): Army Cutworms and Pale Western Cutworm: Use 1 to 1½ pints per acre in sufficient water to give uniform coverage. Do not treat within 45 days of harvest. Make only one application per season.

Do not use after heads begin to form. Do not pasture animals in treated fields.

CONTAINER DISPOSAL

Rinse equipment and containers and **DISPOSE OF WASTES** by burying at least 18 inches deep in non-crop lands away from water supplies. Do not reuse container; smash or perforate and bury with wastes. Do not burn.

REV. 11-71 RMBN



ENDRIN

**EMULSIFIABLE CONCENTRATE
1.6 POUNDS**

ACCEPTED
3/21/72
UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO. 13722 SUBJECT TO ATTACHED COMMENTS.

ACTIVE INGREDIENTS	BY WEIGHT
Endrin (Hexachloroepoxyoctahydro-endo, endo-dimethanonaphthalene)	19.5%
Xylene Range Solvents	73.0%
INERT INGREDIENTS	7.5%
TOTAL	100.0%

POISON DANGER - KEEP OUT

OF THE REACH OF CHILDREN. Poisonous if swallowed, inhaled or absorbed through skin. Rapidly absorbed through skin. See side panels for additional required warnings and antidote statement.

Manufactured By

Pueblo Chemical & Supply Co.

611 SANTA FE DRIVE

PUEBLO, COLORADO

Net contents _____ Gal.

DANGER

Poisonous if swallowed, inhaled or absorbed through skin. Do not get in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling, and before eating or smoking. Wear clean clothing. In case of spillage on person or clothes, immediately remove clothing and flush skin or eyes with plenty of water; for eyes, get medical attention. If swallowed, induce vomiting immediately and get medical attention.

KEEP AWAY FROM HEAT AND OPEN FLAME.

POISON

ANTIDOTE

INTERNAL: If any of the insecticide is swallowed, give a tablespoon of salt in a glass of warm water. Repeat until vomit fluid is clear. Keep victim prone and quiet.

EXTERNAL: If skin is contacted, wash immediately with soap and water.

CALL A PHYSICIAN IMMEDIATELY!

NOTE TO PHYSICIAN: In case of poisoning, administer barbiturates as for anti-convulsant therapy. Observe patient carefully since repeated treatment may be needed.

WARRANTY AND LIMITATION OF DAMAGES

SELLER warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and BUYER assumes the risk of any use contrary to such directions. SELLER makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY, and no agent of SELLER is authorized to do so except in writing with a specific reference to this warranty. In no event shall SELLER's liability for any breach of warranty exceed the purchase price of the material as to which a claim is made.

EPA. Reg. No. 2737-29