

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505C) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460 EPA Reg. Number: Date of Issuance:

2749-70

NOV 1 0 2005

Terms of Issuance: Conditional

NOTICE OF PESTICIDE:

____ Registration XX Reregistration

(under FIFRA, as amended)

Name of Pesticide Product: Aceto Spud Nic-3 EC

Name and Address of Registrant (include ZIP Code): Aceto Agricultural Chemicals Corporation One Hollow Lane, Suite 201

Lake Success, NY 11042

Attn: Michael Feinman

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Reregistration Eligibility Document(s), EPA has reregistered the product listed above. Enclosed is a copy of your label stamped "Accepted." This action is taken under the authority of section 4(g)(2)(c) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.

Signature of Approving Official:

Tony Kish, Product Manager (22)

Fungicide Branch

Registration Division (7505C)

Date:

NOV 1 0 2005

EPA Form 8570-6

Pg 2 2749-70

- 1. Submit one copy of your final printed labels before you release the product for shipment.
 - 2. Make the following labeling changes:
- In the First Aid section, the last word in the "If in eyes" section, change "advise" to "advice".

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec.6(E). Your release for shipment of the product constitutes acceptance of these conditions.

Sincerely,

Tony Kish

Product Manager (22) Fungicide Branch

Registration Division (7505C)

Enclosure

ACETO SPUD NIC-3 EC

POTATO SPROUT INHIBITOR

EMULSIFIABLE CONCENTRATE

ACTIVE INGREDIENT	
Chtorpropham: Isopropyl-m-chloro carbanilate	36.0%
OTHER INGREDIENTS	
TOTAL	
· • · · · ·	

Contains 3 pounds active ingredient per gallon.

FOR AGRICULTURAL USE ONLY

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

FIRST AID
 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor.
 Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advise.
 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Use only with adequate ventilation. Keep container closed when not in use.

EMERGENCY INFORMATION

For spill, leak, fire,	exposure or	r accident call	CHEMTREC	1-800-424-9300

Net Contents: ____ Gallons

EPA Reg. No. 2749-70


EPA Est. No. _____

Manufactured For:
Aceto Agricultural Chemicals Corporation
One Hollow Lane
Lake Success, NY 11042
Phone: 516-627-6000

ACCEPTED

NOV 1 D 2005

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Feg. No. 1749-70



ENVIRONMENTAL HAZARD

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL HAZARD AND CHEMICAL HAZARD

Flammable: KEEP AWAY FROM HEAT AND OPEN FLAME. (Do not store near heat or open flame).

In case of fire, use water spray, foam, dry chemical or CO2.

DIRECTIONS FOR USE

Notice to User: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons either directly or through drift. Only protected handlers may be in the area during application.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for Category A on the EPA chemical resistance category selection chart.

Workers must wear: chemical resistant gloves (such as nitrile, butyl, neoprene, and/or barrier laminate) while handling potatoes which are wet.

Mixers, Loaders, Applicators and all other handlers must wear:

- · Long sleeved shirt and long pants,
- · Socks and shoes, and
- Chemical resistant gloves made of barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride or viton.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

User Safety Recommendations:

Users should:

- Follow manufacturer's instructions for cleaning/maintaining Personal Protective Equipment (PPE). If there are no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry
- 2. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- 3. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- 4. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.


STORAGE AND DISPOSAL

- 1. PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.
- PESTICIDE DISPOSAL: Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
- 3. CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.
- 4. GENERAL: Consult Federal, State or Local Disposal Authorities for approved alternate procedures.
- PESTICIDE STORAGE: Avoid storage below freezing temperature. Prolonged storage may result in gel formulation. Warming
 contents and agitation will restore material to useable conditions, but do not heat above 250°F.

APPLICATION

Aceto SPUD NIC-3 EC is applied at a 1% active ingredient level on wash and damp dried potatoes. The diluted material should be applied using spray nozzles placed evenly across the rolls on which the potatoes are being moved. The diluted solution can also be applied by a foaming system in conjunction with a suitable foaming agent. Do not apply this product using aerosol application equipment.

Do not apply more than one application of 0.0104 lbs of chlorpropham per 1000 lbs of potatoes.



DILUTION OF THE CONCENTRATE

Add I gallon of Aceto SUPD NIC-3 EC to 35 gallons of water and mix well. A milky white emulsion will develop. Use this diluted emulsion at a rate of 1 gallon per 8,000 lbs of potatoes, (1 gallon for every 80 cwt. of potatoes). Do not reuse the diluted material that was prepared 24 hours or more earlier without mixing well.

NOTICE

Aceto SPUD NIC-3 EC sprout inhibitor is used for the treatment of potatoes after harvest. Potatoes must be cured prior to treatment and, for maximum sprout inhibition, should be washed clean.

CONDITIONS OF SALE

ACETO WARRANTS THAT THE PRODUCT CONFORMS TO ITS CHEMICAL DESCRIPTION AND IS REASONABLY FIT FOR THE PURPOSE STATED ON THE LABEL WHEN USED IN ACCORDANCE WITH DIRECTIONS UNDER NORMAL CONDITIONS OF USE, BUT NEITHER THIS WARRANTY NOR ANY OTHER WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, EXPRESS OR IMPLIED, EXTENDS TO THE USE OF THIS PRODUCT CONTRARY TO LABEL INSTRUCTIONS, OR UNDER ABNORMAL CONDITIONS OR UNDER CONDITIONS NOT REASONABLY FORESEEABLE TO MANUFACTURER, AND BUYER ASSUMES THE RISK FOR ANY SUCH USE.