PLEASE NOTE

This image contains more than one label approved for this product on this date.

3 A- 3-3

4/11/2007

1



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Mr. John M. Wise Product Registration Aceto Agricultural Chemical Company One Hollow Lane, Suite 201 Lake Success, NY 11042-1215

APR 1 1 2007

SUBJECT:

Application for Pesticide Notification (PRN 98-10)

Request Alternate Brand Name "Shield Potato Sprout Inhibitor Ultra"

EPA Reg. No.2749-70

Application Dated March 20, 2007

Dear Mr. Wise:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 03/20/2007 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader

Registration Division (7505P)

Office of Pesticide Programs

Please read instructions	on reverse before compl	eting form.	Form.	Approve	d. OMB No. 20	10-0060	O. Approval expires 2-28-95
≎EPA	Environmenta	United States I Protection ington, DC 2046	•	✓	Registrati Amendme Other		OPP Identifier Number
		Application	n for Pesticide - S	ection	1		0 0 0 00 00
1. Company/Product Nui 2749-70	mber		2. EPA Product I Tony Kish	A anager		3 Pro	oposed Classification None Classification Restricted
4. Company/Product (Na Spud Nic-3	nme)	_	PM# 22		coc]	0 0 0
Aceto Agricultural One Hollow Lane; Lake Success, NY			(b)(i), my produ to:	ict is sir		e with al in co	FIFRA Section 3(c)(3) mp6sition and labeling
			Section - II				
Notification - Exp Explanation: Use add Notification of Alternate This notification is consistent.	response to Agency lette slain below. litional page(s) if necessa Brand Name SHIELD POT	iry. (For section ATO SPROUT IN PR Notice 98-10	Agency "Me To Other - I and Section II.) HIBITOR ULTRA per PR No and EPA regulations at 40 C	Explain betice 98-1	cation. pelow. 0. 46, and no other o	changes	
EPA. I further understan	d that if this notification is r	not consistent with	lerstand that it is a violation on the terms of PR Notice 98- der sections 12 and 14 of FIF	10 and 40		•	_
	· · · · · · · · · · · · · · · · · · ·		Section - III				
1. Material This Product	·		I	-	10.7		
Child-Resistent Packagin Yes ✓ No * Certification mus	Yes ✓ No	No. per t. container	Water Soluble Packaging Yes ✓ No If "Yes" No. Package wgt cont	oer		Metal Plastic Glass Paper	Specify)
be submitted		 		<u> </u>	<u> </u>		
3. Location of Net Conte	Container	4. Size(s) Reta	30 gal, 55 gal and bulk	5. [ocation of Label Product La		ons ached to container
6. Manner in Which Lab	el is Affixed to Product Glued	Lithogr Paper of Stencil	aph lued ed	Other			
			Section - IV				
1. Contact Point /Comp	lete items directly below	for identification	of individual to be contac	ted, if ne	cessary, to proc	ess this	application.)
Name Michael W. Feinman		1	Title President		1	elephon 316-627-	e No. (Include Area Code) -6000
	at any knowlinglly false o		ion all attachments thereto are ement may be punishable		•		6. Date Application Received (Stamped)
	D W		S. Title Consultant to Aceto Agricult	ural Che	micals Corp.		
4. Typed Name John M. Wise			i. Date 20 MARO	7			

John Wise & Associates, Ltd.

P.O. Box 1295 Liberty, Missouri 64069-1295 Phone/Fax: (816) 415-0134 E-mail: jmwise@usa.net

March 20, 2007

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7594C)
U.S. Environmental Protection Agency
1801 S. Bell Street
Room 266A, CM2
Arlington, VA 22202

Subject:

Notification of Alternate Brand Name per PR Notice 98-10.

Product: Spud Nic-3 EPA Reg. No: 2749-70

Dear Sir/Madam:

The following is submitted on behalf of:

Aceto Agricultural Chemicals Corporation One Hollow Lane Suite 201 Lake Success, NY 11042-1215 Phone: (516) 627-6000

We are requesting an Alternate Brand Name for the above subject product.

SHIELD POTATO SPROUT INHIBITOR ULTRA

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Enclosed please find the following documents:

- 1. Application for Registration (EPA Form 8570-1)
- 2. Three (3) copies of the label containing the additional brand name

The enclosed labels are identical (except for product name) with the label approved by the Agency for this product on November 10, 2005.

4/6

Document Processing Desk (NOTIF) Office of Pesticide Programs (7594C) U.S. Environmental Protection Agency March 20, 2007 Page 2 of 2

If you have any questions, please contact me.

Sincerely,

John M. Wise

Consultant to Aceto Agricultural Chemicals Corporation

Enclosures:

CC: Michael Feinman

President





ACTIVE INGREDIENT	By Weight
Chlorpropham: Isopropyl-m-chlorocarbanilate	36.0%
OTHER INGREDIENTS	
TOTAL	100.0%

Contains 3 pounds active ingredient per gallon.

FOR AGRICULTURAL USE ONLY

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Use only with adequate ventilation. Keep container closed when not in use.

EMERGENCY INFORMATION

For spill, leak, fire, exposure or accident call CHEMTREC 1-800-424-9300

Net Contents: Gallons

	FIRST AID
If Swallowed	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor.
ff in Eyes	Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
lf on Skin or Clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment

ENVIRONMENTAL HAZARD

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL HAZARD AND CHEMICAL HAZARD

Flammable: KEEP AWAY FROM HEAT AND OPEN FLAME. (Do not store near heat or open flame). In case of fire, use water spray, foam, dry chemical or CO₂.

DIRECTIONS FOR USE

Notice to User: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons either directly or through drift. Only protected handlers may be in the area during application.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for Category A on the EPA chemical resistance category selection chart.

Workers must wear: chemical resistant gloves (such as nitrile, butyl, neoprene, and/or barrier laminate) while handling potatoes which are wet.

Mixers, Loaders, Applicators and all other handlers must wear:

- Long sleeved shirt and long pants,
- Socks and shoes, and
- Chemical resistant gloves made of barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride or viton.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

User Safety Recommendations:

Lisers should

- Follow manufacturer's instructions for cleaning/maintaining Personal Protective Equipment (PPE). If there are no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry
- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing.
 As soon as possible, wash thoroughly and change into clean clothing.


STORAGE AND DISPOSAL

- PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is
 prohibited.
- PESTICIDE DISPOSAL: Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
- CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

GENERAL: Consult Federal, S.
 PESTICIDE STORAGE: Avoid in gel formulation. Warming c do not heat above 250°F.

Aceto Shield Ultra is applied at a 1% diluted material should be applied i potatoes are being moved. The dilut with a suitable foaming agent, Do not

Do not apply more than one applicatio



DILUT

Add 1 gallon of Aceto Shield Ulira to 35 this diluted emulsion at a rate of 1 gallon reuse the diluted material that was prepar

Aceto Shield Ultra sprout inhibitor is use treatment and, for maximum sprout inhibi

ACETO WARRANTS THAT THE PF REASONABLY FIT FOR THE PURI WITH DIRECTIONS UNDER NORM. ANY OTHER WARRANTY OF MEF EXPRESS OR IMPLIED, EXTEND INSTRUCTIONS, OR UNDER / REASONABLY FORESEEABLE TO SUCH USE.

EPA Reg. No. 2749-70

Aceto Agr

•





Ву	Weight 36.0%
•••••	64.0%

nt per gallon.

JE ONLY

OF CHILDREN

EMENTS

STIC ANIMALS

kin. Causes moderate eye

HON

TREC 1-800-424-9300

allons

	FIRST AID
If Swallowed	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomitting unless told to by a poison control center or doctor.
If in Eyes	Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
lf on Skin or Clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.

ENVIRONMENTAL HAZARD

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL HAZARD AND CHEMICAL HAZARD

Flammable: KEEP AWAY FROM HEAT AND OPEN FLAME. (Do not store near heat or open flame). In case of fire, use water spray, foam, dry chemical or CO₂.

DIRECTIONS FOR USE

Notice to User: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons either directly or through drift. Only protected handlers may be in the area during application.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for Category A on the EPA chemical resistance category selection chart.

Workers must wear: chemical resistant gloves (such as nitrile, butyl, neoprene, and/or barrier laminate) while handling potatoes which are wet.

Mixers, Loaders, Applicators and all other handlers must wear:

- Long sleeved shirt and long pants,
- · Socks and shoes, and
- Chemical resistant gloves made of barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride or viton.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

User Safety Recommendations:

Users should

treatment

- Follow manufacturer's instructions for cleaning/maintaining Personal Protective Equipment (PPE). If there are no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.
- 2. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE Immediately after handling this product. Wash the outside of gloves before removing.
 As soon as possible, wash thoroughly and change into clean clothing.

STORAGE AND DISPOSAL


- PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.
- PESTICIDE DISPOSAL: Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
- CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

GENERAL: Consult Federal, State or Local Disposal Authorities for approved alternate procedures. PESTICIDE STORAGE: Avoid storage below freezing temperature. Prolonged storage may result in gel formulation. Warming contents and agitation will restore material to useable conditions, but do not heat above 250°F.

APPLICATION

Aceta Shield Ultra is applied at a 1% active ingredient level on washed and damp dried potatoes. The diluted material should be applied using spray nozzles placed eventy across the rolls on which the potatoes are being moved. The diluted solution can also be applied by a foaming system in conjunction with a suitable foaming agent. Do not apply this product using aerosol application equipment.

Do not apply more than one application of 0.0104 lbs of chlorpropham per 1000 lbs of potatoes.



DILUTION OF THE CONCENTRATE

Add I gallon of According to 35 gallons of water and mix well. A milky white emulsion will develop. Use this diluted emulsion at a rate of i gallon per 8,000 lbs of potatoes, (I gallon for every 80 cwt. of potatoes). Do not reuse the diluted material that was prepared 24 hours or more earlier without mixing well.

NOTICE

Aceto Shield Ultra sprout inhibitor is used for the treatment of potatoes after harvest. Potatoes must be cured prior to treatment and, for maximum sprout inhibition, should be washed clean.

CONDITIONS OF SALE

ACETO WARRANTS THAT THE PRODUCT CONFORMS TO ITS CHEMICAL DESCRIPTION AND IS REASONABLY FIT FOR THE PURPOSE STATED ON THE LABEL WHEN USED IN ACCORDANCE WITH DIRECTIONS UNDER NORMAL CONDITIONS OF USE, BUT NEITHER THIS WARRANTY NOR ANY OTHER WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, EXPRESS OR IMPLIED, EXTENDS TO THE USE OF THIS PRODUCT CONTRARY TO LABEL INSTRUCTIONS, OR UNDER ABNORMAL CONDITIONS OR UNDER CONDITIONS NOT REASONABLY FORESEEABLE TO MANUFACTURER, AND BUYER ASSUMES THE RISK FOR ANY SUCH USE.

EPA Reg. No. 2749-70

EPA Est. No.

Manufactured For:
Aceto Agricultural Chemicals Corporation
One Hollow Lane
Lake Success, NY 11042
Phone: 516-627-6000



NEXT

LABEL





UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION. PESTICIDES AND TOXIC SUBSTANCES

Mr. John M. Wise Product Registration Aceto Agricultural Chemical Company One Hollow Lane, Suite 201 Lake Success, NY 11042-1215 APR 1 1 2007

SUBJECT:

Application for Pesticide Notification (PRN 98-10)

Request Alternate Brand Name "Shield Potato Sprout Inhibitor Plus"

EPA Reg. No.2749-70

Application Dated March 20, 2007

Dear Mr. Wise:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 03/20/2007 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely

Linda Arrington

Notifications & Minor Formulations Team Leader

Registration Division (7505P)

Office of Pesticide Programs

Please read instructions on n	everse before completin	g torm.		Form App	roved.	(. OMB No. 20	70-0060	O. Approval expires 2-28-9
≎EPA	Environmental I	red States Protection ton, DC 2046	•			Registrat Amendm Other		OPP Identifier Number
	Α	pplication	n for Pesticio	le - Sect	tion			
1. Company/Product Number 2749-70			2. EPA F Tony K	roduct Mand ish	ager		3. Pr	pposed Classification
4. Company/Product (Name) Spud Nic-3			PM# 22					
5. Name and Address of App Aceto Agricultural Che One Hollow Lane; Su Lake Success, NY 11	emical Corporation		(b)(i), m to: EPA R	y product i eg. No	s simi		cal in co	FIFRA Section 3(c)(3) mposition and labeling
Shock if the	70 0 11017 3041 000		Section - I	t Name _				
Amendment - Explain Resubmission in resp Notification - Explain Explanation: Use addition Notification of Alternate Brand This notification is consistent labeling or the confidential state EPA. I further understand tha	below. all page(s) if necessary. d Name SHIELD POTATO with the provisions of PR atement of formula of this	(For section) SPROUT IN Notice 98-10 product. I und	I and Section II.) HIBITOR PLUS per and EPA regulation derivation in the section is a vertical to the section in the section i	Final printed Agency lett "Me Too" A Other - Exp PR Notice 9 s at 40 CFR riolation of 18	Applica Applica Ilain be 8-10. 152.46	ation. Row. S, and no other C. Sec. 1001 to	changes willfully r	nake any false statement to
FIFRA and I may be subject t				14 of FIFRA.		OFR 132.40, ii	iis produc	t may be in violation of
1. Material This Product Will	Re Packaged In:		00011011	•		·····		
Child-Resistant Packaging Yes No Certification must be submitted	Unit Packaging Yes √ No If "Yes" Unit Packaging wgt.	No. per container	Water Soluble Portion Yes ✓ No If "Yes" Package wgt	No. per	r	2. Type of C	Container Metal Plastic Glass Paper Other (S	
6. Manner in Which Label is	ontainer Affixed to Product	5 gal., 3	30 gal, 55 gal and	bulk Othe		cation of Laborated Product L		ons ached to container
Glued	.	Stencile						6666
1. Contact Point (Complete	itamo disaethi belau fe-	idantification	Section - I		if ====	onener to per	0000 457	
Name Michael W. Feinman	nems directly below for	-	Title President	Contacted,	II TIBC		် ခုံခြော်hon	e No. (Include Area Code)
	ments I have made on the second to the secon		all attachments the					6. Date Application Received (Stamped)
In Cinners		م أ	Tide					1 - 1 - 1

4. Viped Name

John M. Wise

Consultant to Aceto Agricultural Chemicals Corp.

20 mar 0

5. Date

John Wise & Associates, Ltd.

P.O. Box 1295

Liberty, Missouri 64069-1295 Phone/Fax: (816) 415-0134 E-mail: imwise@usa.net

March 20, 2007

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7594C)
U.S. Environmental Protection Agency
1801 S. Bell Street
Room 266A, CM2
Arlington, VA 22202

Subject:

Notification of Alternate Brand Name per PR Notice 98-10.

Product: Spud Nic-3 EPA Reg. No: 2749-70

Dear Sir/Madam:

The following is submitted on behalf of:

Aceto Agricultural Chemicals Corporation One Hollow Lane Suite 201 Lake Success, NY 11042-1215

Phone: (516) 627-6000

We are requesting an Alternate Brand Name for the above subject product.

SHIELD POTATO SPROUT INHIBITOR PLUS

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Enclosed please find the following documents:

- 1. Application for Registration (EPA Form 8570-1)
- 2. Three (3) copies of the label containing the additional brand name

The enclosed labels are identical (except for product name) with the label approved by the Agency for this product on November 10, 2005.

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7594C)
U.S. Environmental Protection Agency
March 20, 2007
Page 2 of 2

If you have any questions, please contact me.

Sincerely,

John M. Wise

Consultant to Aceto Agricultural Chemicals Corporation

Enclosures:

CC: Michael Feinman

President





ACTIVE INGREDIENT	By Weight
Chlorpropham: Isopropyl-m-chlorocarbanilate	36.0%
OTHER INGREDIENTS	64.0%
ΤΟΤΔΙ	

Contains 3 pounds active ingredient per gallon.

FOR AGRICULTURAL USE ONLY

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Use only with adequate ventilation. Keep container closed when not in use.

EMERGENCY INFORMATION

For spill, leak, fire, exposure or accident call CHEMTREC 1-800-424-9300

Net Contents: Gallons

FIRST AID
Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomitting unless told to by a poison control center or doctor.
Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.

ENVIRONMENTAL HAZARD

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL HAZARD AND CHEMICAL HAZARD

Flammable: KEEP AWAY FROM HEAT AND OPEN FLAME. (Do not store near heat or open flame). In case of fire, use water spray, foam, dry chemical or CO₂.

DIRECTIONS FOR USE

Notice to User: It is a violation of Federal Law to use this product in a manner inconsistent with its labelling.

Do not apply this product in a way that will contact workers or other persons either directly or through drift. Only protected handlers may be in the area during application.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for Category A on the EPA chemical resistance category selection chart.

Workers must wear: chemical resistant gloves (such as nitrile, butyl, neoprene, and/or barrier laminate) while handling potatoes which are wet.

Mixers, Loaders, Applicators and all other handlers must wear:

- Long sleeved shirt and long pants,
- Socks and shoes, and
- Chemical resistant gloves made of barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride or viton.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

User Safety Recommendations:

Users should:

- Follow manufacturer's instructions for cleaning/maintaining Personal Protective Equipment (PPE). If there are no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry
- 2. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing.
 As soon as possible, wash thoroughly and change into clean clothing.


STORAGE AND DISPOSAL

- PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.
- PESTICIDE DISPOSAL: Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
- CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

GENERAL: Consult Federal, Si
PESTICIDE STORAGE: Avoid
in gel formulation. Warming of do not heat above 250°F.

Acato Shield Ultra is applied at a 1% diluted material should be applied to potatoes are being moved. The dilute with a suitable foaming agent. Do not

Do not apply more than one application



DILUT

Add 1 gallon of Aceto Shield Ultra to 3: this diluted emulsion at a rate of 1 gallor reuse the diluted material that was prepar

Aceto Shield Ultra sprout inhibitor is use treatment and, for maximum sprout inhib

ACETO WARRANTS THAT THE P. REASONABLY FIT FOR THE PUR WITH DIRECTIONS UNDER NORW ANY OTHER WARRANTY OF ME EXPRESS OR IMPLIED, EXTENT INSTRUCTIONS, OR UNDER REASONABLY FORESEEABLE TO SUCH USE.

EPA Reg. No. 2749-70

Aceto Ag





36.0%	
100.0%	

it per gallon.

E ONLY

OF CHILDREN

EMENTS STIC ANIMALS

kin. Causes moderate eye ig. Use only with adequate

TON

TREC 1-800-424-9300

allons

	FIRST AID
If Swallowed	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor.
If in Eyes	Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on Skin or Clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.

ENVIRONMENTAL HAZARD

This product is toxic to fish. Do not discharge effluent containing this product into takes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For quidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL HAZARD AND CHEMICAL HAZARD

Flammable: KEEP AWAY FROM HEAT AND OPEN FLAME. (Do not store near heat or open flame). In case of fire, use water spray, foam, dry chemical or CO2.

DIRECTIONS FOR USE

Notice to User: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

Do not apply this product in a way that will contact workers or other persons either directly or through drift. Only protected handlers may be in the area during application.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for Category A on the EPA chemical resistance category selection chart.

Workers must wear; chemical resistant gloves (such as nitrile, butyl, neoprene, and/or barrier laminate) while handling potatoes which are wet.

Mixers, Loaders, Applicators and all other handlers must wear:

- Long sleeved shirt and long pants,
- Socks and shoes, and
- Chemical resistant gloves made of barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride or viton.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

User Safety Recommendations:

Users should:

- Follow manufacturer's instructions for cleaning/maintaining Personal Protective Equipment (PPE), if there are no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry
- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

STORAGE AND DISPOSAL


- PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is
- PESTICIDE DISPOSAL: Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
- CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

GENERAL: Consult Federal, State or Local Disposal Authorities for approved alternate procedures. PESTICIDE STORAGE: Avoid storage below freezing temperature. Prolonged storage may result in gel formulation. Warming contents and agitation will restore material to useable conditions, but do not heat above 250°F.

APPLICATION

Aceto Shield Ultra is applied at a 1% active ingredient level on washed and damp dried potatoes. The diluted material should be applied using spray nozzles placed evenly across the rolls on which the potatoes are being moved. The diluted solution can also be applied by a foaming system in conjunction with a suitable feaming agent. Do not apply this product using agreed application equipment.

Do not apply more than one application of 0.0104 lbs of chlorpropham per 1000 lbs of potatoes.



DILUTION OF THE CONCENTRATE

Add 1 gallon of Aceta Shield Ultra to 35 gallons of water and mix well. A milky white emulsion will develop. Use this diluted emulsion at a rate of 1 gallon per 8,000 lbs of potatoes, (1 gallon for every 80 cwt. of potatoes). Do not reuse the diluted material that was prepared 24 hours or more earlier without mixing well.

NOTICE

Aceto State Ultra sprout inhibitor is used for the treatment of potatoes after harvest. Potatoes must be cured prior to treatment and, for maximum sprout inhibition, should be washed clean.

CONDITIONS OF SALE

ACETO WARRANTS THAT THE PRODUCT CONFORMS TO ITS CHEMICAL DESCRIPTION AND IS REASONABLY FIT FOR THE PURPOSE STATED ON THE LABEL WHEN USED IN ACCORDANCE WITH DIRECTIONS UNDER NORMAL CONDITIONS OF USE, BUT NEITHER THIS WARRANTY NOR ANY OTHER WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, EXPRESS OR IMPLIED, EXTENDS TO THE USE OF THIS PRODUCT CONTRARY TO LABEL INSTRUCTIONS, OR UNDER ABNORMAL CONDITIONS OR UNDER CONDITIONS NOT REASONABLY FORESEEABLE TO MANUFACTURER, AND BUYER ASSUMES THE RISK FOR ANY SUCH USE.

EPA Reg. No. 2749-70

EPA Est. No.

Manufactured For: Aceto Agricultural Chemicals Coroofation ooo One Hollow Lane Lake Success, NY 11042

Phone: 516-627-6000



