
BEST DOCUMENT AVAILABLE



## HERBICIDE

A HERBICIDE FOR FORMULATING USE

ACTIVE INGREDIENTS:
DIURON (3-(3, 4-DICHLOROPHENYL)-1,
1-DIMETHYLUREA

80.0%

**INERT INGREDIENTS:** 

**TOTAL INGREDIENTS:** 

20.0% 100.0%

NET WEIGHT 50 LBS. EPA REG. NO. 2749-82 EST. NO. 10411--TN-01

## CAUTION: KEEP OUT OF THE REACH OF CHILDREN.

HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. WASH CONTAMINATED CLOTHING BEFORE WEARING. DO NOT BREATHE DUST, WASH THOROUGHLY AFTER HANDLING.

IN CASE OF CONTACT, FLUSH WITH PLENTY OF WATER.
FOR EYES — GET MEDICAL ATTENTION.
DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT, OR DISPOSAL OF WASTES.

DO NOT REUSE EMPTY CONTAINER. DESTROY EMPTY CONTAINER BY PERFORATING OR CRUSHING AND BURYING IN A SAFE PLACE.

DIRECTIONS FOR USE: FORMULATORS OF THIS PRODUCT WILL BE RESPONSIBLE FOR PRODUCING SUPPORTING DATA.

APPEARANCE: WHITE TO OFF-WHITE POWDER M.P. 158 to 159°C ACUTE ORAL LD<sub>50</sub> (RATS) 3,400 mg/Kg.

BUYER ASSUMES ALL RISKS OF USE, STORAGE OR HAND-LING OF THIS MATERIAL NOT IN STRICT ACCORDANCE WITH DIRECTIONS GIVEN HEREWITH.

Manufactured for:
ACETO

AGR
126 02 NORT

Manufactured for:

ACETO CHEMICAL CO., INC

AGRICULTURAL CHEMICALS DIVISION

126 02 NORTHERN BOULEVARD, FLUSHING, N.Y. 11368

56



## DIURON 80V HERBICIDE

A HERBICIDE FOR FORMULAT

ACTIVE INGREDIENTS:
DIURON (3—(3, 4—DICHLOROPHENYL)—
1—DIMETHYLUREA

**INERT INGREDIENTS:** 

**TOTAL INGRE** 

NET WEIGHT 50 LBS. EPA REG. NO. 2749-82 EST. NO. 10411-TN-0

CAUTION: KEEP OUT OF THE R

HARMFUL IF SWALLOWED, INHALE THROUGH THE SKIN. DO NOT GET IN EY CLOTHING. WASH CONTAMINATED CWEARING. DO NOT BREATHE DUST. WAFTER HANDLING.

IN CASE OF CONTACT, FLUSH WITH PLENFOR EYES — GET MEDICAL ATTENTION.

DO NOT CONTAMINATE WATER BY CL

JENT, OR DISPOSAL OF WASTES.

DO NOT REUSE EMPTY CONTAINER. DE TAINER BY PERFORATING OR CRUSH IN A SAFE PLACE.

DIRECTIONS FOR USE: FORMULATORS WILL BE RESPONSIBLE FOR PRODUCING

APPEARANCE: WHITE TO OFF-WHITE PON M.P. 158 to 159°C ACUTE ORAL LD<sub>50</sub> (RATS) 3,400 mg/Kg.

BUYER ASSUMES ALL RISKS OF USE, S LING OF THIS MATERIAL NOT IN ST WITH DIRECTIONS GIVEN HEREWITH.

