

CADDY

USDA REG. NO. 2749 90

NET WEIGHT

A TURF FUNGICIDE FOR CONTROL OF DOLLAR SPOT - COPPER SPOT
RED THREAD (PINK PATCH) - SNOW MOLD

ACTIVE INGREDIENT:

CADMIUM SUCCINATE 60.0%
(Total Cadmium [Cd] 29%)

INERT INGREDIENTS: 40.0%

TOTAL 100.0%

WARNING: KEEP OUT OF THE REACH OF CHILDREN.

THIS PRODUCT IS TOXIC TO FISH AND WILDLIFE. BIRDS AND OTHER
WILDLIFE IN TREATED AREAS MAY BE HARMED. KEEP OUT OF LAKES,
STREAMS OR PONDS. DO NOT CONTAMINATE WATER BY CLEANING OF
EQUIPMENT OR DISPOSAL OF WASTES.

MAY BE FATAL IF SWALLOWED. AVOID BREATHING DUST. DO NOT GET
IN EYES, ON SKIN OR ON CLOTHING. IN CASE OF CONTACT, FLUSH WITH
PLENTY OF WATER. FOR EYES - GET MEDICAL ATTENTION. (DO NOT
REUSE EMPTY CONTAINER. DESTROY EMPTY CONTAINER BY PERFORA-
TING OR CRUSHING AND BURYING IN A SAFE PLACE.)

DIRECTIONS FOR USE. Apply CADDY at the rate of 1/2 oz. in 5 to 10 gallons
of water to every 1000 sq. ft. of turf to be treated. Prepare your spray by adding
CADDY directly to water in the spray tank. Agitate to maintain a suspension. After
spraying thoroughly, rinse all spray equipment with plenty of water.

DOLLAR SPOT: PREVENTIVE - Treat turf with 1/2 oz. of CADDY per 1000 sq. ft.
every month.

CURATIVE - If disease is already present, apply 1/2 oz. of CADDY per 1000 sq. ft.
Follow this one week later with another treatment of 1/2 oz. per 1000 sq. ft.

COPPER SPOT: PREVENTIVE - Treat turf with 1/2 oz. of CADDY per 1000 sq. ft.
every month.

CURATIVE - If disease is already present, apply 1/2 oz. of CADDY per 1000 sq. ft.
Follow this one week later with another treatment of 1/2 oz. per 1000 sq. ft.

RED THREAD (PINK PATCH) PREVENTIVE - Treat turf with 1/2 oz. of CADDY
per 1000 sq. ft. every month.

CURATIVE - If disease is already present, apply 1/2 oz. of CADDY per 1000 sq. ft.
Follow this one week later with another treatment of 1/2 oz. per 1000 sq. ft.

SNOW MOLD (TYPHULA BLIGHT) - Apply 2 to 4 ozs. of CADDY per 1000 sq. ft.
in the late Fall before the ground freezes and before the first residual snow cover is
expected. For additional protection, apply a second application during a hard winter
thaw. **NOTE!** - If pink snow mold or other snow mold fungi species commonly
occurs, MERCLOR* suggested for broad spectrum control.

BROWN PATCH - Alternate treatments with CADDY and MERCLOR* - CADDY
may also be mixed with MERCLOR* and applied as a single spray.

* Aceto brand of Mercurous Chloride/Mercuric Chloride mixture



Manufactured for:

ACETO CHEMICAL CO., INC.
AGRICULTURAL CHEMICALS DIVISION

126-02 NORTHERN BOULEVARD, FLUSHING, N.Y. 11355