


RESTRICTED USE PESTICIDE



CHLOROBENZILATE 4E

ACTIVE INGREDIENTS:
ETHYL 4,4' DICHLOROBENZILATE*
XYLENE

INERT INGREDIENTS:

*EQUIVALENT TO 4 LBS. PER GALLON

KEEP OUT OF REACH OF CHILDREN
WARNING

STATEMENT OF PRACTICAL TREATMENT

If swallowed, drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger.

In case of skin contact, wash immediately with soap and water. Wash thoroughly after each use.

In case of eye contact, flush eyes with water for 15 minutes. Get medical attention. Remove and wash clothing before reuse.

PRECAUTIONARY STATEMENTS

HAZARDOUS TO HUMANS BY INHALATION

Poisonous by skin contact, inhalation or swallowing. Rapidly absorbed through the skin. Do not get in eyes, skin or on clothing. Do not breathe spray mist. Wash thoroughly after handling and before eating and smoking.

If swallowed drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not give anything by mouth to an unconscious person. Get medical attention. In case of contact with skin, wash as soon as possible with plenty of soap and water. If in eyes, flush with water for 15 minutes.

NET CONTENTS: 5 GAL.

EPA REG. NO. 2749-155-AA

EPA EST. NO.

Manufactured For:

TOTAL

45.5%
43.5%
11.0%
100.0%

Take special care to avoid getting chlorobenzilate in eyes, on skin or on clothing. Avoid breathing vapors or spray mist. If chlorobenzilate gets on clothing, remove contaminated clothing and wash affected parts of body with soap and water. If extent of contamination is unknown, bathe entire body thoroughly. Change to clean clothing. Wash hands with soap and water each time before eating, drinking, or smoking. At the end of each work day, bathe entire body with soap and plenty of water. Wear clean clothes each day and launder before reusing.

One piece overalls which have long sleeves and long pants constructed of finely woven fabric as specified in the USDA EPA Guide for Commercial Applicators.

Wide brimmed hat

Heavy-duty fabric work gloves

Any article which has been worn while applying chlorobenzilate must be cleaned before reusing. Clothing which has been drenched or has otherwise absorbed concentrated pesticide must be buried or burned. Facepiece respirator of the type approved for pesticide spray applications by the National Institute for Occupational Safety and Health. Instead of clothing and equipment specified above, the applicator can use an enclosed tractor cab which provides a filtered air supply (as described by Taschenberg and Bourke, 1975), and which allows no more than 0.41 mg/day total exposure to chlorobenzilate. For Aerial Applicators: Aerial application may be conducted without the specified clothing and equipment.

Heavy-duty rubber or neoprene gloves and apron must be worn during loading, unloading and equipment clean up.

This product is toxic to fish, crabs, and shrimp. Use with care when applying in areas adjacent to any body of water. Keep out of lakes, streams, ponds, tidal marshes, and estuaries.

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

Flammable mixture. Keep away from heat or open flame. Store at temperatures above 32 F.

Pesticide, spray, processed should in a safe place aw

CONTAINER DISPOSITION: Triple rinse (or equivalent) in approved landfill

Consult federal, state, and local procedures.

It is a violation of law to use this pesticide with its labeling.

For use only in the following areas:

Citrus - Grape: 5 quats.

Citrus Rust Mite: 5 quats per acre in sufficient amount for severe infested applications.

Aerial Application: supplemental treatment. Flat Mites, Six: 100 gals. of water per acre for thorough coverage.


Citrus Red Mite: 5 pts. per acre in sufficient amount for this pest. combinations with other pesticides.

Citrus Bud Mite: 5 pt per 100 gals. of water to assure thorough coverage.

AMERICAN CHEMICAL CORPORATION, 126 02 Northern Boulevard

RESTRICTED USE PESTICIDE

CHLOROBENZILATE 4E MITICIDE



45.5%
43.5%
11.0%
100.0%

Take special care to avoid getting chlorobenzilate in eyes, on skin or on clothing. Avoid breathing vapors or spray mist. If chlorobenzilate gets on clothing, remove contaminated clothing and wash affected parts of body with soap and water. If extent of contamination is unknown, bathe entire body thoroughly. Change to clean clothing. Wash hands with soap and water each time before eating, drinking, or smoking. At the end of each work day, bathe entire body with soap and plenty of water. Wear clean clothes each day and launder before reusing.

One-piece overalls which have long sleeves and long pants constructed of finely woven fabric as specified in the USDA/EPA Guide for Commercial Applicators.

Wide-brimmed hat

Heavy-duty fabric work gloves.

Any article which has been worn while applying chlorobenzilate must be cleaned before reusing. Clothing which has been drenched or has otherwise absorbed concentrated pesticide must be buried or burned. Facepiece respirator of the type approved for pesticide spray applications by the National Institute for Occupational Safety and Health. Instead of clothing and equipment specified above, the applicator can use an enclosed tractor cab which provides a filtered air supply (as described by Taschenberg and Bourke, 1975), and which allows no more than 0.41 mg/day total exposure to chlorobenzilate. For Aerial Applicators: Aerial application may be conducted without the specified clothing and equipment.

Heavy-duty rubber or neoprene gloves and apron must be worn during loading, unloading and equipment clean-up.

This product is toxic to fish, crabs, and shrimp. Use with care when applying in areas adjacent to any body of water. Keep out of lakes, streams, ponds, tidal marshes, and estuaries.

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

Flammable mixture. Keep away from heat or open flame. Store at temperatures above 32 F.

Pesticide, spray, mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL

Triple-rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved landfill or bury in a safe place.

Consult federal, state or local disposal authorities for approved alternative procedures.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use only in Arizona, California, Florida and Texas.

Citrus - Grapefruit, Oranges, Lemons, Limes, Tangelos, Tangerines, Kumquats.

Citrus Rust Mites: Apply 1/4 - 1/2 pt. per 100 gals. of water or 5 pts. per acre in sufficient water to assure thorough coverage when mites first appear. For severe infestations, or if conditions are favorable for mite buildup, repeated applications will be necessary.

Aerial Applications: Apply 1-1/2 pts. in 10 gallons of water per acre as a supplemental treatment.

Flat Mites, Six-Spotted Mites, Texas Citrus Fruit Mites: Apply 1/2 pt. per 100 gals. of water, or apply 5 pts. per acre in sufficient water to assure thorough coverage.

Citrus Red Mites, Purple Mites: Apply 1/2 pt. per 100 gals. of water, or apply 5 pts. per acre in sufficient water to assure thorough coverage for quick clean-up of this pest. For seasonal control either repeated applications or use in combinations with other miticides will be required.

Citrus Bud Mites, Pacific Spider Mites, Yuma Spider Mites: Apply 1/2 - 3/4 pt. per 100 gals. of water, or apply 6 - 7 1/2 pts. per acre in sufficient water to assure thorough coverage.