

AMMONIUM CHLORAMBEN

10% GRANULES

PRE-EMERGENCE WEED KILLER

For Control of Weeds And Grasses In Soybeans, Corn, Dry Beans, Peanuts, And Sweet Potatoes

| | | |
|---|-------|-------|
| ACTIVE INGREDIENT | | |
| Ammonium Salt of Chloramben, 3-Amino-2,5-dichlorobenzoic acid * | 10.8 | |
| INERT INGREDIENTS | 89.2 | |
| | TOTAL | 100.0 |

*Contains 10% by weight of 3-Amino-2,5-dichlorobenzoic acid

NET WEIGHT 50 LBS.
EPA REG. NO. 2749-169

CAUTION: KEEP OUT OF REACH OF CHILDREN.

MAY BE HARMFUL IF SWALLOWED. MAY CAUSE IRRITATION OF EYES, NOSE, THROAT AND SKIN. AVOID INHALATION OF DUST. AVOID CONTACT WITH SKIN, EYES, OR CLOTHING.

IN CASE OF CONTACT, FLUSH WITH PLENTY OF WATER. FOR EYES, GET MEDICAL ATTENTION.

DO NOT STORE NEAR FERTILIZERS, SEEDS, INSECTICIDES OR FUNGICIDES. DO NOT CONTAMINATE WATER USED FOR IRRIGATION OR DOMESTIC PURPOSES. KEEP AWAY FROM DOMESTIC ANIMALS AND FOODSTUFFS.

DO NOT REUSE EMPTY CONTAINER. DESTROY EMPTY CONTAINER BY PERFORATING OR CRUSHING AND BURYING IN A SAFE PLACE.

AMMONIUM CHLORAMBEN 10% GRANULES controls the following annual grasses and broadleaf weeds:

| | |
|------------------------|------------------|
| Giant foxtail | Ragweed |
| Green & Yellow foxtail | Smartweed |
| Crabgrass | Velvet leaf |
| Pigweed | Lambsquarters |
| Chickweed | Fall panic grass |
| Seedling Johnsongrass | Coffee weed |
| Kochia | Wild mustard |

Ivy leaf morning glory, velvet leaf, jimson weed, buffalo bur, wild oats and cocklebur have not been controlled consistently. Sprouts coming from roots of established perennial weeds such as horse nettle, hedge bindweed, nutgrass, milkweed, dogbone, quackgrass and Johnsongrass are not controlled.

DIRECTIONS FOR USE:

SOYBEANS Apply 20 lbs. granules per acre. For best results plant and treat at the same time. On heavy clay or high organic soil apply 30 lbs. granules per acre.

CORN Use on heavy soils in Missouri, Minnesota, Iowa, Ohio, Illinois, Kansas, Nebraska and Indiana. Apply 20 lbs. granules per acre.

For best results plant and treat at the same time. Plant corn at least 2 1/2 inches deep. Do not use on corn planted in light sandy soils.

DRY BEANS Use a pre-emergence application or preplant soil incorporation application depending on rainfall pattern in your area.

Pre-emergence: Use where one-half inch of rain is normally expected within 10 days after planting or where sprinkler irrigation is available. Apply 20 lbs. granules per acre. For best results, treat and plant at same time.

Pre-plant incorporation:

Use this method in the semi-arid regions of the western states where rainfall following planting is not expected. Prepare seed bed as usual. Apply 20 lbs. granules per acre. Disc or harrow the area lightly to incorporate to the top 1 to 2 inches of soil. Plant beans as soon as possible after incorporation.

SWEET POTATOES

Prepare ground and transplant sweet potato tubers or slips to use. Apply at the time of planting or as soon after as possible, but before weeds emerge. Use 40 lbs. of granules per broadcast acre.

Set cultivator wheels so that soil in the treated bands is not disturbed for several weeks, following application. For the final or last cultivation set the sweeps closer to pull the soil high up a possible on the sweet potato row, right over the treated band.

BAND TREATMENT:

Reduce the amount of GRANULES applied per acre in proportion to the area to be treated.

Mount the spreader on the packer or row wheel so that planting and spreading are done in the same operation. Proper calibration and maintenance of desired spreader height above the ground is very important. Weeds growing in the middles between the treated rows should be cultivated as soon as necessary. Use care while cultivating to avoid throwing fresh soil on treated bands.

This product must have rain to carry it into the soil where weeds sprout. If insufficient rain falls within 7 days after application but there was enough soil moisture to germinate weeds and grasses, a light cultivation with a rotary hoe or similar tool will help uproot these weeds and grasses.

AMOUNTS REQUIRED FOR BANDED ACRE

| ROW WIDTH | BAND WIDTH | SOYBEANS | | CORN DRY BEANS |
|-----------|------------|----------------|--------------------|----------------|
| | | MOST SOILS | HIGH ORGANIC SOILS | |
| 21 in. | 10 in. | 9 lbs., 8 oz. | 14 lbs., 5 oz. | 9 lbs., 8 oz. |
| 28 in. | 12 in. | 8 lbs., 9 oz. | 12 lbs., 13 oz. | 8 lbs., 9 oz. |
| 28 in. | 14 in. | 10 lbs. | 15 lbs. | 10 lbs. |
| 30 in. | 12 in. | 8 lbs. | 12 lbs. | 8 lbs. |
| 30 in. | 14 in. | 9 lbs., 5 oz. | 14 lbs. | 9 lbs., 5 oz. |
| 36 in. | 12 in. | 6 lbs., 10 oz. | 10 lbs. | 6 lbs., 10 oz. |
| 36 in. | 14 in. | 7 lbs., 13 oz. | 11 lbs., 10 oz. | 7 lbs., 13 oz. |
| 38 in. | 12 in. | 6 lbs., 6 oz. | 9 lbs., 8 oz. | 6 lbs., 6 oz. |
| 38 in. | 14 in. | 7 lbs., 5 oz. | 11 lbs. | 7 lbs., 5 oz. |
| 40 in. | 12 in. | 6 lbs., 2 oz. | 9 lbs. | 6 lbs., 2 oz. |
| 40 in. | 14 in. | 7 lbs. | 10 lbs., 8 oz. | 7 lbs. |



Manufactured by
ACETO CHEMICAL CO., INC.
AGRICULTURAL CHEMICALS DIVISION
126 02 NORTHERN BOULEVARD, FLUSHING, N.Y. 11368

ACCEP
Handwritten signature