

DICAMBA 4 EC HERBICIDE

ACTIVE INGREDIENT:

*DIMETHYLAMINE SALT OF DICAMBA
(3, 6-DICHLORO-O-ANISIC ACID)

56.9%

INERT INGREDIENTS:

43.1%

TOTAL 100.0%

*CONTAINS 4 LBS. DICAMBA PER GALLON.

NET CONTENTS 1 GAL.

EPA REG. NO. 2749-174

CAUTION: KEEP OUT OF THE REACH OF CHILDREN.
KEEP AWAY FROM DOMESTIC ANIMALS AND FOODSTUFFS.

DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT OR DISPOSAL OF WASTES.

MAY BE HARMFUL IF SWALLOWED. MAY CAUSE IRRITATION OF EYES, NOSE, THROAT AND SKIN. AVOID INHALATION OF DUST. AVOID CONTACT WITH SKIN, EYES OR CLOTHING.

IN CASE OF CONTACT, FLUSH WITH PLENTY OF WATER. FOR EYES - GET MEDICAL ATTENTION.

DO NOT REUSE EMPTY CONTAINER. DESTROY EMPTY CONTAINER BY PERFORATING OR CRUSHING AND BURYING IN A SAFE PLACE.

DO NOT APPLY (EXCEPT AS RECOMMENDED) ON OR NEAR DESIRABLE TREES OR PLANTS, OR IN LOCATIONS WHERE CHEMICAL MAY BE WASHED OR MOVED INTO CONTACT WITH THEIR ROOTS. PREVENT DRIFT OF PRODUCT TO DESIRABLE PLANTS, PARTICULARLY SOYBEANS. DO NOT CONTAMINATE DOMESTIC OR IRRIGATION WATERS. THOROUGHLY CLEAN APPLICATION EQUIPMENT AFTER USE.

The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.




Manufactured for:
ACETO CHEMICAL CO., INC.
AGRICULTURAL CHEMICALS DIVISION
128-02 NORTHERN BOULEVARD, FLUSHING, N.Y. 11368

DIRECTIONS FOR USE

USE	WEED	DOSAGE	APPLICATION
NON-CROPLAND-BRUSH CONTROL Fencerows, Roadways, Utility Right-Of-Ways, Wasteland and Similar Non-Cropland	Mixed Brush including both deciduous (hardwood) and evergreen species such as: Ash Aspen Basswood Cedar Cherry Chinquapin Cucumber tree Gum Dogwood Elm Hickory Hornbeam Locust Maples Oaks Persimmon Pine Poplar Sassafras Service berry Spicebush Sour wood Sumac Sycamore Thornapple Thornberry Willow Witch hazel Yew	1 1/2 Quarts DICAMBA per 100 gallons water plus 2 1/2 lbs. active ingredient 2, 4-D per 100 gallons of water.	For broad spectrum control, tank mix DICAMBA with 2, 4-D. Apply any time temperature is above freezing. Treat all stems and foliage with special emphasis on covering the root crown. For best results apply at the rate of 200 to 300 gallons of water per acre. Lesser amounts of water may be used but maintain minimum of 2 1/2 quarts of DICAMBA per acre when mixed with 2, 4-D. Observe all caution statements on labeling for 2, 4-D products. Make repeat application when needed.
Wasteland, fence-rows and similar non-cropland.	Eastern Persimmon	1 to 2 gallons in 100 gallons water DICAMBA equivalent. Use 1/8 to 1/4 pt. of spray solution per inch diameter of the plant	Apply to ground under trees as basal treatment. May also be used as a stem foliage treatment with sufficient water to give good coverage.
NON-CROPLAND-WEED CONTROL Fencerows, roadways and similar non-cropland.	Field bindweed (morning glory) Russian knapweed, Canada thistle, leafy spurge.	1 to 2 gallons DICAMBA per 100 gallons of water	Apply to foliage and/or soil when weed is in active stage of growth. For spot treatment, mix 1 1/2 to 3 tablespoons with one gallon of water to treat one square rod (272 sq. ft.)
	Top growth control of Field bindweed (morning glory) Russian knapweed, Canada thistle, leafy spurge chickweeds (common, mouseear, perennial or stitchwort), curly dock, dogfennels (Mayweed and corn chamomile), knotweed, clover, sheepsorrel (red sorrel).	1 to 2 Pints DICAMBA per 100 gallons of water	Apply as a foliar spray in spring or early summer to actively growing weeds. For spot treatment, mix 0.6-1.2 teaspoons with 1 gallon water to treat 1 square rod (272 sq. ft.)



2749-174



BEST DOCUMENT AVAILABLE

DICAMBA 4 EC HERBICIDE

ACTIVE INGREDIENT:

*DIMETHYLAMINE SALT OF DICAMBA
(3, 6-DICHLORO-O-ANISIC ACID)

56.9%

INERT INGREDIENTS:

43.1%

TOTAL 100.0%

*CONTAINS 4 LBS. DICAMBA PER GALLON.

NET CONTENTS 1 GAL.

EPA REG. NO. 2749-174

CAUTION: KEEP OUT OF THE REACH OF CHILDREN.
KEEP AWAY FROM DOMESTIC ANIMALS AND FOODSTUFFS.

DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT,
DISPOSAL OF WASTES.

MAY BE HARMFUL IF SWALLOWED. MAY CAUSE IRRITATION OF
EYES, NOSE, THROAT AND SKIN. AVOID INHALATION OF DUST.
AVOID CONTACT WITH SKIN, EYES OR CLOTHING.

IN CASE OF CONTACT, FLUSH WITH PLENTY OF WATER. FOR
EYES - GET MEDICAL ATTENTION.

DO NOT REUSE EMPTY CONTAINER. DESTROY EMPTY CONTAINER
BY PERFORATING OR CRUSHING AND BURYING IN A SAFE PLACE.

DO NOT APPLY (EXCEPT AS RECOMMENDED) ON OR NEAR DESIR-
ABLE TREES OR PLANTS, OR IN LOCATIONS WHERE CHEMICAL
MAY BE WASHED OR MOVED INTO CONTACT WITH THEIR ROOTS.
PREVENT DRIFT OF PRODUCT TO DESIRABLE PLANTS, PARTICU-
LARLY SOYBEANS. DO NOT CONTAMINATE DOMESTIC OR IRRIGA-
TION WATERS. THOROUGHLY CLEAN APPLICATION EQUIPMENT
AFTER USE.

The use of this product being beyond the control of the manufacturer, no guarantee,
expressed or implied, is made as to the effects of such or the results to be obtained if not
used in accordance with directions or established safe practice. The buyer must assume
all responsibility, including injury or damage, resulting from its misuse as such, or in
combination with other materials.



Manufactured for

ACETO CHEMICAL CO., INC.
AGRICULTURAL CHEMICALS DIVISION

126-02 NORTHERN BOULEVARD, FLUSHING, N.Y. 11368