
# **DPHDC 8** WATER MISCIBLE INSECTICIDE

#### **ACTIVE INGREDIENTS:**

Dimethyl phosphate of 3 hydroxy-N, INERT INGREDIENTS: .....

#### \*CONTAINS 8 LBS. OF ACTIVE INGREDIENT PER GALLON.



PCISON

### **ANTIDOTE IS ATROPINE**

## DANGER: KEEP OUT OF REACH OF CHILDREN.

POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN. RAPIDLY ABSORBED THROUGH SKIN. REPEATED INHALATION OR SKIN CON-TACT MAY, WITHOUT SYMPTOMS, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO POISONING. DO NOT BREATHE VAPORS. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING.

ANTIDOTE AND FIRST AID TREATMENT: ATROPINE IS THE EMERGENCY ANTIDOTE FOR ADA POISONING. CALL A PHYSICIAN IN ALL CASES OF SUSPECTED POISONING. INTERNAL: IF THE MATERIAL HAS BEEN SWALLOWED, INDUCE VOMITING IM-MEDIATELY BY INTRODUCING A FINGER INTO THE THROAT OR BY GIVING WARM SALT WATER (1 TBS. OF SALT TO A GLASS OF WATER). NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. **EXTERNAL: IF THE MATERIAL HAS BEEN SPILLED ON THE SKIN, IMMEDIATELY** REMOVE PATIENT FROM THE VICINITY. REMOVE ALL CONTAMINATED CLOTH-ING AND WASH SKIN WITH SOAP AND RUNNING WATER. IF THE MATERIAL GETS INTO THE EYES, WASH IMMEDIATELY WITH RUNNING WATER FOR AT LEAST 10 MINUTES. IF WARNING SYMPTOMS APPEAR, ADMINISTER TWO ATRO-PINE 1/100-GRAIN TABLETS IMMEDIATELY. KEEP PATIENT PRONE AND QUIET. START ARTIFICIAL RESPIRATION IMMEDIATELY IF PATIENT IS NOT BREATHING. TRANSPORT IMMEDIATELY TO THE NEAREST PHYSICIAN.



WEAR CLEAN NATURAL RUBBER GLOVES, CLEAN PROTECTIVE CLOTHING AND GOGGLES. REPLACE GLOVES FREQUENTLY AND DESTROY USED GLOVES. DUR-ING COMMERCIAL OR PROLONGED EXTENSIVE OPERATIONS, WEAR A MASK OR RESPIRATOR. WORKERS ENTERING FIELD WITHIN SIXTEEN HOURS OF TREAT-MENT SHOULD BE PROTECTED. WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING AND BEFORE EATING AND SMOKING. IF THE MATERIAL GETS INTO THE EYES, IMMEDIATELY FLUSH WITH WATER FOR AT LEAST TEN MINUTES AND GET MEDICAL ATTENTION. IN CASE OF CONTACT, REMOVE ALL CONTAMINATED CLOTHING AND WASH SKIN WITH SOAP AND WATER; WASH CLOTHING BEFORE REUSE. IN CASE OF SPILLAGE, WASH DOWN WITH LARGE AMOUNTS OF WATER. DECONTAMINATE AREAS AND EQUIPMENT BY WASHING WITH CONCENTRATED SOLUTION OF ALKALI AND DETERGENT AND RINSE WITH WATER.

THIS PRODUCT IS TOXIC TO BIRDS AND OTHER WILDLIFE. KEEP OUT OF LAKES, PONDS, AND STREAMS. BIRDS AND OTHER WILDLIFE IN TREATED AREAS MAY BE KILLED. DO NOT APPLY WHEN WEATHER CONDITIONS FAVOR DRIFTS FROM AREAS TREATED. DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT OR DISPOSAL OF WASTES.

**KEEP AWAY FROM DOMESTIC ANIMALS AND FOODSTUFFS.** DO NOT CONTAMINATE FOOD OR FEED PRODUCTS. **KEEP AWAY FROM HEAT AND OPEN FLAME.** DO NOT REUSE EMPTY CONTAINER. DESTROY EMPTY CONTAINER BY PERFORA-TING OR CRUSHING AND BURYING IN A SAFE PLACE.

CROPS	INSECT	DOSAGE FLUID OUNCES PER ACRE
SEED CROPS Soubeans	Grasshoppers, Stink- bugs, Treehoppers, Leafhoppers, Colo- rado Potato Beetle, Potato fleabeetle, Mexican Bean Beetle	4.0
- 19 7	Aphids Lygus Bugs	8.0 8.0 - 16.0
FIELD CROPS Cotton	Aphids, Thrips, Spider Mites, Cotton Flea- hoppers.	For early season con- trol 1.6 - 3.2
	Grasshoppers, Boll Weevil	4.0
	Aphids, Cotton Flea- hoppers, Spider mites, Grasshoppers, Boll Weevils, Black Flea- hoppers, Lygus bugs	For mid or late season control 4.0 · 8.0

· . . .

) CHEMICAL CO., INC. AGRICULTURAL CHEMICALS DIV.

ERN BOULEVARD FLUSHING, N.Y. 11368

DIRECTIONS FOR APPLICATION

Apply to give uniform coverage. Repeat as necessary. Do not apply within 30 days of harvest. Do not graze livestock on treated fields or feed treated trash or seed. Do not apply dur ing peak bee activity. Do not use DPHDC 8 on these crops unless they are grown for seed.

Apply to give uniform coverage. Repeat as necessary. Do not apply within 10 days of harvest. Do not graze livestock on treated fields or feed treated gin trash.

