ACCEPTED

2749-187

DICROTOPHOS 8

WATER MISCIBLE INSECTICID

ACTIVE INGREDIENTS.	
Dimethyl phosphate of 3-hydroxy-N, N-dimethyl-cis-crotonamide*	82%
INERT INGREDIENTS	18%
TOTAL	100%

*CONTAINS 8 LBS OF ACTIVE INGREDIENTS PER GALLON

POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN

RAPIDLY ABSORBED THROUGH SKIN. REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO POISONING. DO NOT BREATHE VAPORS

DO NOT GET IN EYES, ON SKIN OR ON CLOTHING

ATROPINE IS THE EMERGENCY ANTIDOTE FOR ADA POISONING

CALL A PHYSICIAN IN ALL CASES OF SUSPECTED POISONING

INTERNAL IF THE MATERIAL HAS BEEN SWALLOWED INDUCE VOMITING IMMEDIATELY BY INTRODUCING A FINGER INTO THE THROAT OR BY GIVING WARM SALT WATER 1 TBS OF SALT TO A GLASS OF WATER. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON

EXTERNAL IF THE MATERIAL HAS BEEN SPILLED ON THE SKIN IMMEDIATELY REMOVE PATIENT FROM THE VICINITY. REMOVE ALL CONTAMINATED CLOTHING AND WASH SKIN WITH SOAP AND RUNNING WATER. IF THE MATERIAL GETS INTO THE EYES, WASH IMMEDIATELY WITH RUNNING WATER FOR AT LEAST 30 MINUTES. IF WARNING SYMPTOMS APPEAR, ADMINISTER TWO ATROPINE 1/100 GRAIN TABLETS IMMEDIATELY. KEEP PATIENT PRONE AND QUIET. START ARTIFICIAL RESPIRATION IMMEDIATELY IF PATIENT IS NOT BREATHING. TRANSPORT IMMEDIATELY TO THE NEAREST PHYSICIAN

NET CONTENTS: GALS.

EPA REG NO 2749-187

EPA EST NO.

Manufactured For

WEAR CLEAN NATURAL RUBBER GLOVES, CLEAN PROTECT
GOGGLES REPLACE GLOVES FREQUENTLY AND DESTROY L
ING COMMERCIAL OR PROLONGED EXTENSIVE OPERATIONS.
RESPIRATOR. WORKERS ENTERING FIELD WITHIN SIXTEEN
MENT SHOULD BE PROTECTED. WASH THOROUGHLY WITH
AFTER HANDLING AND BEFORE EATING AND SMOKING. IF T
INTO THE EYES, IMMEDIATELY FLUSH WITH WATER FOR AT L
AND GET MEDICAL ATTENTION. IN CASE OF CONTACT, REMO
ATED CLOTHING, AND WASH SKIN WITH SOAP AND WATER; W
FORE REUSE IN CASE OF SPILLAGE, WASH DOWN WITH LA
WATER. DECONTAMINATE AREAS AND EQUIPMENT BY WASH
TRATED SOLUTION OF ALKALI AND DETERGENT AND RINSE W

THIS PRODUCT IS TOXIC TO BIRDS AND OTHER WILDLIFE. K
PONDS, AND STREAMS BIRDS AND OTHER WILDLIFE IN TREA
KILLED DO NOT APPLY WHEN WEATHER CONDITIONS FA
AREAS TREATED DO NOT CONTAMINATE WATER BY CLEANING
DISPOSAL OF WASTES

KEEP AWAY FROM DOMESTIC ANIMALS AND FOODSTUFFS.

DO NOT CONTAMINATE FOOD OR FEED PRODUCTS.

KEEP AWAY FROM HEAT AND OPEN FLAME

DO NOT REUSE EMPTY CONTAINER. DESTROY EMPTY CONTAIN
ING OR CRUSHING AND BURYING IN A SAFE PLACE.

CROPS	INSECT	DOSAGE FLUID OUNCES PER ACRE	DI FOR
[illegible] CROPS [illegible]	Grasshoppers Stink bugs Treehoppers, Leafhoppers, Colorado Potato Beetle Potato fleabeetle Mexican bean Beetle	4 0	Apply to Repeat as apply with Do not gr treated fie trash or se ing peak b use Dicrot crops unle for seed
[illegible]	Aphids Lygus Bugs	8 0	Apply to Repeat as ply within Do not gra fields or fe
	Aphids, Thrips, Spider Mites Cotton Flea hoppers	8 0 16 0 For early season control 16 32	
	Grasshoppers Boll Weevil	4 0	
	Aphids, Cotton Flea hoppers, Spider mites Grasshoppers, Boll weevils, Black Flea hoppers, Lygus bugs	For mid or late season control 4 8 0 8 0	

ACCEPTED

2749-187

DICROTOPHOS 8

WATER MISCIBLE INSECTICIDE

REDIENTS:

hosphate of 3-hydroxy-N,
hyl-cis-crotonamide* 82%
EDIENTS: 18%

TOTAL 100%

8 LBS. OF ACTIVE INGREDIENTS PER GALLON

POISO

ANTI

KEE

F SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN

SORBED THROUGH SKIN REPEATED INHALATION OR SKIN CONTACT
UT SYMPTOMS, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO POIS
OT BREATHE VAPORS

IN EYES, ON SKIN OR ON CLOTHING

THE EMERGENCY ANTIDOTE FOR ADA POISONING

ICIAN IN ALL CASES OF SUSPECTED POISONING

IF THE MATERIAL HAS BEEN SWALLOWED, INDUCE VOMITING IM
BY INTRODUCING A FINGER INTO THE THROAT OR BY GIVING WARM
(1 TBS OF SALT TO A GLASS OF WATER) IF THE PATIENT IS
N UNCONSCIOUS PERSON

IF THE MATERIAL HAS BEEN SPILLED ON THE SKIN, IMMEDIATE
TIENT FROM THE VICINITY REMOVE ALL CONTAMINATED CLOTHING
KIN WITH SOAP AND RUNNING WATER IF THE MATERIAL GETS IN
ASH IMMEDIATELY WITH RUNNING WATER FOR AT LEAST 15 MINUTES
SYMPTOMS APPEAR, ADMINISTER TWO ATROPINE 1 100 GRAIN TAB
IATELY. KEEP PATIENT PRONE AND QUIET START ARTIFICIAL RES
IMEDIATELY IF PATIENT IS NOT BREATHING TRANSPORT PAT
HE NEAREST PHYSICIAN

NET CONTENTS. GALS
EPA REG NO. 2749-187
EPA EST NO.

red For

WEAR CLEAN NATURAL RUBBER GLOVES, CLEAN PROTECTIVE CLOTHING AND GOGGLES. REPLACE GLOVES FREQUENTLY AND DESTROY USED GLOVES. DURING COMMERCIAL OR PROLONGED EXTENSIVE OPERATIONS, WEAR A MASK OR RESPIRATOR WORKERS ENTERING FIELD WITHIN SIXTEEN HOURS OF TREATMENT SHOULD BE PROTECTED. WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING AND BEFORE EATING AND SMOKING. IF THE MATERIAL GETS INTO THE EYES, IMMEDIATELY FLUSH WITH WATER FOR AT LEAST TEN MINUTES AND GET MEDICAL ATTENTION IN CASE OF CONTACT, REMOVE ALL CONTAMINATED CLOTHING AND WASH SKIN WITH SOAP AND WATER; WASH CLOTHING BEFORE REUSE. IN CASE OF SPILLAGE, WASH DOWN WITH LARGE AMOUNTS OF WATER DECONTAMINATE AREAS AND EQUIPMENT BY WASHING WITH CONCENTRATED SOLUTION OF ALKALI AND DETERGENT AND RINSE WITH WATER.

THIS PRODUCT IS TOXIC TO BIRDS AND OTHER WILDLIFE. KEEP OUT OF LAKES, PONDS AND STREAMS BIRDS AND OTHER WILDLIFE IN TREATED AREAS MAY BE KILLED DO NOT APPLY WHEN WEATHER CONDITIONS FAVOR DRIFTS FROM AREAS TREATED DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT OR DISPOSAL OF WASTES

KEEP AWAY FROM DOMESTIC ANIMALS AND FOODSTUFFS

DO NOT CONTAMINATE FOOD OR FEED PRODUCTS.

KEEP AWAY FROM HEAT AND OPEN FLAME

DO NOT REUSE EMPTY CONTAINER. DESTROY EMPTY CONTAINER BY PERFORATING OR CRUSHING AND BURYING IN A SAFE PLACE

CROPS	INSECT	DOSAGE FLUID OUNCES PER ACRE	DIRECTIONS FOR APPLICATION
SEED CROPS	Grasshoppers, Stink bugs, Treehoppers, Leafhoppers, Colorado Potato Beetle, Potato Flea Beetle, Mexican Bean Beetle	4.0	Apply to give uniform coverage. Repeat as necessary. Do not apply within 30 days of harvest. Do not graze livestock on treated fields or feed treated trash or seed. Do not apply during peak bee activity. Do not use Dicrotophos 8 on these crops unless they are grown for seed
	Aphids, Thrips, Spider Mites	8.0	
	Aphids, Thrips, Spider Mites	8.0 16.0 For early season control	Apply to give uniform coverage. Repeat as necessary. Do not apply within 10 days of harvest. Do not graze livestock on treated fields or feed treated gin trash

027