

ACCEPTED

MAY 2 % 1981

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER

Poisonous if swallowed, inhaled or absorbed through the skin. Rapidly absorbed through the skin. Do not get in eyes or on skin. Do not breathe dust. Wear protective clothing and cotton or natural rubber gloves. If cotton gloves are used, they must be laundered or discarded after each day's use. Do not wear the same gloves for other work. Rubber gloves should be washed with soap and water after each use. When using Disulfoton 15G insecticide on non-food crops in greenhouses or other enclosed areas. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Gocupational Safety and Health for protection against Di-Syston. Do not contaminate feed or food. Keep out of reach of children. Keep all unprotected persons or domestic animals out of operating areas or vicinity. Wash hands, arms and face thoroughly with soap and warm water hefore eating or smoking. Wesh all contaminated clothing with soap and hot water before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams, ponds, tidal marshes, and estuaries. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE

RESTRICTED USE PESTICIDE

For retail sale to and application only by certified applicators or persons under their direct supervision.

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Bestrictions: Not for home or garden use. In commercial topping of flowers by hand, clean gloves should be worn. Do not use on other crops used for food or forage. Use only according to label directions. Application at rates above those shown may result in illegal crop residues. Do not treat food crops grown in the greenhouse. Observe all precautions and limitations on labeling of all products used in mixtures.

RE-ENTRY STATEMENT

Do not allow entry into treated areas until sprays have dried and dusts have settled, unless full protective clothing is wom.

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food, or feed by storage, or disposal or cleaning of equipment.

Open dumping is prohibited.

PESTICIDE DISPOSAL

Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL


Dispose of in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

GENERAL


Consult Federal, State or Local disposed authorities for approved alternative procedures such as limited open burning.

Observe all cautions and limitations on labeling of all products used in mixtures.

Do not apply to exact occupied by unpratected humans or domestic animals.



Manufactured for




d use only hy Certified Applicators or persons under their direct for those uses covered by the Certified Applicators Certification

ACTIVE INGREDIENT: 0, 0-Diethyl S-[2-(ethylthio) ethyl] phosphorodithioate INERT INGREDIENTS:

KEEP OUT OF REACH OF CHILDREN

TOTAL



STATEMENT OF PRACTICAL TREATMENT

if swallowed— Drink one or two glasses of water and induce vomiting by the back of the throat with finger. Repeat until vomit flui Call a physician immediately. Do not induce vomiting or thing by mouth to an unconscious person.

- If inhaled Remove victim to fresh air. Apply respiration if indicated. If on skin — Remove contaminated clothing and wash affected areas
 - n skin Remove contaminated clothing and wash affected areas and water.
- If in eyes Flush eyes for at least 15 minutes with water. Call a immediately.

Note to Physician: Disulfoton is an acetylcholinesterase inhibitor. Atropic antidotal.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMEN

NET CONTENTS: 50 LBS.