

CLOUT 3%
INSECTICIDE CATTLE DUSTING POWDER
**For direct application to dairy and beef cattle for control of
horn flies and lice.**

ACTIVE INGREDIENT:
Dimethyl phosphate of alpha-methylbenzyl
3-hydroxy-cis-crotonate 3.0%

INERT INGREDIENTS: 97.0%

TOTAL 100.0%

EPA REG. NO. 2749-246

NET WEIGHT 4 LBS.

CAUTION: KEEP OUT OF THE REACH OF CHILDREN.

Harmful if swallowed. Avoid inhalation of dust and contact with skin. Wash thoroughly with soap and water after handling and before eating or smoking. In case of contact with skin or eyes, flush with plenty of water. For eyes - get medical attention.

If swallowed, induce vomiting immediately and get medical attention. Note to physician - Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with Atropine.

Do not contaminate feed or foodstuffs.

Do not contaminate any body of water by direct application, cleaning of equipment, or disposal of waste or containers.

This product is toxic to fish and wildlife. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DESTROY USED CONTAINERS: Do not reuse for any purpose. Destroy container by burning or burying in an isolated area. If burned, keep out of smoke.

GENERAL DIRECTIONS:

3% CLOUT Insecticide is a specially prepared ready-to-use livestock dusting powder suitable for use on conventional hand and power dusters. No feed-off period is required when used on animals being fed for slaughter. Do not treat calves under 6 months of age. Brahman cattle should not be treated as they may show hypersensitivity to organic phosphates.

USE AND DIRECTIONS FOR APPLICATION:

Dusting Powder: For the control of horn flies on beef and lactating dairy animals, apply 1-2 heaping teaspoonsful to the backline of the animal, covering in addition to the poll, neck and upper portions of the side. Repeat above applications as necessary to maintain control, but not more often than once every 14 days. Wash hands thoroughly after use. For control of lice on dairy and beef cattle, treat animals thoroughly. If required, repeat this thorough application in 3-4 weeks.

Dust Bag - Animal Dusting Stations: For control of horn flies on dairy cattle and beef cattle and as an aid in the control of lice on dairy cattle and beef cattle, 3% CLOUT insecticide dust may be applied daily when application is made with dust bags. To prepare dust bags for animal use, place 4-8 pounds of 3% CLOUT in cotton cloth or double burlap bags and suspend bags near mineral or salt blocks, in alleyways leading to or from animal building, or dairy barns. Dustbags may also be suspended in livestock holding pens, feed lots, and loafing sheds where possible. Protect bags from weather by placing them under shelter.

ACCEPTED
9-12-72
2749-246



ACETO CHEMICAL CO., INC.
126 02 NORTHERN BOULEVARD, FLUSHING, N.Y. 11354