



ACTOX GRANULAR SELECTIVE WEED KILLER FOR CORN

FOR PRE-EMERGENCE CONTROL OF CERTAIN ANNUAL WEEDS IN
FIELD CORN, SILAGE CORN, SWEET CORN AND POPCORN.

ACTIVE INGREDIENTS:

N, N-diallyl-2-chloroacetamide
Trichlorobenzyl chloride

11.7%
23.3%

INERT INGREDIENTS:

TOTAL

65.0%
100.0%

EPA REG. NO. 2749-254

NET WEIGHT _____ LBS.

WARNING: KEEP OUT OF REACH OF CHILDREN

TOXIC IF INHALED OR SWALLOWED. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. DO NOT BREATHE DUST. WHEN HANDLING WEAR PROTECTIVE CLOTHING, FACE MASK AND GOGGLES. IN CASE OF SKIN CONTACT WASH WITH SOAP AND WATER. FOR EYES - FLUSH WITH PLENTY OF WATER - GET MEDICAL ATTENTION.

DO NOT CONTAMINATE SEED, FEED OR FOODSTUFFS.

THIS PRODUCT IS TOXIC TO WILDLIFE. BIRDS AND OTHER WILDLIFE IN TREATED AREAS MAY BE KILLED. KEEP OUT OF LAKES, STREAMS OR PONDS, DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT, OR DISPOSAL OF WASTES. APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL.

DO NOT REUSE EMPTY CONTAINER. DESTROY EMPTY CONTAINER BY PERFORATING OR CRUSHING AND BURYING IN A SAFE PLACE.

WEEDS CONTROLLED

Actox Granular controls these weeds:

Annual Bluegrass
Poa annua
Barnyardgrass
(Watergrass)
Echinochloa crusgalli
Carpetweed
Mollugo verticillata
Cheat
Bromus secalinus
Cocklebur
Xanthium spp
Crabgrass
Digitaria spp.
Giant Foxtail (Wild Millet)
Setaria faberii

Green Foxtail
Setaria viridis
Yellow Foxtail
Setaria glauca
Groundsel
Sencio vulgaris
Lambsquarters
Chenopodium Album
Morningglory
Ipomoea spp
Mustard
Brassica spp.
Pigweed (Spiny)
Amaranthus spinosus
Pigweed (Redroot)
Amaranthus Retroflexus

Purslane
Portulaca oleracea
Ragweed
Ambrosia artemisifolia
Russian Thistle
Salsola kali
Sandbur
Cenchrus spp
Smartweed
Polygonum pensylvanicum
Stinkgrass
Eragrostis ciliaris
Velvetleaf
Abutilon theophrasti

ACTOX GRANULAR SHOULD BE USED ONLY IN THE FOLLOWING MIDWESTERN STATES, AND NEVER ON SANDY SOILS.

Illinois
Indiana
Iowa
Kansas

Michigan
Minnesota
Missouri
Nebraska

Ohio
South Dakota
Wisconsin

CALIBRATING GRANULAR

For successful results ACTOX GRANULAR must be applied. Calibration of applying equipment in the field is recommended through spouts and tubes may be calibrated for ACTOX GRANULAR bottle or similar measuring device that is graduated in fluid ounces.

Detach the delivery tube from the spout on the hopper, and collect spout while driving 1,000 ft. in the field at planting speed. The amount supplied by this spout by 0.97 to find the fluid ounces you should apply per acre of ACTOX GRANULAR.

For example, if the spout supplies granules for a 14 inch band collected in 1,000 ft. (14 inches x 0.97 = 13.58 fl oz.). Adjust to proper amount. Tap the measuring jar gently to settle the granules. Other field distances are in direct proportion to these figures.

WARNING

Extreme care must be used when handling ACTOX GRANULAR. During hot weather granules may adhere to moist skin causing irritation, little or no irritation should occur. When pouring the granules into the hopper, wear goggles to prevent dust from getting into the eyes.

Always follow instructions of the equipment manufacturer for application to avoid both over or under treatment.

Seed corn producers should satisfy themselves that their inbred corn is ACTOX GRANULAR.

Because of possible damage to succeeding crops.

1. Do not use ACTOX GRANULAR where sprinkler and furrow irrigation are used.
2. Do not use on peaty muck soils or any soils having organic matter.
3. Do not use on fields where sugar beets, tomatoes, lettuce, etc. are grown the following year, or on sweet corn to be followed by a second crop.

DIRECTIONS FOR USE

Do not use in any manner other than recommended on the label to avoid animals, or crops, or other unintended consequences. DO NOT use on FIELD CORN, SILAGE CORN, SWEET CORN AND POPCORN.

For Band Treatments apply 10 pounds of ACTOX GRANULAR per acre over 40 inch corn rows. Place spreader plate behind press wheel. For OVERALL TREATMENTS apply 30 pounds of ACTOX GRANULAR per acre.

FOR BEST RESULTS:

Make a fine, firm, well worked seed bed, free of clods or trash, and free of organic matter and/or clay. Do not use on sandy soils.

Apply ACTOX GRANULAR when soil is not extremely wet. ACTOX GRANULAR is rapidly lost. Under dry conditions, it will wash up. Normal rainfall (1/4-1 inch) is necessary within one week after application to wash the material away.

For band treated fields, when first cultivation is made, set the band to the soil. If soil crusts, and it becomes necessary to rotary tillage, tillage rows.

For Over-all Treatments - use broadcast applicators or other equipment to apply required amount of granules uniformly.

For Band Treatments (behind press wheel) - use applicators designed to apply granules per acre as follows:

Band width		X	Recommended
inches between			over-all rate
crops rows			

For example: If you wish to treat a band 14-inches wide in corn:

14	X	30	10 pounds of granules needed per acre of crop for this band treatment
40			



Manufactured for
ACETO CHEMICALS
AGRICULTURAL CHEMICALS
126-02 NORTHERN BOULEVARD



ACTOX GRANULAR SELECTIVE WEED KILLER FOR CORN

FOR PRE-EMERGENCE CONTROL OF CERTAIN ANNUAL WEEDS IN
FIELD CORN, SILAGE CORN, SWEET CORN AND POPCORN.

ACTIVE INGREDIENTS:

- N, N-diallyl-2-chloroacetamide
- Trichlorobenzyl chloride

INERT INGREDIENTS:

ACCEPTED
OCT 26 1973
UNDER THE FEDERAL INSECTICIDE
AND RODENTICIDE ACT
EPA REG. NO. 2749-254

11.7%
23.3%
65.0%
TOTAL 100.0%

EPA REG. NO. 2749-254

NET WEIGHT _____ LBS.

WARNING: KEEP OUT OF REACH OF CHILDREN

TOXIC IF INHALED OR SWALLOWED. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. DO NOT BREATHE DUST. WHEN HANDLING WEAR PROTECTIVE CLOTHING, FACE MASK AND GOGGLES. IN CASE OF SKIN CONTACT WASH WITH SOAP AND WATER. FOR EYES - FLUSH WITH PLENTY OF WATER - GET MEDICAL ATTENTION.

DO NOT CONTAMINATE SEED, FEED OR FOODSTUFFS.

THIS PRODUCT IS TOXIC TO WILDLIFE. BIRDS AND OTHER WILDLIFE IN TREATED AREAS MAY BE KILLED. KEEP OUT OF LAKES, STREAMS OR PONDS, DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT, OR DISPOSAL OF WASTES. APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL.

DO NOT REUSE EMPTY CONTAINER. DESTROY EMPTY CONTAINER BY PERFORATING OR CRUSHING AND BURYING IN A SAFE PLACE.

WEEDS CONTROLLED

Actox Granular controls these weeds:

- Annual Bluegrass
- Poa annua
- Barnyardgrass (Watergrass)
- Echinochloa crusgalli
- Carpetweed
- Mollugo verticillata
- Cheat
- Bromus secalinus
- Cocklebur
- Xanthium spp
- Crabgrass
- Digitaria spp.
- Giant Foxtail (Wild Millet)
- Setaria faberii

- Green Foxtail
- Setaria viridis
- Yellow Foxtail
- Setaria glauca
- Groundsel
- Senecio vulgaris
- Lambsquarters
- Chenopodium Album
- Morningglory
- Ipomoea spp
- Mustard
- Brassica spp.
- Pigweed (Spiny)
- Amaranthus spinosus
- Pigweed (Redroot)
- Amaranthus Retroflexus

- Purslane
- Portulaca oleracea
- Ragweed
- Ambrosia artemisifolia
- Russian Thistle
- Salsola kali
- Sandbur
- Cenchrus spp
- Smartweed
- Polygonum pensylvanicum
- Stinkgrass
- Eragrostis cilianensis
- Velvetleaf
- Abutilon theophrasti

ACTOX GRANULAR SHOULD BE USED ONLY IN THE FOLLOWING MIDWESTERN STATES, AND NEVER ON SANDY SOILS.

- Illinois
- Indiana
- Iowa
- Kansas

- Michigan
- Minnesota
- Missouri
- Nebraska

- Ohio
- South Dakota
- Wisconsin