

## CAPTAN — PCNB 30-30 FUNGICIDE SEED PROTECTANT

**ACTIVE INGREDIENT:** 

CAPTAN (N—[(trichloromethyl) thio] 4—cyclohexene—1,2—dicarboximide

Pentachloronitrobenzene

**INERT INGREDIENTS:** 

30%

749-75 430%

40%

TOTAL

100%

EPA REG. NO. 2749-289
NET WEIGHT\_\_\_\_\_LBS.

CAUTION: KEEP OUT OF REACH OF CHILDREN.

MAY BE HARMFUL IF SWALLOWED. MAY CAUSE IRRITATION OF EYES, NOSE, THROAT AND SKIN. AVOID INHALATION OF DUST. OID CONTACT WITH SKIN, EYES OR CLOTHING.

IN CASE OF CONTACT, FLUSH WITH PLENTY OF WATER. FOR EYES — GET MEDICAL ATTENTION.

KEEP AWAY FROM DOMESTIC ANIMALS AND FOODSTUFFS.

DO NOT REUSE EMPTY CONTAINER. DESTROY EMPTY CONTAINER BE PERFORATING OR CRUSHING AND BURYING IN A SAFE PLACE. THIS PRODUCT IS TOXIC TO FISH AND WILDLIFE. BIRDS AND OTHER WILDLIFE IN TREATED AREAS MAY BE HARMED. KEEP OUT

OF LAKES, STREAMS OR PONDS. DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT OR DISPOSAL OF WASTES.

DO NOT USE TREATED SEED FOR FOOD, FEED OR OIL PURPOSES. DO NOT FEED OR GRAZE FOLIAGE. DO NOT PLANT ANY ROOT CROP NOT REGISTERED FOR PCNB IN ROTATION ON PCNB TREATED SOIL.

CAPTAN-PCNB SEED PROTECTANT IS A SPECIAL FUNGICIDAL FOR-MULATION FOR USE AT TIME OF PLANTING TO PROTECT COTTON SEED AND SEEDLINGS AGAINST DAMPING-OFF, SEED AND SEEDLINGS ROTS, RHIZOCTONIA (SORESHIN), PYTHIUM AND DESIGNED FOR USE IN THE PLANTER BOX.

**DIRECTIONS FOR USE:** 

COTTON: Damping-off, Seed and Seedling Rots, Rhizoctonia (Soreshin), Pythium.

PLANTER BOX APPLICATION: Mix thoroughly with seed in planter box as follows: Fill the planter box one-half full of seed then treat with one-half amount of seed protectant and mix by stirring with a stick or paddle until color is imparted to all seed uniformly: Add the remaining seed to planter box and cover with the balance of seed protectant. Mix thoroughly as above.

Plant box application of CAPTAN-PCNB 30-30 SEED PROTECTANT is not intended as an alternative seed coat treatment, but as a supplement to certain other treatments which are applied to the seed prior to planting time.






Manufactured for:

ACETO CHEMICAL CO., INC.
AGRICULTURAL CHEMICALS DIVISION

126-02 NORTHERN BOULEVARD, FLUSHING, N.Y. 11368



## CAPTAN — PCNB 30-30 FUNGICIDE SEED PROTECTANT

**ACTIVE INGREDIENT:** 

CAPTAN (N-[(trichloromethyl) thio] 4-cyclohexene-1,2-dicarboximide

Pentachloronitrobenzene

**INERT INGREDIENTS:** 

30%
7/9 7 730%
TOTAL 40%
100%

EPA REG. NO. 2749-289
NET WEIGHT\_\_\_\_\_LBS.

CAUTION: KEEP OUT OF REACH OF CHILDREN.

MAY BE HARMFUL IF SWALLOWED. MAY CAUSE IRRITATION OF EYES, NOSE, THROAT AND SKIN. AVOID INHALATION OF CUST. OID CONTACT WITH SKIN, EYES OR CLOTHING.

IN CASE OF CONTACT, FLUSH WITH PLENTY OF WATER. FOR EYES — GET MEDICAL ATTENTION.

KEEP AWAY FROM DOMESTIC ANIMALS AND FOODSTUFFS.

DO NOT REUSE EMPTY CONTAINER. DESTROY EMPTY CONTAINER BE PERFORATING OR CRUSHING AND BURYING IN A SAFE PLACE.

THIS PRODUCT IS TOXIC TO FISH AND WILDLIFE. BIRDS AND OTHER WILDLIFE IN TREATED AREAS MAY BE HARMED. KEEP OUT

OF LAKES, STREAMS OR PONDS. DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT OR DISPOSAL OF WASTES.

DO NOT USE TREATED SEED FOR FOOD, FEED OR OIL PURPOSES. DO NOT FEED OR GRAZE FOLIAGE. DO NOT PLANT ANY ROOT CROP NOT REGISTERED FOR PCNB IN ROTATION ON PCNB TREATED SOIL.

CAPTAN-PCNB SEED PROTECTANT IS A SPECIAL FUNGICIDAL FOR-MULATION, FOR USE AT TIME OF PLANTING TO PROTECT COTTON SEED AND SEEDLINGS AGAINST DAMPING-OFF, SEED AND SEEDLINGS ROTS, RHIZOCTONIA (SORESHIN), PYTHIUM AND DESIGNED FOR USE IN THE PLANTER BOX.

## **DIRECTIONS FOR USE:**

COTTON: Damping-off, Seed and Seedling Rots, Rhizoctonia (Soreshin), Pythium.

PLANTER BOX APPLICATION: Mix thoroughly with seed in planter box as follows: Fill the planter box one-half full of seed then treat with one-half amount of seed protectant and mix by stirring with a stick or paddle until color is imparted to all seed uniformly: Add the remaining seed to planter box and cover with the balance of seed protectant. Mix thoroughly as above.

Plant box application of CAPTAN-PCNB 30-30 SEED PROTECTANT is not intended as an alternative seed coat treatment, but as a supplement to certain other treatments which are applied to the seed prior to planting time.



Manufactured for:

ACETO CHEMICAL CO., INC. AGRICULTURAL CHEMICALS DIVISION

126-02 NORTHERN BOULE" ARD, FLUSHING, N.Y. 11368