

CIPC 7A

POTATO SPROUT INHIBITOR

By Weight

ACTIVE INGREDIENT:

Chlorpropham* (Isopropyl N-(3-chlorophenyl) carbamate) 78.6%

OTHER INGREDIENTS** 21.4%

TOTAL 100.0%

* Contains 7 pounds active ingredient per gallon

** Contains Methanol

FOR AGRICULTURAL USE ONLY



Keep Out of Reach of Children

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

ACCEPTED
NOV 10 2005

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 2749-517

DANGER

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Methanol may cause blindness.

FIRST AID	
If Swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If in Eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on Skin or Clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment.	
Note to Physician: This product contains methanol which may cause blindness.	

EMERGENCY INFORMATION

For spill, leak, fire, exposure, or accident call CHEMTREC 1-800-424-9300

Net Contents: 5 gallons

EPA Reg. No: 2749-517

EPA Est. No: _____

Manufactured For:
Aceto Agricultural Chemicals Corporation
One Hollow Lane
Lake Success, NY 11042
Phone: 516-627-6000

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for Category A on the EPA chemical resistance category selection chart.

Applicators and other handlers must wear: chemical resistant gloves (such as nitrile, butyl, neoprene, and/or barrier laminate). From the start of application and continuing until the ventilation requirements listed on this labeling have been completed, for entry into the enclosed treated area, handlers must wear a long-sleeve shirt, long pants, shoes and socks, and a respirator. The following type of respirator is appropriate to mitigate chlorpropham inhalation exposure when the end-use product does not contain an inert ingredient which has a low vapor pressure:

- A dust/mist filtering respirator (MSHA/NIOSH approval number prefix TX-21C).

If the end-use product contains an inert, such as methanol. Which has a low vapor pressure, the type of respirator appropriate to mitigate the inhalation concerns for that end-use product is:

- A respirator with either an organic-vapor-removing cartridge with a pre filter approved for pesticides (MSHA/NIOSH approval number prefix TX-23C), or a canister approved for pesticides (MSHA/NIOSH approval prefix TX-14C).

If the enclosed area contains less than 19.5 percent oxygen, the respirator must be one of the following types:

- A supplied-air respirator (MSHA/NIOSH approval number prefix TC-19C) OR a self-contained breathing apparatus (SCUBA) (MSHA/NIOSH approval number pre fix TX-13F).

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

User Safety Recommendations:

Users should:

1. Follow manufacturer's instructions for cleaning/maintaining Personal Protective Equipment (PPE). If there are no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.
2. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
3. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
4. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Entry Restrictions:

For aerosol or forced-air distribution applications:

Do not enter or allow any person, other than a person equipped with the appropriate handler personal protective equipment including the appropriate respirator, to enter the treated area until the area has been ventilated. Ventilation may be for either a total of two (2) hours with fans or other mechanical ventilation or four (4) hours with windows, vents, or other passive ventilation, or until such time that there have been 10 complete air exchanges. The ventilation time may be interrupted, i.e., the time may be accumulated at sporadic intervals, such as 15 minutes of ventilation followed by a period with no ventilation, until the total required ventilation time has accumulated.

ENVIROMENTAL HAZARDS

Do not apply directly to water, or areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or-disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARD

Flammable - Keep away from heat, sparks, and open flame. Keep container closed. Use with adequate ventilation.

DIRECTIONS FOR USE


It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

NOTICE

- If entry into the storage area is necessary during or immediately following application before the fog has settled and required ventilation has occurred, protective clothing and respirators must be worn as listed under the **PERSONAL PROTECTIVE EQUIPMENT (PPE)** above.
- Aceto CIPC 7A is used as an aerosol for treating potatoes for sprout inhibition during storage.
- Do not apply in the field.
- Do not use on seed potatoes.
- Do not allow vapors to come in contact with, or get near to, storage areas used for seed potatoes.
- Let six months elapse before using treated storage area for seed potatoes. All system components (including ducts) and building must be thoroughly cleaned before area is used for storage of seed potatoes.
- Aceto CIPC 7A will prevent periderm formation of potatoes, therefore, it should be used only after bruises and cuts have healed (normally minimum of two weeks).

FORCED AIR DISTRIBUTION METHOD

1. Assemble unit as shown. Insert aerosol generator intake hose in Aceto CIPC 7A container.
2. Set air ducts for recirculation.
3. Place exhaust end of aerosol generator at center of plenum (air mixing chamber) pointing it in direction of air flow. This will assure the best possible distribution of Aceto CIPC 7A throughout the duct system.



TREATMENT OF STORAGE OR OTHER AREAS THAT DO NOT HAVE RECIRCULATING AIR SYSTEMS

Prior to placing the potatoes in the area to be treated, make the following preparations:

1. On the floor of the area, install an air duct approximately 12 inches by 12 inches running the length or width of the potato pile leaving a false wall space at both ends for air circulation. The ducts should be spaced 10 to 12 feet apart and can be perforated metal pipe, slotted wood construction or if the potatoes are in bags, by bridging a 12 inch space between two rows of bags in the bottom layer with bags placed crosswise of the space.
2. At the end of each duct in the false wall space where the fog is to be introduced, place a squirrel cage fan positioned to force air through the duct. The exit end of the duct must be blocked to force the air up through the piled potatoes.

When the area is filled and ready to treat, the following steps should be taken:

- a. Close off any ventilating systems
- b. Start the squirrel cage fans
- c. Introduce the fog as near as possible to the bottom of the false wall space containing the fans.
- d. Operate the fans until the fog has settled
- e. Reactivate the ventilation systems 4 hours following application or when the fog has settled.

Note: When treating small areas such as trailer trucks or railroad cars, it is recommended that low volume aerosol generators such as a "Swing Fog" is to be used.

APPLICATION

Application of Aceto CIPC 7A can be made anytime after the curing period and before sprouting of potatoes occurs.

One gallon of Aceto CIPC 7A is normally enough to treat 4200 cwt (7000 bushels) of stored potatoes. Apply at a rate of 1.0 lb active ingredient per 600 cwt (1000 bushels) of potatoes (see table below for conversion).

Do not apply more than 145% or 0.025 lbs of chlorpropham per 1000 lbs of potatoes in any one season as an aerosol fog.

Once opened use the entire contents of the container.

1 cwt = 1.67 bushels = 2.5 cubic feet; 1 bushel = 60 pounds = 1.5 cubic feet

RECOMMENDED CHLORPROPHAM RATE

To calculate the rate needed use the following formula. % of Standard Application Rate $(2 \times T) + [(5 \times M) - 5]$

Where: Standard Application Rate 1 pound active ingredient/600 cwt

T = Storage Temperature

M = Number of Months Storage Time

Example Calculation (Potatoes stored at 45°F for six (6) months)

Required Rate = $(2 \times 45) + [(5 \times 6) - 5] = 115\%$

TIME MONTHS	STORAGE TEMPERATURE		
	40° F	45° F	50° F
1	80%	90%	100%
2	85%	95%	105%
3	90%	100%	110%
4	95%	105%	115%
5	100%	115%	120%
6	105%	120%	125%
7	110%	125%	130%
8	115%	130%	135%
9	120%	135%	140%
10	125%	140%	145%

Chart assumes treatment soon after suberization time.

Extended Storage - If the potatoes are hold in storage longer than originally anticipated, the potatoes may be retreated. Using the above chart, the retreatment dosage is equal to the total amount required for the extended storage time less the amount used for the original storage time. For example, potatoes stored at 45°F were treated based on a two (2) month storage period. A decision was made to extend storage to five (5) months (three months in addition to original 2 months). The total extended storage would require a total of 110% of the standard rate; the original treatment would have used 95% of the standard rate. In this case, retreatment would require 15% (110%-95%) of the standard treatment.

5 8 5

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Keep container closed. Do not contaminate water, food or feed by storage or disposal. This product inhibits germination of seed potatoes. Flammable. Keep away from heat or open flame. At 140°F the formulation will lose methanol, the vapors of which are flammable.

Notice: Vent container before heating to prevent pressure build-up. Avoid storage below freezing temperatures. Storage below 35°F may cause crystal formation. Warming contents and agitation will restore material to usable condition, but do not heat above 140°F.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Do not reuse the container. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

CONDITIONS OF SALE

ACETO WARRANTS THAT THE PRODUCT CONFORMS TO ITS CHEMICAL DESCRIPTION AND IS REASONABLY FIT FOR THE PURPOSE STATED ON THE LABEL WHEN USED IN ACCORDANCE WITH DIRECTIONS UNDER NORMAL CONDITIONS OF USE, BUT NEITHER THIS WARRANTY NOR ANY OTHER WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, EXPRESS OR IMPLIED, EXTENDS TO THE USE OF THIS PRODUCT CONTRARY TO LABEL INSTRUCTIONS, OR UNDER ABNORMAL CONDITIONS OR UNDER CONDITIONS NOT REASONABLY FORESEEABLE TO MANUFACTURER, AND BUYER ASSUMES THE RISK FOR ANY SUCH USE.