

2749-520

5.8.2003

1/3

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0080. Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 2749-520	2. EPA Product Manager Cynthia Parker-Giles	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) CIPC 98A	PM# 22	
5. Name and Address of Applicant (Include ZIP Code) Aceto Agricultural Chemical Corporation One Hollow Lane; Suite 201 Lake Success, NY 11042-1215 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

Amendment - Explain below. Final printed labels in response to Agency letter dated _____ "Me Too" Application.

Resubmission in response to Agency letter dated 04/24/03 Other - Explain below.

Notification - Explain below.

NOTIFICATION
MAY 08 2003

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
Additional Brand Name: Sprout Nip Briquette

Section - III

1. Material This Product Will Be Packaged In:

Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt No. per container

3. Location of Net Contents Information
 Label Container

4. Size(s) Retail Container

5. Location of Label Directions

6. Manner in Which Label is Affixed to Product
 Lithograph
 Paper glued
 Stenciled Other _____

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Michael W. Feinman	Title President	Telephone No. (Include Area Code) 516-627-6000
----------------------------	--------------------	---

Certification
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2. Signature

3. Title
PRESIDENT

4. Typed Name
Michael W. Feinman


5. Date
5/2/03

6. Date Application Received (Stamped)

**CERTIFICATION WITH RESPECT TO COMPLIANCE WITH PR
NOTICE 98-10**

Product: CIPC 98A
EPA Reg No: 2749-520

- "Notification of Alternate Brand Name per PR Notice 98-10."
- "This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."


Signature

5/2/03
Date

Michael W. Feinman
President
Aceto Agricultural Chemicals Corporation
One Hollow Lane
Suite 201
Lake Success, NY 11042

**NOTIFICATION
MAY 08 2003**

CAUTION
Keep Out of Reach of Children

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing vapors or dust. Avoid contact with skin, eyes, and clothing. In case of contact immediately flush with plenty of water. Get medical attention if symptoms persist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

STATEMENT OF PRACTICAL TREATMENT

IN CASE OF CONTACT: Flush eyes and skin with plenty of water for several minutes. Get medical attention if eye or skin irritation occurs.

IF SWALLOWED: Immediately give several glasses of water and induce vomiting by gagging the victim with a finger placed on the back of the victim's tongue. Give fluids until vomitus is clear. If victim is unconscious, do not induce vomiting or give anything by mouth.

IF INHALED: Remove to fresh air. Seek medical attention if respiratory irritation occurs or if breathing becomes difficult.

IF IN EYES: Flush with plenty of water for 15 minutes. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

For A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-800-228-5635, EXT. 136, OR CALL COLLECT, 612.851-8180, EXT. 136.

EMERGENCY INFORMATION

For spill, leak, fire, exposure, or accident call CHEMTREC 1-800-424-9300.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by disposal of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOTICE

SPROUT NIP® BRIQUETTE is used as an aerosol for treating potatoes for sprout inhibition during storage. If entry into the storage area is necessary during or immediately following application before the fog has settled, protective clothing and respirators must be worn.

Do not apply in the field.

Do not use on seed potatoes. This inhibition of sprouting at recommended rates is usually effective up to a year regardless of removal from storage.


Do not allow vapors to come in contact with, or get near to, storage areas used for seed potatoes.

Let six months elapse before using treated storage area for seed potatoes. Air system components (including ducts) and building must be thoroughly cleaned before area is used for storage of seed potatoes. **SPROUT NIP BRIQUETTE** will prevent periderm formation of potatoes, therefore, it should be used only after bruises and cuts have healed (normally minimum of two weeks.)

FORCED AIR DISTRIBUTION METHOD

Assemble unit as show. Insert aerosol generator intake hose to **SPROUT NIP BRIQUETTE** container. Set air ducts for recirculation.

Place exhaust end of aerosol generator at center of plenum (air mixing chamber) pointing it in direction of air flow. This will assure the best possible distribution of **SPROUT NIP BRIQUETTE** throughout the duct system.



TREATMENT OF STORAGE OR OTHER AREAS THAT DO NOT HAVE RECIRCULATION AIR SYSTEMS

Prior to placing the potatoes in the area being treated, make the following preparations:

On the floor of the area, install an air duct approximately 12 inches by 12 inches running the length or width of the potato pile leaving a false wall space at both ends for air circulation. The ducts should be spaced 10 to 12 feet apart and can be perforated metal pipe, slotted wood construction or if the potatoes are in bags, by bridging a 12 inch space between two rows of bags in the bottom layer with bags placed crosswise the space.

At the end of each duct in the false wall space where the fog is to be introduced, place a squirrel cage fan positioned to force air through the duct. The exit end of the duct must be blocked to force the air up through the piled potatoes. When the area is filled and ready to treat, the following steps should be taken:

Close off any ventilating systems.

Start the squirrel cage fans.

Introduce the fog as near as possible to the bottom of the false wall space containing the fans.

Operate the fans until the fog has settled.

Reactivate the ventilation system 4 hours following application or when fog has settled.

NOTE: When treating small areas such as trailer trucks or railroad cars, it is recommended that low volume aerosol generators such as "Swing Fog" be used.

APPLICATION

Application of **SPROUT NIP BRIQUETTE** can be made anytime after the curing period and before sprouting of potatoes occurs.

1. Apply at rate of 1 pound active ingredient per 1,000 bushels (600 cwt). 10 pounds treats 10,000 bushels (6,000 cwt). Treat according to volume of storage (see table below for conversion).
2. For low volume application, use FORCED AIR recirculation through the pile at rates up to 5.0 CFM per ton of potatoes. For other applications, use the lowest FORCED AIR recirculation available for the applicator. Check for uniform air distribution throughout the potato pile.
3. Keep storage closed during application. Continue to recirculate air in storage for at least 4 hours or until the fog has settled. Return storage to normal ventilation as soon as possible following application.

1 cwt = 1.67 bushels = 2.5 cubic feet; 1 bushel = 60 pounds = 1.6 cubic feet

RECOMMENDED CHLORPROPHAM RATE

To calculate the rate needed use the following formula. % of Standard Application Rate = $(2xT) + [(5xM) - 5]$

Where: Standard Application Rate = 1 pound active ingredient/600 cwt

T = Storage Temperature

M = Number of Months Storage Time

Example Calculation (Potatoes stored at 45°F for six (6) months)

Required Rate = $(2 \times 45) + [(5 \times 6) - 5] = 115\%$

/1 - Rate for 55°F and 60°F are for processing potatoes only. Chart assumes treatment soon after suberization time.

TIME MONTHS	STORAGE TEMPERATURE				
	40°F	45°F	50°F	55°F/1	60°F/1
1	80%	90%	100%	110%	120%
2	85%	95%	105%	115%	125%
3	90%	100%	110%	120%	130%
4	95%	105%	115%	125%	135%
5	100%	110%	120%	130%	140%
6	105%	115%	125%	135%	145%
7	110%	120%	130%	140%	150%
8	115%	125%	135%	145%	155%
9	120%	130%	140%	150%	160%
10	125%	135%	145%	155%	165%

EXTENDED STORAGE

If the potatoes are held in storage longer than originally anticipated, the potatoes may be retreated. Using the above chart, the retreatment dosage is equal to the total amount required for the extended storage time less the amount used for the original storage time. For example, potatoes stored at 45°F were treated based on a two (2) month storage period. A decision was made to extend storage to five (5) months (three months in addition to original 2 months). The total extended storage would require a total of 110% of the standard rate, the original treatment would have used 95% of the standard rate. In this case, retreatment would require 15% (110%-95%) of the standard treatment.

STORAGE & DISPOSAL

STORAGE: Keep container closed. Do not contaminate water, food, or feed by storage or disposal. This product inhibits germination of seed potatoes.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Do not reuse as a container. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

CONDITIONS OF SALE

ACETO WARRANTS THAT THE PRODUCT CONFORMS TO ITS CHEMICAL DESCRIPTION AND IS REASONABLY FIT FOR THE PURPOSE STATED ON THE LABEL WHEN USED IN ACCORDANCE WITH DIRECTIONS UNDER NORMAL CONDITIONS OF USE, BUT NEITHER THIS WARRANTY NOR ANY OTHER WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, EXPRESS OR IMPLIED, EXTENDS TO THE USE OF THIS PRODUCT CONTRARY TO LABEL INSTRUCTIONS, OR UNDER ABNORMAL CONDITIONS OR UNDER CONDITIONS NOT REASONABLY FORESEEABLE TO MANUFACTURER, AND BUYER ASSUMES THE RISK FOR ANY SUCH USE.

NOTIFICATION
MAY 08 2003



ACTIVE INGREDIENT
Chlorpropham* (Is)
INERT INGREDIENTS

*Contains 9.8 pound

KEEP O

See Side Pan

ACETO AGRIC
One Hollow