2749-520

8-31-2006

| Please read instructions on I | reverse before complet | ing form. | | | Form Appre | pved | . OMB No. | 2070-006 | O. Approval expires 2-28-95 |
|---|--|------------------|---|---|--------------|----------|---|------------------------------------|--|
| \$EPA | United States | | | ; y | | V | Registra Amenda Other | | OPP Identifier Number |
| Application for Pesticide - Section I | | | | | | | | | |
| 1. Company/Product Number 2749-520 | | | EPA Product Manager TONY KISH | | | | 3. Proposed Classification None Restricted | | |
| 4. Company/Product (Name) CIPC 98A | | | 1 | PM# 22 | | | | | |
| 5. Name and Address of Applicant (Include ZIP Code) Aceto Agricultural Chemical Corporation One Hollow Lane; Suite 201 Lake Success, NY 11042-1215 Check if this is a new address | | | 6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name Section - II | | | | | | |
| | | <u> </u> | Sectio | n - 11 | | | | | |
| Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below. | | | | Final printed labels in repsons Agency letter dated "Me Too" Application. Other - Explain below. | | | NOTIFICATION AUG 3 1 2006 | | |
| Correction of application rate | | 2.0711011 30 | Section | | | | | | |
| 1. Material This Product Will | Be Packaged In: | | | | | | | | |
| Child-Resistant Packaging Yes No * Certification must be submitted | Unit Packaging Yes No If "Yes" Unit Packaging wgt. Vo. per | | Water Soluble Packaging Yes No If "Yes" No. per Package wgt contains | | | | | Metel Plastic Glass Paper | Specify) |
| 3. Location of Net Contents Information 4. Size(s) Ret | | | 5. Location of Lebel Directions | | | | ons | | |
| 6. Manner in Which Lebel is Affixed to Product Paper glued Stenciled | | | | | | | | | |
| | | | Section | | | | | | |
| 1. Contact Point (Complete | items directly below fo | or identificatio | | to be c | ontected, if | nec | essary, to pi | | |
| Name Michael W. Feinman | | | Title President | | | | Telephon 516-627 | e No. (Include Area Code) -6000 | |
| i certify that the state I acknowledge that en both under epplicable | y knowlinglly false or r | | all attachme | | | | | | 6. Date Application Received (Stamped) |
| 2. Signature Du | | | 3. Title Consultant | | | | | | |
| John M. Wise | | | 5. Date | 57 | ,200 | 6 | | | |

2/5

Aceto Agricultural Chemicals Corporation One Hollow Lane; Suite 201 Lake Success, NY 11042

EPA Company Number: 2749

CIPC 98A

EPA Reg. No: 2749-520

Submission of July 10, 2006

CERTIFICATION WITH RESPECT TO COMPLIANCE WITH NOTIFICATION PROCEEDURES PR NOTICE 98-10

- Notification of correction of application rates in Recommended Chlorpropham Rate table in label per PR Notice 98-10.
- "This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

| Signature: | Date: Dugust 31, 2006 |
|------------|--|
| | John M. Wise |
| Title: | Consultant to Aceto Agricultural Chemicals Corporation |
| Address: | P.O. Box 1295; Liberty, Missouri 64069 |
| Telephone: | 816-415-0134 |
| e-mail: | jmwise@usa.net |

CIPC 98A Aerosol Grade – Potato Sprout Inhibitor

ACTIVE INGREDIENT: By Weight Chlorpropham* (isopropyl N-(3-chlorphenyl) carbamate)98.0% OTHER INGREDIENTS 2.0% 100.0%

*Contains 9.8 pounds active ingredient per 10 pounds

FOR AGRICULTURAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION. Harmful if swallowed or absorbed through the skin or inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing vapor. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash clothing before reuse.

| | | FIRST AID |
|---------------|----|--|
| If Swallowed | • | Call a poison control center or doctor immediately for treatment advice. |
| | • | Have person sip a glass of water if able to swallow |
| | • | Do not induce vomiting unless told to by a poison control center or doctor. |
| If in Eyes | • | Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. |
| | | Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. |
| | 1. | Call a poison control center or doctor for treatment advice. |
| If on Skin or | • | Take off contaminated clothing. |
| Ciothing | 1. | Rinse skin immediately with plenty of water for 15 - 20 minutes. |
| | | Call a poison control center or doctor for treatment advice. |

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

EMERGENCY INFORMATION

For spill, leak, fire, exposure or accident call CHEMTREC 1-800-424-9300

Net Contents: 10 lbs EPA REG.NO: 2749-520 .2PA EST

¿PA EST. NO 55260-BL-01

Manufactured For: Assitu Agrinulturul Chemicr's Corporation One Holling Laue Lake Success, NY 11642 Phone: 516-627-6800



DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the Instructions for Category A on the EPA chemical resistance category selection chart.

Applicators and other handlers must wear: chemical resistant gloves (such as nitrile, butyl, neoprene, and/or barrier laminate). From the start of application and continuing until the ventilation requirements listed on this labeling have been completed, for entry into the enclosed treated area, handlers must wear a long-sleeve shirt, long pants, shoes and socks, and a respirator. The following type of respirator is appropriate to mitigate chlopropham inhalation exposure when the end-use product does not contain an inert ingredient which has a low vapor pressure:

A dust/mist filtering respirator (MSHA/NIOSH approval number prefix TX-21C).

If the enclosed area contains less than 19.5 percent oxygen, the respirator must be one of the following types:

 A supplied-air respirator (MSHANI/OSH approval number prefix TC-19C) OR a self-contained breathing apparatus (SCUBA) (MSHANI/OSH approval number prefix TX-13F).

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining Personal Protective Equipment (PPE). If there are no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Workers must wear: chemical resistant gloves (such as nitrite, butyl, neoprene, and/or barrier laminate) while handling potatoes which are wet.

User Safety Recommendations:

Users should:

- . Wash hands before eating, drinking, chewing gum, using tobacco or using the
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Entry Restrictions:

For serosol or forced-air distribution applications:

Do not enter or ellow any person, other than a person equipped with the appropriate handler personal protective equipment including the appropriate respirator, to enter the treated area until the area has been ventitated. Ventilation may be for either a total of two (2) hours with fans or other mechanical ventilation or four (4) hours with windows, vents, or other pessive ventilation, or until such time that there have been 10 complete air exchanges. The ventilation time may be interrupted, i.e., the time may be eccumulated at sporadic intervats, such as 15 minutes of ventilation followed by a period with no ventilation, until the total required ventilation time has accumulated.

ENVIRONMENTAL HAZARDS

This product is toxic to fish Do not discharge effluent containing this product into takes, streams, ponde, estueries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewerage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

NOTICE:

- If entry into the storage area is necessary during or immediately following application before the fog has settled and required ventilation has occurred, protective dothing and respirators must be worn as listed under the PERSONAL PROTECTIVE EQUIPMENT (PPE) above.
- CIPC 98A is used as an aerosol for treating potatoes for sprout inhibition during storage.
- If entry into the storage area is necessary during or immediately following

application before the fog has settled, protective clothing and respirators must be worn

- . Do not apply in the field.
- Do not use on seed potatoes.
- Do not allow vapors to come in contact with, or get near to, storage areas used for seed potatoes.
- Let six months elapse before using treated storage area for seed potatoes. All system components (including ducts) and busing must be thoroughly cleaned before areas is used for storage of seed potatoes.
- CIPC 98A will prevent periderm formation of potatoes, therefore, it should be used only after bruises and cuts have healed (normally minimum two weeks).

FORCED AIR DISTRIBUTION METHOD

- Assemble unit as shown. Insert aerosol generator intake hose in CIPC 98A container.
- Set air ducts for recirculation.
- Place exhaust end of aerosol generator at center of plenum (air mixing chamber) pointing it in direction of air flow. This will assure the best possible distribution of CIPC 98A throughout the duct system.



TREATMENT OF STORAGES OR OTHER AREAS THAT DO NOT HAVE RECIRCULATING AIR SYSTEMS

Prior to placing the potatoes in the area to be treated, make the following preparations:

- 1. On the floor of the area, install an air duct approximately 12 inches by 12 inches nunning the length or wicth of the potato pile leaving a false well space at both ends for air circulation. The ducts should be spaced 10 to 12 feet agant and can be perforated metal pipe, slotted wood construction or if the potatoes are in bags, by bridging a 12 inch space between two rows of bags in the bottom layer with bags placed crosswise of the space.
- At the end of each duct in the false wall space where the fog is to be introduced, place a squiriel cage fan positioned to force air through the duct. The exit end of the duct must be blocked to force the air up through the piled potatoes.

When the area is filled and ready to treat, the following steps should be taken:

- a. Close off any ventilating systems
- Start the source cage fans
- Introduce the fog as near as possible to the bottom of the false wall space containing the fans.
- Operate the fans until the fog has settled.
- Reactivate the ventilation systems 4 hours following application or when the fog has settled.

Note:

When treeting small areas such as trailer trucks or railroad cars, it is recommended that low volume aerosol generators such as a "Swing Fog" is to be used.

APPLICATION

Application of CIPC 98A can be made anytime after the curing period and before sprouting of potatoes occurs.

One pound of CIPC 98A is normally enough to treat 588 cwt (980 bushels) of stored potatoes. Apply at a rate of 1.0 lb active ingredient per 600 cwt (1000 bushels) of potatoes (see table below for conversion).

Do not apply more than 165% or 0 0275 lbs of chlorpropham per 1000 lbs of potatoes in any one season as an aerosol fog.

Once opened use the entire contents of the container.

1 cwt = 1.67 bushels = 2.5 cubic feet; 1 bushel = 60 pounds = 1.5 cubic feet

RECOMMENDED CHLORPROPHAM RATE

To calculate the rate needed use the following formula. % of Standard Application Rate (2 X T) + [(5 X M)-5]

Where: Standard Application Rate 1 pound active ingredient/600 cwl

T = Storage Temperature

M = Number of Months Storage Time

Example Calculation (Potatoes stored at 45°F for six (6) months)

Required Rate = (2 X 45) + [(5 X 6)-5] =115%

| THE | |
|--------|-------|
| MONTHS | 40° F |
| 1 | 80% |
| 2 | 85% |
| 3 | 90% |
| 4 | 95% |
| 5 | 100% |
| 6 | 105% |
| 7 | 110% |
| 8 | 115% |
| 9 | 120% |
| 10 | 125% |
| | |

Chart assumes treatment s F/1-Rates for 55°F and 60°

Extended Storage - If the the potatoes may be retree to the total amount require original storage time. For (2) month storage period. (three months in addition to a total of 110% of the stan standard rate. In this case treatment

PESTICIDE STORAGE: Ke by storage or disposal. This

PESTICIDE DISPOSAL: pesticide, spray mixture, or be disposed of by use ac Environmental Control Age EPA Regional Office for gu

CONTAINER DISPOSAL: offer for recycling or reconother procedures approved

ACETO WARRANTS THESCRIPTION AND IS R LABEL WHEN USED IN CONDITIONS OF USE, WARRANTY OF MERCHA EXPRESS OR IMPLIED, E LABEL INSTRUCTIONS, CONDITIONS NOT REA

BUYER ASSUMES THE R

4/5

John Wise & Associates, Ltd.

P.O. Box 1295 Liberty, Missouri 64069-1295

Phone: (816) 415-0134 Fax: (816) 415-0134 E-mail: <u>imwise@usa.net</u>

July 7, 2006

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

Re: Aceto Agricultural Chemicals Corporation CIPC 98A EPA Reg No 2749-520 NOTIFICATION

Dear Sir;

The enclosed submission is made on behalf of the following registrant:

Aceto Agricultural Chemicals Corporation One Hollow Lane; Suit 201 Lake Success, NY 11042 EPA Company Number: 2749

Enclosed with this submission are the following documents:

- 1. EPA Application for Amended Registration
- 2. Five (5) copies of subject label, with corrections

This notification is to provide corrected labels that correct an application error:

Labels Section: "APPLICATION"

Current label states in the second paragraph of this section:

"One pound of CIPC 98A is normally enough to treat **5880 cwt (9800 bushels)** of stored potatoes"

(Emphasis added)

The sentence should read:

"One pound of CIPC 98A is normally enough to treat 588 cwt (980 bushels) of stored potatoes."

(Emphasis added)

The enclosed labels reflect this corrected language.

If you have any questions, please contact me.

Sincerely,

John M. Wise

Consultant to Aceto Agricultural Chemicals Corporation

Enclosures:

Cc: Michael Feinman

lot 00 he

Aceto Agricultural Chemicals Corporation