FOR: KENNEL, COMMERCIAL, FARM AND SPORT DOG USES ONLY. Mix with water for spray, bath or dip. Controls fleas, ticks, lice, sarcoptic mange and scables.

ACTIVE INGREDIENTS:

Lindane (gamma isomer of benzene hexachloride)	12.89%
Aromatic petroleum derivative solvent	
Inert ingredients	4.0 %
•	100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION: DO NOT USE FULL STRENGTH MIX AS DIRECTED


> AN INDIVIDUAL APPLICATOR MUST NOT APPLY THIS PRODUCT MORE THAN TWELVE TIMES PER YEAR

See back panel for additional cautions

EPA REG. NO. 2781-3 EPA EST. NO. 2781-NC-1

Manufactured by HAPPY JACK, INC. Snow Hill, N.C. 28580

1 GAL.



It is a violation of Federal law to use this product in a manner inconsistent with its labeling. TO DIP OR BATHE: Mix $^1/_2$ oz. (1 Tablespoon) Kennel Dip per gallon of water (1 Gal. to 256 gal.). Stir well. Two treatments, one week apart for sarcoptic mange. One application will kill ticks and fleas. Repeat treatment only at signs of reinfestation, not to exceed once in 10 days. An individual applicator must not use this product more than twelve times per year. Each treatment of up to three dogs at a time should be considered one use.

OBSERVE DOG AFTER DIPPING. IF REACTION OCCURS WASH DOG THOROUGHLY WITH SOAP AND WATER

IF REACTION PERSISTS OR IRRITATION DEVELOPS DISCONTINUE USE AND CONSULT A VETERINARIAN

FLY CONTROL: Mix 3 oz./gal. of water. Saturate exterior surfaces such as kennel houses, fencing, cement runs, surrounding grounds to point of run off.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HUMAN CAUTIONS: For Kennel, commercial, farm, and sport dog uses only. Children under 13 should not be allowed to handle or apply this product. Avoid prolonged breathing of vapor. Use outdoors or in a well ventilated area. Applicators must wear the following protective clothing during the application process; waterproof, elbow-length gloves; a waterproof apron; and unlined, waterproof boots. If Kennel Dip gets on user's skin or clothing, wash immediately with soap and water to remove. Harmful if swallowed. Avoid contamination of food and utensils.

ANIMAL CAUTIONS: Improper dilution of this product could cause serious injury to the animal. Do not use in dairy barns or poultry houses. Do not use on nursing females or pups under 4 months. Do not use on cats or livestock other than dogs. Avoid contamination of feed or extensils.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds and other wildlife. Do not apply directly to any body of water. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

Oil slick spots or film on top of dip solution indicate break in emulsion and danger to dog. When such is evident discard and mix new dip. If dip is not milky smooth, do not use.

PHYSICAL AND CHEMICAL HAZARDS: Do not use, pour or store near heat or open flame.

STATE JENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING: Vomiting may cause aspiration pneumonia. IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated. IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water. IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

STORAGE AND DISPOSAL

Storage: Do not contaminate water, food, or feed by storage or disposal.

Pesticide Disposal: Wastes from this pesticide are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide Environmental Control Agency or the Hazardous Waste. The representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Do not reuse empty container. Wrap and put in trash:

<u>DISPOSAL OF DIP SOLUTION</u>: "Used dip solutions must be disposed of in accordance with the Resource Conservation and Recovery Act (RCRA). If the applicator generates more than 1000 kg of used dip solution per month or more than 1000 kg of used dip solution in combination with other hazardous waste, the material must be treated as a hazardous waste subject to subpart C of RCRA."

DR

≅ **¾** SEP 1984

Mr. Jerry Ott Mappy Jack Imcorporated P.O. Box 475 Smow Mill, MC 28580

Dear Mr. Ott:

Sub ject : Assendment - Revised Labeling per Amendment Motice Bappy Jack Kennel Dip EPA Registration No. 2781-3 Your Application Dated July 9, 1984

under the Pederal Insecticide, Pumpicide and Rodenticide Act, as assended, is cceptable. The labeling referred to above, submitted in connection with registration A stamped capy is exclosed for your recerds.

Intent to Cancel dated September 30, 1983, regarding disposal of dipe." Therefore, add the following "Disposal of hip Selution" text to the Storage Centaining Lindone specified in item labels prior to release for beserdoss weeks, the meterial must be treated as a besardoss weste subject to per meeth or more than 1860 kg of used dip solution in combination with other label shall be revised in accordance Hapeed of in accordance with the Resource Conservation and Recovery Act nd Disposal section to the 1 galles label: bpart c of RCMA." Note that the Amendment of Notice of Intent to Cancel Perticide Products If the applicator generates more than 1990 kg of we 2 \$ **1** submit 5 copies of -7 of the required label changes that with the previouss of the metics of "Deed dip seletions must these revised 1 gallon ed dip solution

Sincecely yours,

3EST DOCUMENT AVAILABLE

George T. LaRocca Product Hanager (15) Insecticide-Rodenticide Branch Registration Division (79-767)

Bacloeur e

OFFICIAL FILE COPY

Rd:LaRocca:DCR-39599;MAMG-0107M;bje:Raven:479-2013:8/29/83

PA Ferm 1370-1 (4-81)

FOR: KENNEL, COMMERCIAL, FARM AND SPORT DOG USES ONLY.
Mix with water for spray, bath or dip. Controls fleas, ticks, lice, sarcoptic mange and scabies.

ACTIVE INGREDIENTS:

Lindane (gamma isomer of benzene hexachloride)	12.89%
Aromatic petroleum derivative solvent	83.11%
Inert ingredients	4.0 %
	100.00%

CAUTION: KEEP OUT OF REACH OF CHILDREN DO NOT USE FULL STRENGTH


MIX AS DIRECTED

AN INDIVIDUAL APPLICATOR MUST NOT APPLY THIS PRODUCT MORE THAN TWELVE TIMES PER YEAR

See back panel for additional cautions

EPA REG. NO. 2781-3° EPA EST. NO. 2781-NC-1 Manufactured by HAPPY JACK, INC. Snow Hill, N.C. 28580

1 GAL.



BEST DOCUMENT AVAILABLE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. TO DIP OR BATHE: Mix $^1/_2$ oz. (1 Tablespoon) Kennel Dip per gallon of water (1 Gal. to 256 gal.). Stir well. Two treatments, one week apart for sarcoptic mange. One application will kill ticks and fleas. Repeat treatment only at signs of reinfestation, not to exceed once in 10 days. An individual applicator must not use this product more than twelve times per year. Each treatment of up to three dogs at a time should be considered one use.

OBSERVE DOG AFTER DIPPING. IF REACTION OCCURS WASH DOG THOROUGHLY WITH SOAP AND WATER

IF REACTION PERSISTS OR IRRITATION DEVELOPS DISCONTINUE USE AND CONSULT A VETERINARIAN

FLY CONTROL: Mix 3 oz./gal. of water. Saturate exterior surfaces such as kennel houses, fencing, cement runs, surrounding grounds to point of run off.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HUMAN CAUTIONS: For kennel, commercial, farm, and sport dog uses only. Children under 1 should not be allowed to handle or apply this product. Avoid prolonged breathing of vapor. Use outdoors or in a well ventilated area. Applicators must wear the following protective clothing during the application process: waterproof, elbowlength gloves; a waterproof apron; and unlined, waterproof boots. If Kennel Dip gets on user's skin or clothing, wash immediately with soap and water to remove. Harmful if swallowed. Avoid contamination of food and utensils.

ANIMAL CAUTIONS: Improper dilution of this product could cause serious injury to the animal. Do not use in dairy barns or poultry houses. Do not use on nursing females or pups under 4 months. Do not use on cats or livestock other than dogs. Avoid contamination of feed or utensils.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds and other wildlife. Do not apply directly to any body of water. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

Oil slick spots or film on top of dip solution indicate break in emulsion and danger to dog. When such is evident discard and mix new dip. If dip is not milky smooth, do not use.

PHYSICAL AND CHEMICAL HAZARDS: Do not use, pour or store near heat or open flame.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Gastric layage is indicated if material was taken internally. DO NOT INDUCE VOMITING: Vomiting may cause aspiration pneumonia. IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated. IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water. IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

STORAGE AND DISPOSAL

Storage: Do not contaminate water, food, or feed by storage or disposal.

<u>Pesticide Disposal</u>: Wastes from this pesticide are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Do not reuse empty container. Wrap and put in trash.

FOR: KENNEL, COMMERCIAL, FARM AND SPORT DOG USES ONLY.

Mix with water for spray, bath or dip. Controls fleas, ticks, lice, sarcoptic mange and scabies.

ACTIVE INGREDIENTS:

Lindane (gamma isomer of benzene hexachloride)	12.89%
Aromatic petroleum derivative solvent	83.11%
Inert ingredients	
	100.00%

CAUTION: KEEP OUT OF REACH OF CHILDREN
DO NOT USE FULL STRENGTH
MIX AS DIRECTED

AN INDIVIDUAL APPLICATOR MUST NOT APPLY THIS PRODUCT MORE THAN TWELVE TIMES PER YEAR

See back panel for additional cautions

EPA REG. NO. 2781-3 EPA EST. NO. 2781-NC-1 Manufactured by HAPPY JACK, INC. Snow Hill, N.C. 28580

1 GAL.

OCT 3 1984

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. TO DIP OR BATHE: Mix $^{1}/_{2}$ oz. (1 Tablespoon) Kennel Dip per gallon of water (1 Gal. to 256 gal.). Stir well. Two treatments, one week apart for sarcoptic mange. One application will kill ticks and fleas. Repeat treatment only at signs of reinfestation, not to exceed once in 10 days. An individual applicator must not use this product more than twelve times per year. Each treatment of up to three dogs at a time should be considered one use.

OBSERVE DOG AFTER DIPPING. IF REACTION OCCURS WASH DOG THOROUGHLY WITH SOAP AND WATER

IF REACTION PERSISTS OR IRRITATION DEVELOPS DISCONTINUE USE AND CONSULT A VETERINARIAN

FLY CONTROL: Mix 3 oz./gal. of water. Saturate exterior surfaces such as kennel houses, fencing, cement runs, surrounding grounds to point of run off.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HUMAN CAUTIONS: For Kennel, commercial, farm, and sport dog uses only. Children under 13 should not be allowed to handle or apply this product. Avoid prolonged breathing of vapor. Use outdoors or in a well ventilated area. Applicators must wear the following protective clothing during the application process; waterproof, elbow-length gloves; a waterproof apron; and unlined, waterproof boots. If Kennel Dip gets on user's skin or clothing, wash immediately with soap and water to remove. Harmful if swallowed. Avoid contamination of food and utensils.

ANIMAL CAUTIONS: Improper dilution of this product could cause serious injury to the animal. Do not use in dairy barns or poultry houses. Do not use on nursing females or pups under 4 menths. Do not use on cats or livestock other than dogs. Avoid contamination of feed or utensils.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds and other wildlife. Do not apply directly to any body of water. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

Oil slick spots or film on top of dip solution indicate break in emulsion and danger to dog. When such is evident discard and mix new dip. If dip is not milky smooth, do not use.

PHYSICAL AND CHEMICAL HAZARDS: Do not use, pour or store near heat or open flame.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING: Vomiting may cause aspiration pneumonia. IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated. IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water. IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

STURAGE AND DISPOSAL

Storage: Do not contaminate water, food, or feed by storage or disposal.

Pesticide Disposal: wastes from this pesticide are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISFOSAL: So not reuse empty container. Wrap and put in trash.

DISPOSAL OF DIP SOLUTION: 'Used dip solutions must be disposed of in accordance with the Resource Conservation and Recovery Act (RCRA). If the applicator generates more than 1000 kg of used dip solution per month or more than 1000 kg of used dip solution in combination with other hazardous waste, the material must be treated as a hazardous waste subject to subpart C of RCRA."

DRI

' **4 SE**P 1984

Mr. Jerry Ott Happy Jack Incorporated P.O. Box 475 Snow Hill, NC 28580

Dear Mr. Ott:

Subject: Amendment - Revised Labeling per Amendment Notice Happy Jack Kennel Dip EPA Registration No. 2781-3 Your Application Dated July 9, 1984

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Note that the Amendment of Notice of Intent to Cancel Pesticide Products Containing Lindane specified in item 7 of the required label changes that "the label shall be revised in accordance with the provisions of the Notice of Intent to Cancel dated September 30, 1983, regarding disposal of dips." Therefore, add the following "Disposal of Dip Solution" text to the Storage and Disposal section to the l gallon label: "Used dip solutions must be disposed of in accordance with the Resource Conservation and Recovery Act (RCRA). If the applicator generates more than 1000 kg of used dip solution per month or more than 1000 kg of used dip solution in combination with other hazardous waste, the material must be treated as a hazardous waste subject to subpart C of RCRA." Please submit 5 copies of these revised l gallon size labels prior to release for shipment.

Sincerely yours,

BEST DOCUMENT AVAILABLE

George T. LaRocca Product Manager (15) Insecticide-Rodenticide Branch Registration Division (TS-767)

Enclosure

Rd:LaRocca:DCR-39599:WANG-0107N:bje:Raven:479-2013:8/29/83								
								SYMBOL -
SURNAME -								
DATE -			,					,
794 /	220 1 44 014		·			•	·	

FOR: KENNEL, COMMERCIAL, FARM AND SPORT DOG USES ONLY.
Mix with water for spray, bath or dip. Controls fleas, ticks, lice, sarcoptic mange and scabies.

ACTIVE INGREDIENTS:

Lindane (gamma isomer of benzene hexachloride)	12.89%
Aromatic petroleum derivative solvent	83.11%
Inert ingredients	4.0 %
	100 00%

CAUTION: KEEP OUT OF REACH OF CHILDREN
DO NOT USE FULL STRENGTH
MIX AS DIRECTED


TIX AS BIRECTES


AN INDIVIDUAL APPLICATOR MUST NOT APPLY THIS PRODUCT MORE THAN TWELVE TIMES PER YEAR

See back panel for additional cautions

EPA REG. NO. 2781-3 EPA EST. NO. 2781-NC-1 Manufactured by HAPPY JACK, INC. Snow Hill, N.C. 28580

1 GAL.





It is a violation of Federal law to use this product in a manner inconsistent with its labeling. TO DIP OR BATHE: Mix $^{1}/_{2}$ oz. (1 Tablespoon) Kennel Dip per gallon of water (1 Gal. to 256 gal.). Stir well. Two treatments, one week apart for sarcoptic mange. One application will kill ticks and fleas. Repeat treatment only at signs of reinfestation, not to exceed once in 10 days. An individual applicator must not use this product more than twelve times per year. Each treatment of up to three dogs at a time should be considered one use.

OBSERVE DOG AFTER DIPPING. IF REACTION OCCURS WASH DOG THOROUGHLY WITH SOAP AND WATER

IF REACTION PERSISTS OR IRRITATION DEVELOPS DISCONTINUE USE AND CONSULT A VETERINARIAN

FLY CONTROL: Mix 3 oz./gal. of water. Saturate exterior surfaces such as kennel houses, fencing, cement runs, surrounding grounds to point of run off.

BEST DOCUMENT AVAILABLE

17/ 2

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HUMAN CAUTIONS: For kennel, commercial, farm, and sport dog uses only. Children under 1 should not be allowed to handle or apply this product. Avoid prolonged breathing of vapor. Use outdoors or in a well ventilated area. Applicators must wear the following protective clothing during the application process: waterproof, elbowlength gloves; a waterproof apron; and unlined, waterproof boots. If Kennel Dip gets on user's skin or clothing, wash immediately with soap and water to remove. Harmful if swallowed. Avoid contamination of food and utensils.

ANIMAL CAUTIONS: Improper dilution of this product could cause serious injury to the animal. Do not use in dairy barns or poultry houses. Do not use on nursing females or pups under 4 months. Do not use on cats or livestock other than dogs. Avoid contamination of feed or utensils.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds and other wildlife. Do not apply directly to any body of water. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

Oil slick spots or film on top of dip solution indicate break in emulsion and danger to dog. When such is evident discard and mix new dip. If dip is not milky smooth, do not use.

PHYSICAL AND CHENTON HAZARDS: Do not uso, pour or story more host or onon flame

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center incediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING: Vomiting may cause aspiration pneumonia. IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated. IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water. IF IN EYES:

STORAGE AND DISPOSAL

Storage: Do not contaminate water, food, or feed by storage or disposal.

<u>Pesticide Disposal</u>: Wastes from this pesticide are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Do not reuse empty container. Wrap and put in trash.