

DRP

BEST AVAILABLE COPY

MAR 8 1985

300 / 141088
17 9

Mr. Jerry Ott
Happy Jack Inc.
P.O. Box 475
Snow Hill, NC 28580

Dear Mr. Ott:

Subject: Amendment - Add Toy Breed Precaution
Kennel Dip
EPA Registration No. 2781-3
Your submission dated October 4, 1984

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy of the label is enclosed for your records. It is noted that the submitted label was for the 8 Fluid Ounce size container and bears the the correct disposal statement for such a container size. Since "This change will include all sizes" as noted in your cover letter, it is assumed that the Pesticide Disposal and Dip Disposal directions which had appeared on the one gallon label accepted by the Agency on October 30, 1984 will appear on the labelin; for the larger sizes.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

HAPPY JACK
KENNEL DIP
(CONCENTRATE)

FOR: KENNEL, COMMERCIAL, FARM AND SPORT DOG USES ONLY.

Mix with water for spray, bath or dip. Controls fleas, ticks, lice, sarcoptic mange and scabies.

ACTIVE INGREDIENTS:

| | |
|---|---------|
| Lindane (gamma isomer of benzene hexachloride)... | 12.89% |
| Aromatic petroleum derivative solvent..... | 83.11% |
| Inert ingredients..... | 4.0 % |
| | 100.00% |

CAUTION: KEEP OUT OF REACH OF CHILDREN
DO NOT USE FULL STRENGTH
MIX AS DIRECTED

AN INDIVIDUAL APPLICATOR MUST NOT APPLY THIS PRODUCT MORE THAN TWELVE TIMES PER YEAR

See back panel for additional cautions

EPA REG. NO. 2781-3
EPA EST. NO. 2781-NC-1


Manufactured by
HAPPY JACK, INC.
Snow Hill, N.C. 28580

8 FL. OZ. (234 ml)

ACCEPTED
with COMMENTS
in EPA Letter Dated

MAR 8 1985

Unit No. 2781-3
EPA Reg. No. 2781-3
EPA Est. No. 2781-3



2. / 1 /
1

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HUMAN CAUTIONS: For kennel, commercial, farm, and sport dog uses only. Children under 13 should not be allowed to handle or apply this product. Avoid prolonged breathing of vapor. Use outdoors or in a well ventilated area. Applicators must wear the following protective clothing during the application process: waterproof, elbow-length gloves; a waterproof apron; and unlined, waterproof boots. If Kennel Dip gets on user's skin or clothing, wash immediately with soap and water to remove. Harmful if swallowed. Avoid contamination of food and utensils.

ANIMAL CAUTIONS: Improper dilution of this product could cause serious injury to the animal. Do not use in dairy barns or poultry houses. Do not use on nursing females or pups under 4 months. Do not use on cats or livestock other than dogs and do not use on toy breeds. Avoid contamination of feed or utensils.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds and other wildlife. Do not apply directly to any body of water. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

Oil slick spots or film on top of dip solution indicate break in emulsion and danger to dog. When such is evident discard and mix new dip. If dip is not milky smooth, do not use.

PHYSICAL AND CHEMICAL HAZARDS: Do not use, pour or store near heat or open flame.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE VOMITING:** Vomiting may cause aspiration pneumonia. **IF INHALED:** Remove victim to fresh air. Apply artificial respiration if indicated. **IF ON SKIN:** Remove contaminated clothing and wash affected areas with soap and water. **IF IN EYES:** Flush eyes with plenty of water. Get medical attention if irritation persists.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food, or feed by storage or disposal.

CONTAINER DISPOSAL: Do not reuse empty container. Wrap and put in trash.

11/2/1

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

TO DIP OR BATHE: Mix $\frac{1}{2}$ oz. (1 Tablespoon) Kennel Dip per gallon of water (8 oz. to 16 gal.). Stir well. Two treatments, one week apart for sarcoptic mange. One application will kill ticks and fleas. Repeat treatment only at signs of reinfestation, not to exceed once in 10 days. An individual applicator must not use this product more than twelve times per year. Each treatment of up to three dogs at a time should be considered one use.

OBSERVE DOG AFTER DIPPING. IF REACTION OCCURS
WASH DOG THOROUGHLY WITH SOAP AND WATER

IF REACTION PERSISTS OR IRRITATION DEVELOPS DISCONTINUE
USE AND CONSULT A VETERINARIAN

FLY CONTROL: Mix 3 oz./gal. of water. Saturate exterior surfaces such as kennel houses, fencing, cement runs, surrounding grounds to point of run off.

