


**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**TO KILL FLEAS, TICKS & MANGE MITES ON DOGS:** Mix two (2) fluid ounces (4 tablespoons) of Happy Jack KENNEL DIP II to a gallon of warm water (8 fl. oz. to 4 gal.). Measure accurately and stir well. Dip animal in the solution or pour or spray solution on animal until the hair coat is thoroughly wet to the skin. Do not rinse. Allow solution to dry on the animal. This product should provide up to two (2) weeks residual control in the kill of fleas, mites, and non engorged ticks is rapid, but 24 to 48 hours may be required to complete kill of engorged ticks. Do not repeat more often than once every 4 weeks. Remove and destroy infested bedding. Do not use this product on animals simultaneously or within 30 days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides, or chemicals.

EPA Reg No 2781-19  
EPA Est No 2781-NC 1



Manufactured by  
**HAPPY JACK, INC.**  
SNOW HILL, N.C. 28680



14 DAY  
RESIDUAL  
CONTROL

**KENNEL DIP II  
FOR DOGS**

**Kills Fleas, Ticks, & Mange Mites\***

ACTIVE INGREDIENT Chlorpyrifos\*\* (O,O-Diethyl O-(3,5,6-trichloro-2-pyridyl) phosphorothioate) 4.85%  
INERT INGREDIENTS 95.15%

**CAUTION:  
KEEP OUT OF REACH OF CHILDREN  
DO NOT USE FULL STRENGTH  
MIX AS DIRECTED**

See back panel for additional cautions

8 Fl. Oz. (234 ml.)

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Do not use this product undiluted. Must be mixed as directed before use. Do not treat nursing animals or animals under 4 months of age. Do not treat sick or debilitated animals. **CAUTION:** Harmful if swallowed or inhaled or absorbed through the skin. Avoid contact with skin, eyes or clothing. May cause allergic skin reaction. Wear gloves when using this product to bathe dogs. Excessive or prolonged contact of the dip solution with the skin should be avoided. Contaminated utensils should not be used for food purposes after use with insecticides.

**PHYSICAL AND CHEMICAL HAZARDS**

Do not use, pour or store near heat or open flame.

**STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED:** Call a physician or poison control center. Drink milk or water and induce vomiting by administration of syrup of ipecac or by touching finger to back of throat. Do not induce vomiting if patient is unconscious or convulsing.

**IF IN EYES:** Flush eyes with plenty of water. Get medical attention if irritation persists.

**IF ON SKIN:** Wash off with soap and water.

**Note to physician:** Atropine sulfate by injection is antidotal only if signs of cholinesterase inhibition are present.

**STORAGE AND DISPOSAL**

Do not reuse empty container. Wrap container and put in trash collection.