

MAR 17 1997

Mr. Jerry E. Ott
Happy Jack, Inc.
P.O. Box 475
Snow Hill, North Carolina 28580

Subject: Revised Labeling--Per PR Notice 96-6
Happy Jack 3X Flea, Tick & Mange Collar for Dogs
EPA File Symbol 2781-20
Your Application Dated February 10, 1997

Dear Mr. Ott:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, is acceptable provided that you make the labeling change indicated below before you release the product for shipment bearing the amended labeling:

In the Precautionary Statements, in the list of restrictions, delete "Do not use other pesticides or drugs on dogs while collar is worn" and replace with "Do not use this product on animals simultaneously or within 30 days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides or chemicals. However, the collar may be immediately replaced."

Submit five (5) copies of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

/s/

Dennis H. Edwards, Jr.
Product Manager (19)
Insecticide-Rodenticide Branch
Registration Division (7505C)

Enclosure

2 9 4

A new breakthrough in canine preventive health care.

Happy Jack



COLLAR
22" Long



Happy Jack



Flea, Tick
& Mange COLLAR
For DOGS

ACCEPTED
with COMMENTS
in EPA Letter Dated

MAR 17 1997

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

2781-2D

CAUTION: KEEP OUT OF
REACH OF CHILDREN
See cautions on back

ACTIVE INGREDIENT:
Chlorpyrifos** [0,0-diethyl-0-(3,5,6-trichloro-2-
pyridyl) phosphorothioate] 9%
INERT INGREDIENTS: 91%
*Sarcoptic **US PATENT 3244586

Happy Jack



COLLAR
22" Long

3 7 4

A new breakthrough in canine preventive health care.

Happy Jack.

3-

COLLAR
22" Long

CONTENTS: 1 Collar



Happy Jack

3-


Flea, Tick
& Mange COLLAR
For DOGS

KILLS Fleas for 11 Months
KILLS Ticks for 7 Months
KILLS Mange Mites*

Happy Jack.

3-

COLLAR
22" Long





**READ ENTIRE LABEL BEFORE EACH USE.
USE ONLY ON DOGS.
DO NOT USE ON CATS
DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Place collar around dog's neck, adjust to proper fit. Cut off and dispose of the excess length. The collar must be worn loosely so that two fingers can be placed between collar and dog's neck. If collar is worn too tightly, it may produce neck irritation. Remove collar at first sign of irritation or adverse reaction.

Activity against fleas starts within 24 hours. Once the activity starts, this product will provide effective flea kill for eleven (11) months. Ticks are harder to kill. Activity against ticks occurs within 3 days. Once the activity starts, this product will provide effective tick kill for seven (7) months plus aiding in kill for an additional two (2) months. Fleas and ticks present in the animal's environment that may reappear on the dog will be killed and controlled within 24 hours. This collar also aids in the prevention and control of mange.

Replace collar when effectiveness diminishes. Collar's effectiveness is not diminished by normal wetting such as rainfall or bathing. If collar becomes excessively dirty, wipe with a damp cloth. For information, call 1-800-326-5225.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

CAUTION: Do not open protective pouch until ready to use. This collar is intended for use as an insecticide generator. Not intended for use on humans. Do not allow children to play with this collar. Wash hands thoroughly with soap and water after handling collar.

This collar is a cholinesterase inhibitor. Some breeds or individuals may be sensitive. Remove collar if symptoms of cholinesterase inhibition (which may include salivation, vomiting and diarrhea) occur and bathe with soap and water.

- 1) Do not use on sick, extremely old, debilitated, medicated, pregnant, or nursing dogs.
- 2) Do not use on dogs under 3 months of age.
- 3) Do not use other pesticides or drugs on dogs while collar is worn.

Note to Physician or Veterinarian: Atropine is antidotal only if symptoms of cholinesterase inhibition are present.

FIRST AID

If On Skin: Wash thoroughly with soap and water.
If In Eyes: Flush with plenty of water.

DISPOSAL

Do not reuse pouch or box. Wrap pouch or box and put in trash collection. When discarding used collar, wrap and place in trash.

Sold By:
HAPPY JACK, INC.
Snow Hill, N.C. 28580

**EPA REG. NO 2781-20
E.P.A. EST. NO. 2517-VA-1**