MAR 1 7 1997

Mr. Jerry E. Ott Happy Jack, Inc. P.O. Box 475 Snow Hill, North Carolina 28580

Subject: Revised Labeling--Per PR Notice 96-6

Happy Jack 3X Flea, Tick & Mange Collar for Cats

EPA File Symbol 2781-35

Your Application Dated February 10, 1997

Dear Mr. Ott:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, is acceptable provided that you make the labeling change indicated below before you release the product for shipment bearing the amended labeling:

In the Precautionary Statements, in the list of restrictions, delete "Do not use other pesticides or drugs on cats while collar is worn" and replace with "Do not use this product on animals simultaneously or within 30 days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides or chemicals. However, the collar may be immediately replaced."

Submit five (5) copies of your final printed labeling before you release the product for shipment.


A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

151

Dennis H. Edwards, Jr. Product Manager (19) Insecticide-Rodenticide Branch Registration Division (7505C)

Enclosure



ACCEPTED WH COMBILENT

MAR 17

BEST AVAILABLE COPY



READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON CATS.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Place collar around cat's neck, adjust to proper fit. Cut off and dispose of the excess length. The collar must be worn loosely so that one finger can be placed between collar and

cat's neck. Remove collar at first sign of irritation or adverse reaction.

Activity against fleas starts within 24 hours. Once the activity starts, this product will kill fleas 6 months. Ticks** are harder to kill. Activity against ticks occurs within 3 days. Once the activity starts, this product will kill ticks 6 months. Fleas and ticks present in the animal's environment that may reappear on the cat will be killed and controlled within 24 hours. This collar also aids in the prevention and control of Mange.

Replace collar when effectiveness climinishes. Collar's effectiveness is not diminished

by normal wetting such as rainfall or bathing. If collar becomes excessively dirty, wipe with a damp cloth. For information, call 1-800-326-5225.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Do not open protective pouch until ready to use. This collar is intended for use as an insecticide generator. Not intended for use on humans. Do not allow children to play

with this collar. Wash hands thoroughly with soap and water after handling collar.

This collar is a cholinesterase inhibitor. Some breeds or individuals may be sensitive.

Remove collar if symptoms of cholinesterase inhibition (which may include salivation, vomiting and diarrhea) occur and bathe with soap and water.

 Do not use on sick, extremely old, debilitated, medicated, pregnant, or nursing cats.
 Do not use on cats under 3 months of age.
 Do not use other pesticides or drugs on cats while collar is worn.
 Note to Physician or Veterinarian: Atropine is antidotal only if symptoms of cholinesterase inhibition are present.

FIRST AID

if On Skin: Wash thoroughly with soap and water.

DISPOSAL

Do not reuse pouch or box. Wrap pouch or box and put in trash collection. When discarding used collar, wrap and place in trash.

*Sarcoptic

** Brown Dog Tick

Sold By: HAPPY JACK, INC. Snow Hill, N.C. 28580

EPA REG. NO 2781-35 E.P.A. EST. NO. 2517-VA-1