

BEST DOCUMENT AVAILABLE

DIRECTIONS FOR USE

1. For use on apples and Anjou pears. Apply to the fruit surface.

STORAGE AND DISPOSAL

1. Store in original container in a cool, dry place. Do not use if container is damaged or leaking.
2. Do not use if the container is empty or if the product has been tampered with.
3. Do not use if the product has been exposed to extreme temperatures.
4. Do not use if the product has been exposed to direct sunlight.

PRECAUTIONS - PROPER USE

Apply to the fruit surface. Do not use if the fruit is damaged or if the product has been tampered with. Do not use if the product has been exposed to extreme temperatures or direct sunlight.

Directions for use continued on right panel



**DECCOQUIN[®] 305
CONCENTRATE**

For postharvest use to prevent scald on apples and Anjou pears in storage

ACTIVE INGREDIENT

Ethoxyquin (6-ethoxy - 1,2-dihydro - 2,2,4-trimethyl quinoline) 52.2%

INERT INGREDIENTS 47.8%

**FOR AGRICULTURAL USE ONLY
KEEP OUT OF REACH OF CHILDREN
CAUTION**

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

May irritate eyes, nose, throat, and skin. Avoid contact with eyes, nose, throat, and skin.

Statement of Practical Treatment

In case of fire, use dry chemical extinguisher. In case of eye contact, flush with water for 15 minutes. In case of skin contact, wash with soap and water.

Environmental Hazard

Do not apply to water bodies. Do not apply to areas where water is present.

Net Content: 5 gallons (18.9 liters)

EPA Reg. No. 249-001-001-001-001

DIRECTIONS FOR USE (Continued)

APPLICATION

To make a treating concentration of 200 ppm ethoxyquin, add 12.5 ml of Deccoquin Concentrate to 2.5 parts of water. For apples, mix 12.5 Deccoquin Concentrate to the dip tank or dip tank. Rinse fruit with water and dry thoroughly. Example: To make a treating concentration of 200 ppm ethoxyquin, add 12.5 ml of Deccoquin Concentrate to 2.5 parts of water.

Keep tank and equipment absolutely clean at all times. Flush dip tank immediately after use and before re-filling. After treatment, be sure to dip bins to drain thoroughly before packing fruit. Do not allow fruit to remain in contact with bins of liquid fruit solution, burning, or any other cause. Do NOT treat more than 2 to 3 minutes.

For Anjou pears and apples Deccoquin Concentrate (200 ppm ethoxyquin) can be applied as a spray on a brush bed or conveyor.

For best results, apply to apples and Anjou pears no later than 24 hours after harvest. CHANGE SOLUTION DAILY OR MORE OFTEN IF NEEDED.

WARRANTY AND DISCLAIMER

Pennwalt Corporation warrants that the concentrate forms to the best of our knowledge and belief are reasonably fit for the purposes intended. Deccoquin Concentrate is a registered trademark of Pennwalt Corporation. PENNWALT CORPORATION MAKES NO OTHER WARRANTY, GUARANTEE, WARRANTY OF FITNESS, OR OTHER WARRANTY, OR ANY OTHER EXPRESS OR IMPLIED WARRANTY, IN NO CASE SHALL PENNWALT CORPORATION OR SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT IN COMPLIANCE WITH THE FEDERAL FOOD, DRUG, AND COSMETICS ACT, BUT NOT LIMITED TO LOSS OF PROFITS, BUSINESS REPUTATION, OR CUSTOMERS, LABOR COST, OR OTHER EXTENSIVE DAMAGES INCURRED IN REPACKAGING OR OTHERWISE.

Pennwalt Corporation is not responsible for the sale of the product to anyone other than the intended user. The sale of this product is subject to the terms and conditions of the warranty and disclaimer agreement with the user. The user agrees to the terms and conditions of the warranty and disclaimer agreement of Pennwalt Corporation.



MINNEAPOLIS, MINN.

1988

1988