

DIRECTIONS FOR USE (Continued):

For aqueous spray, prior to any packout wax: Dilute one bag (575 grams) in 75 gallons of water to give about 2000 ppm of TBZ.

For citrus bin drencher: Dilute one bag (575 grams) in 150 gallons of water for a concentration of about 1000 ppm TBZ. The drenching of citrus in bins should continue for about three minutes. Use of a suitable wetting agent in preparing a slurry is recommended. Use one gallon liquid for spraying 1500-2000 lbs. of citrus or drench about 30 bins per 100 gallons of liquid. Avoid excessive foaming; use of antifoam is recommended.

For apples and pears: Decco Salt No. 19 can be used as an aqueous spray dip or drench on apples and pears. Use one bag of Decco Salt No. 19 (575 grams) for every 300 gallons of water to give a final concentration of about 500 ppm of TBZ. Do not treat fruit for more than three minutes. Keep the mixture under constant mechanical agitation. Use of a suitable wetting agent in preparation of a slurry is recommended. Replace with fresh solution after treating 30 bins for every 100 gallons liquid. For use in Waxer, follow citrus instructions. Both prestorage and packout treatments with TBZ may be used.

For mangoes and papayas: Use one bag with 75 gallons of diluted fruit coating (2000 ppm) suitable for use on papayas and mangoes. Generally, 15 gallons of concentrated wax ~~instr. 200 or 202~~ are diluted with 60 gallons of soft water prior to use. Spray one gallon of diluted material over a brush bed to 3000 to 5000 pounds of fresh clean fruit. Keep the mixture under constant mechanical agitation. For a dip application, do not use more than 2000 ppm of TBZ and do not exceed a dip treatment of more than 30 seconds. Allow ample draining and ambient air drying prior to final packaging. For high decay potential use 4000 ppm of TBZ (two charge bags per 75 gallons). If an aqueous dip or spray is used without any fruit coating, use of a suitable wetting agent is recommended.

DIRECTIO

For ban
treat d
through
one bag
mixture
thorough

Consult
local f
informa

WARRANT

Pennwalt Co
the chemical
for the purpo
to the risks
MAKES NO
FITNESS OR
OR IMPLIED
CORPORATIO
TIAL, SPECIA
THE USE OR
BUT NOT LIM
REPUTATION
EXPENSES II
REPROCESS

Pennwalt Cor
buyer and us
of sale and w
In writing sig
Pennwalt Cor



Charles Town
McAllen,
Printed in U.S.A.

DIRECTIONS FOR USE (Continued):

For bananas: Use 200 ppm of TBZ to dip treat dehanded fruit after it has passed through the delatexing operation. Use one bag with 750 gallons of fruit coating mixture. Drain and air dry the fruit thoroughly.

Consult your Decco representative or local fruit specialist for additional information.

ACCEPTED

OCT 4 1984

Under the Federal Insecticide,
Fungicide and Plant Growth Regulator Act

2792-50

WARRANTY AND DISCLAIMER

Pennwalt Corporation warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use, subject to the risks referred to therein. **PENNWALT CORPORATION MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. IN NO CASE SHALL PENNWALT CORPORATION OR SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT INCLUDING, BUT NOT LIMITED TO, LOSS OF PROFITS, BUSINESS REPUTATION, OR CUSTOMERS; LABOR COST, OR OTHER EXPENSES INCURRED IN REPACKAGING, SORTING OR REPROCESSING.**

Pennwalt Corporation and seller offer this product and the buyer and user accept it subject to the foregoing conditions of sale and warranty which may be varied only by agreement in writing signed by a duly authorized representative of Pennwalt Corporation.

 **PENNWALT DECCO TILTBELT**

MONROVIA, CALIFORNIA 91016

~~Shelton-Town, Va. Va-25414~~
McAllen, Tex. 78501

Lakeland, Fla. 33801
Yakima, Wa. 98902

Printed in U.S.A.

DL-11

06E45C

Made in U.S.A.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

**HARMFUL IF SWALLOWED
AVOID CONTACT WITH SKIN, EYES, OR CLOTHING**

ENVIRONMENTAL HAZARD or wetlands

The product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool dry place.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State, or local procedures.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by incineration if allowed by state and local authorities.

APPLICATION

For Citrus:

With Citrus Lustr™ waxes; Use one bag of Decco Salt No. 19 (575 grams) for each 55 gallons of ready-to-use packout wax formulation. This usage corresponds to about 2700 ppm of TBZ in wax. Keep the mixture under constant mechanical agitation.

For Citrus Storage Wax: A suitable quantity of concentrated wax is properly diluted prior to addition of Decco Salt No. 19. Use one bag (575 grams) for each 55 gallons of diluted material for spraying on fresh citrus going into storage. Use of 2, 4-D ester at label recommended level is compatible with Decco Salt No. 19.

Directions for use continued on right panel

DE

For control
of citrus;
(cluster rot
of bananas;
and stem-end
anthracnose

Active In
2-(4-thia
(thlabe
Inert Ing

FOR

KEEP O

**HARMFUL IF
AVOID CON**

**First Aid: If in eye
If irritation persi**

**If swallowed, c
glasses of water
fingers. Do not
conscious pers**

SEE SIDE PAN

N

This com

EPA R