UNITE TATES ENVIRONMENTAL PROTECTION AGENCY

Elf Atochem North America, Inc. Decco Division 1713 S. California Avenue Monrovia, CA 91016

NOV 1 5 2800

Subject:

Deccosan 320

EPA Registration No. 2792-56 Amendment Date: 8/21/00 EPA Receive Date: 8/29/00

Attention:

(

Mr. Mohsen Sales

The amendment, referenced above, submitted in connection with registration under FIFRA, as amended, to add update the label is acceptable provided you address the following recommendations before you release this product for shipment.

- 1. The heading and subheading, "Directions For Use," and "It is a violation of federal law to use this product in a manner inconsistent with its labeling," should be moved to appear after the "Container Disposal instructions" and above the "For use as a food contact sanitizer in food processing plants" directions. The "Directions for Use" heading and subheading should always appear before the directions on how to use this product.
- 2. Under Disinfection, You will need to add the statement, "Rinse food contact surfaces with potable water prior to reuse." It should appear after the "Allow treated surfaces .... air dry" statement.

A stamped label is enclosed for your records. Please submit one copy of the final printed label before you release this product for shipment. If you have any questions regarding this letter, please contact Jacqueline Campbell at (703) 308-6416.

Sincerely.

Product Manager (31)

Regulatory Management Branch I

CONCURRENCE DIVISION (7510C) OFFICIAL FILE COPY

EPA Form 1320-1A (1/90)

Printed on Recycled Paper

**☆**GPO: 2000 - 187-381

# **DECCOSAN 320**

# Detergent / Disinfectant / Sanitizer

Food contact Disinfectant / Sanitizer for use in food processing plants including fruit and vegetable packing houses.

ACTIVE INGREDIENTS:	
n-Alkyl (60% C <sub>14</sub> , 30% C <sub>16</sub> , 5% C <sub>12</sub> , 5% C <sub>18</sub> )	
dimethly benzyl ammonium chlorides	1.6%
n-Alkyl (68% C <sub>12</sub> , 32% C <sub>14</sub> )	
dimethyl ethylbenzel ammonium chlorides	1.6%
INERT INGREDIENTS	96.8%
TOTAL	100%

# KEEP OUT OF THE REACH OF CHILDREN DANGER

# **FIRST AID**

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYE: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

# HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.

	-	damage may contraindicate the use of and convulsion may be needed.	gastric lavage. M	feasures
See side panel for add	itional precautionary state	ments.		
NET CONTENTS:	05 gallons (19 liters) 55 gallons (208 liters)		1 1 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	· · · · · · · · · · · · · · · · · · ·
EPA Reg. No. 2792-56-	ACCEPTED with COMMENTS in EPA Letter Dated:	EPA Est. No. 2792-CA-1	· · · · · · · · · · · · · · · · · · ·	
P	NOV 15 2000 nder the Federal Insecticide Angicide, and Radonticide An nended, for the perticide,			

registered under EPA Rog. No. 2792-56

#### PRECAUTIONARY STATEMENTS

Hazard to Human and Domestic Animal

### **DANGER**

Corrosive. Causes irreversible eye damage and skin burns. Do not get into eyes, on skin, or on clothing. Wear protective goggles / face shield, rubber gloves, and protective clothing. Harmful if swallowed. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

# **ENVIRONMENTAL HAZARD**

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of National Pollutant Discharge Elimination System (NPDES) permit and permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

SPILL OR LEAK: In case of spill, flush spill area with water spray.

#### DIRECTIONS FOR USE:

(

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

# STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry place no lower in temperature than 50 F, or higher than 120 F.

PESTICIDE DISPOSAL: Pesticide waste are acutely hazardous. Improper disposal of excess pesticide spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional Office.

CONTAINER DISPOSAL: Do not reuse empty container. Triple rinse empty container with water. Return metal drum then offer for reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic containers maybe disposed of in a sanitary landfill incineration, if allowed by local authorities, by burning. If burned, stay out of smoke.

FOR USE AS A FOOD CONTACT SANITIZER IN FOOD PROCESSING PLANTS: When used as directed this product is an effective sanitizer against Escherichia coli, Escherichia coli 0157:H7 and Staphylococcus aureus. This product is an effective sanitizer when diluted in water up to 250 ppm hardness (CaCO<sub>3</sub>). This product is recommended for the use in food processing plants including fruit and vegetable packing houses for sanitizing hard, non-porous immobile surfaces of food processing equipment, work area and sanitizing mobile items such as multi-use eating and drinking utensils.

For sanitizing hard, non-porous immobile surfaces of food processing equipment and work area. Before using this product, remove food products and packaging materials from the area or carefully protect.

- a) Pre-clean all surfaces by pre-flush and pre-scrap and when necessary a pre-soak then throughly wash with a good detergent or compatible cleaner follow by a potable water rinse. Tilt movable surfaces for proper trainage.
- b) Mix 4 oz. to 5 gallons of water (200 ppm active quaternary solution).
- c) Wet surfaces throughly with use dilution using clean cloth or sponge. Surfaces must remain wet for 1 minute.
- d) Let surface drain and air dry.
- e) Prepare a fresh solution daily.

Direction for use continues on next panel.

ACCEPTED
with COMMITTS
in EPA Letter Detail.

NOV 15 2000

Under the Federal Indocresside,
Pungletice, and Redeathelide Act as
amended, for the pesticine,
registered under EPA Rog. No. 2792-56

#### Direction for use continue:

For sanitizing mobile items such as multi-use eating and drinking utensil.

- a) Pre-clean utensils, glassware, cookware, and all dishes by a pre-flush and pre-scrap when necessary a pre-soak. Wash surfaces throughly with good detergent or compatible cleaner follow by a potable water rinse.
- b) Mix 4 oz. to 5 gallons of water (200 ppm active quaternary solution).
- c) Immerse all utensils for at least 2 minutes or longer if specified by government sanitary code.
- d) Place sanitized utensils on a rack or drain board to air dry. Do not rinse. Do not wipe.
- e) Prepare a fresh solution daily.

Note: Manual operation: Changes sanitizer daily. Periodically test sanitizer solution for 200 active quaternary concentration by using a test kit available for this purpose.

Mechanical operation: The prepared solution may not be used for sanitizing, but may be re-used for cleaning only not disinfecting.

#### DISINFECTION:

For use in food processing plants including fruit and vegetables packing houses. Add 4 ounces of the product per gallon of water. To disinfect hard non-porous inanimate surfaces (such as walls, floors, table tops), apply the solution with mop, cloth, sponge or mechanical sprayer so as to wet all surfaces throughly. Allow the treated area to remain wet for ten minutes and the let air dry. For heavily soiled areas, a pre-cleaning step with a detergent is required. Prepare a fresh solution for each use.

#### WARRANTY AND DISCLAIMER

ELF ATOCHEM N.A. INC. warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use, subject to the risks referred to therein. ELF ATOCHEM N.A. INC. MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. IN NO CASE SHALL ELF ATOCHEM N.A. INC. OR SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT INCLUDING, BUT NOT LIMITED TO, LOSS OF PROFITS, BUSINESS REPUTATION, OR CUSTOMERS; LABOR COST, OR OTHER EXPENSES INCURRED IN REPACKAGING, SORTING OR REPROCESSING.

ELF ATOCHEM N.A. INC, and seller offer this product and the buyer and user accept it subject to the foregoing conditions of sale and warranty which may be varied only by agreement in writing signed by a duly authorized representative of ELF ATOCHEM N.A. INC.

ELF ATOCHEM NORTH AMERICA, INC.
Agrichemicals Division
Decco Department
Monrovia, CA 91017-0120

