

#### U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

2792-90

Date of Issuance:

11/23/21

NOTICE OF PESTICIDE:

X Registration
Reregistration
(under FIFRA, as amended)

Term of Issuance:
Conditional

EPA Reg. Number:

Name of Pesticide Product:

DECCO PROPI EC

Name and Address of Registrant (include ZIP Code):

DECCO US POST-HARVEST INC. 1713 S. California Ave. Monrovia, CA 91016-0120

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/registration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official: Date:

Shaja B. Joyner, Product Manager 20

Fungicide-Herbicide Branch Registration Division 7505P 11/23/21

- 2. You are required to comply with the data requirements described in the DCI or EDSP Order identified below:
  - a. GDCI- Propiconazole GDCI-122101-1705

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI or EDSP Order listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division: http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1

- 3. The data requirements for storage stability and corrosion characteristics (Guidelines 830.6317 and 830.6320) are not satisfied. A one year study is required to satisfy these data requirements. You have 18 months from the date of registration to provide these data.
- 4. Make the following label changes before you release the product for shipment:
  - Revise the EPA Registration Number to read, "EPA Reg. No. 2792-90."
- 5. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

Basic CSF dated 08/18/2020

If you have any questions, please contact Eleanor Thornton by phone at 202-566-2929, or via email at Thornton.eleanor@epa.gov.

Enclosure





GROUP 3 FUNGICIDE

## **Decco PROPI EC**

For Control of Certain Post-harvest Disease of Citrus

 Active Ingredient:
 20.37%

 Propiconazole: (CAS No. 60207-90-1).
 20.37%

 Other Ingredients
 79.63%

 Total
 100.00%

Contains 1.84 lbs of Propiconazole per gallon.

# CAUTION KEEP OUT OF REACH OF CHILDREN

See additional precautionary statements and direction for use on the next panel.

EPA Reg. No. 2792-XXX

EPA Est. No.

Net Contents: 1 gallon

FIRST AID				
-	-Call a poison control center or doctor immediately for treatment advice.			
If arriallariad -	-Have person sip a glass of water if able to swallow.			
If swallowed	-Do not induce vomiting unless told to do so by a poison control center or doctor.			
-	-Do not give anything by mouth to an unconscious person.			
HOT LINE NUMBER				

Have the product container or label with you when calling a poison control center or doctor, or going to doctor for treatment. For general information on this pesticide product call the National Pesticide Telecommunications Network at 1-800-858-7378, or contact the National Pesticides Information Center (NPIC) at 1-800-858-7378, Monday through Friday, 8 AM to 12 PM PST. You may also visit <a href="http://npic.orst.edu">http://npic.orst.edu</a>. For medical emergencies, call the poison control center at 1-800-222-1222.

#### NOTE TO PHYSICIAN

There is no specific antidote. Induce emesis or lavage stomach. Give a saline laxative and supportive therapy.

### PRECAUTIONARY STATEMENTS

#### **Hazards to Humans and Domestic Animals**

**CAUTION**. Harmful if swallowed. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

#### **User Safety Requirements**

Follow the manufacturer's instructions for cleaning / maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

## **User Safety Recommendations**

#### **User should:**

- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

#### **Environmental Hazards**

This product is toxic to fish and shrimp. Do not apply directly to water or to areas where surface water is present, or to intertidal areas below the mean high-water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash water. Refer to product labeling for use restrictions to protect endangered species.

#### **DIRECTIONS FOR USE**

It is violation of Federal Law to use this product in a manner inconsistent with its labeling. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

#### PRODUCT INFORMATION

FAILURE TO FOLLOW DIRECTIONS AND PRECAUTIONS ON THIS LABEL MAY RESULT IN CROP INJURY, POOR DISEASE CONTROL, OR ILLEGAL RESIDUE.

This product is a broad-spectrum fungicide used to aid in control of several post-harvest diseases in citrus post-harvest treatment facilities.

#### **USE INFORMATION**

#### **Integrated Pest Management**

This product should be integrated into an overall disease and pest management strategy (IPM) whenever the use of fungicide is required. Cultural practices known to reduce disease development should be followed. Consult your local agricultural authorities for additional IPM strategies established for your area. This product may be used in State Agricultural Extension advisory (disease forecasting) programs which recommended application timing based on environmental factors favorable for disease development.

#### RESISTANCE MANAGEMENT

## GROUP 3 FUNGICIDE

This product is in the Group 3 class fungicides. The mode of action this product is as demethylation inhibitor (DMI) of sterol biosynthesis which results in disruption of membrane structure and function. Fungal pathogens can develop resistance to products with the same mode of action when used repeatedly. Because resistance development cannot be predicted, use of this product should conform to resistance management strategies established for the crop and use area. Consult your local or State agricultural authorities for resistance management strategies that are complementary to those in this label. Resistance management strategies many include rotating and/or tank mixing with products having different modes of action or limiting the total number of applications per season. Decco US Post-Harvest Inc. encourages responsible resistance management to ensure effective long-term control of the fungal disease on this label. Do not alternate or tank mix this product with any fungicide to which resistance has already developed.

#### **CROP USE DIRECTIONS**

### **Citrus Fruit – Crop Group 10-10**

Use this product as a post-harvest dip, drench, flood, or spray for control of post-harvest diseases caused by:

- Green or blue mold (*Penicillium* spp.)
- Sour rot (*Geotrichum citri-auranti*)

Citrus Fruit Crop Group 10-10					
<b>Application Method</b>	Disease	Rate (fl oz)	Application Instructions		
In-line Dip/Drench	Green mold Blue mold Sour rot	14.5-29.0 fl oz /100 gallons	<ul> <li>Mix 14.5-29.0 fl oz of this product in 100 gallons of an appropriate water, wax/oil emulsion, or aqueous dilution of wax/oil emulsion.</li> <li>Dip for a minimum of 30 seconds and allow fruit to drain.</li> </ul>		
In-line Aqueous or Fruit-Coating Spray Application	Green mold Blue mold Sour rot	14.5-29.0 fl oz /250,000 lbs of fruit	<ul> <li>Ensure proper coverage of the fruit.</li> <li>Mix the fungicide solution in an appropriate water, or wax/oil emulsion, or aqueous dilution of a wax/oil emulsion for the crop being treated.</li> <li>Use T-jet, CDA, or similar application system.</li> </ul>		

#### Note to User:

Ensure the product remains in suspension by using agitation.

### **Specific Use Restriction:**

- Make no more than two post-harvest applications to citrus fruit.
- For maximum decay control, treat fruit once before storage and once after storage, just prior to marketing.
- Make no more than two post-harvest applications of propiconazole-containing products to citrus fruit.
- The maximum total application rate for the two applications must be less than 0.88 lb ai/100gal or 0.88 lb ai/250,000 fruit.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

#### **Pesticide Storage**

Do not store near heat or open flame. Store in original containers only. Keep container closed when not in use.

Do not store near food or feed. In case of spill on floor or paved surfaces, mop and remove to chemical waste storage area until proper disposal can be made if product cannot be used according to the label. Take special care to avoid contamination of equipment and facilities during cleanup procedures and disposal waste.

## **Pesticide Disposal**

Waste resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

#### **Container Handling**

Non-refillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follow: empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ½ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures approved by state and local authorities.

#### CONTAINER IS NOT SAFE FOR FOOD, FEED OR DRINKING WATER.

#### WARRANTY AND DISCLAIMER

DECCO US POST-HARVEST INC. warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use, subject to the risks referred to therein. DECCO US POST-HARVEST INC. MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. TO THE EXTENT ALLOWED BY APPLICABLE LAW, IN NO CASE SHALL DECCO US POST-HARVEST INC. OR SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT INCLUDING, BUT NOT LIMITED TO, LOSS OF PROFITS, BUSINESS REPUTATION, OR CUSTOMERS; LABOR COST, OR OTHER EXPENSES INCURRED IN REPACKAGING, SORTING OR REPROCESSING. DECCO US POST-HARVEST INC. and seller offer this product and the buyer and user accept it subject to the foregoing conditions of sale and warranty which may be varied only by agreement in writing signed by a duly authorized representative of DECCO US POST-HARVEST INC.

DECCO US POST-HARVEST INC. 1713 S. California Ave. Monrovia, CA 91016-0120