



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505T)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number: **2792-99** Date of Issuance: **2/12/26**

NOTICE OF PESTICIDE:

Registration
 Reregistration
(under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

Decco 272 Aerosol

Name and Address of Registrant (include ZIP Code):

Decco US Post-Harvest, Inc.
c/o SciReg, Inc.
12733 Director's Loop
Woodbridge, VA 22192

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA).

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.

Continues page 2

Signature of Approving Official:

Date:

2/12/26

Kristy Crews, Ph.D., Product Manager 22
Fungicide Branch, Registration Division (7505T)

2. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, "EPA Reg. No. 2792-99."
3. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

The record for this product currently contains the following CSF(s):

- Basic CSF dated 09/11/2025

If you have any questions, please contact Yasmin Bowers at 202-566-2507 or Bowers.Yasmin@epa.gov.

Enclosure- Stamped Label

[MASTER LABEL]



Decco 272 Aerosol

[ABN: DECCO Endure]

ACCEPTED
02/12/2026

Under the Federal Insecticide, Fungicide
and Rodenticide Act as amended, for the
pesticide registered under
EPA Reg. No. 2792-99

ACTIVE INGREDIENT:

	By Weight
Chlorpropham* (Isopropyl N-(3-chlorphenyl) carbamate)	99.0%
OTHER INGREDIENTS:	1.0%
TOTAL:	100.0%

*Contains 0.99 pounds active ingredient per pound of product.

FOR AGRICULTURAL USE ONLY

KEEP OUT OF REACH OF CHILDREN **CAUTION**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you **DO NOT** understand the label, find someone to explain it to you in detail.)

FIRST AID

If Swallowed:	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to by a poison control center or doctor. DO NOT give anything to an unconscious person.
If on Skin or Clothing:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.
If Inhaled:	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.
If in Eyes:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

For chemical emergency assistance (spill, leak, fire, or accident), call CHEMTREC: (800) 424-9300

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Poison Control Hotline at 1-800-222-1222 for emergency medical treatment information 24 hours per day, 7 days per week.

{Optional referral statements when booklets and container labels are used:}

[See [label booklet] [side panel] for [complete] [additional] [First Aid,] [Precautionary Statements], [Directions For Use], and [Storage and Disposal].]

Net Contents: [4 X 10 lbs.]

EPA Reg. No: 2792-XX

EPA Est. No.: _____

Manufactured For:

Decco US Post-Harvest Inc.
1713 S. California Ave.
Monrovia, CA 91016-0120
[Phone: 626-358-1838]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Harmful if swallowed. Harmful if absorbed through skin. Harmful if inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing vapor. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below.

Applicators and other handlers must wear:

- Chemical-resistant gloves (such as Barrier Laminate, Butyl Rubber ≥ 14 mils, Nitrile Rubber ≥ 14 mils, Neoprene Rubber ≥ 14 mils, Natural Rubber ≥ 14 mils, Polyethylene, Polyvinyl Chloride (PVC) ≥ 14 mils, and Viton ≥ 14 mils)

From the start of application and continuing until the ventilation requirements listed on this labeling have been completed, for entry into the enclosed treated area, handlers must wear chemical-resistant gloves, a long-sleeve shirt, long pants, shoes and socks, and a respirator.

The following type of respirator is appropriate to mitigate chlorpropham inhalation exposure:

- Wear a minimum of a NIOSH-approved particulate filtering facepiece respirator with any N1, R, or P filter; OR a NIOSH-approved elastomeric particulate respirator with any N1, R, or P filter; OR a NIOSH-approved powered air-purifying respirator with a HE filter.

If the enclosed area contains less than 19.5 percent oxygen, the respirator must be one of the following types:

- A supplied-air respirator (MSHA/NIOSH approval number prefix TC-19C) OR a self-contained breathing apparatus (SCBA) (MSHA/NIOSH approval number prefix TX-13F).

USER SAFETY REQUIREMENTS

Follow the manufacturer's instructions for cleaning/maintaining Personal Protective Equipment (PPE). If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Workers must wear:

- Chemical-resistant gloves (such as nitrile, butyl, neoprene, and/or barrier laminate) while handling potatoes which are wet.

USER SAFETY RECOMMENDATIONS

Users should:

- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. **DO NOT** discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. **DO NOT** discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

NOTICE:

- If entry into the storage area is necessary during or immediately following application before the fog has settled and required ventilation has occurred, protective clothing and respirators must be worn as listed under the **PERSONAL PROTECTIVE EQUIPMENT (PPE)** above.
- **Decco 272 Aerosol** is used as an aerosol for treating potatoes for sprout inhibition during storage.
- **DO NOT** apply in the field.
- **DO NOT** use on seed potatoes.
- **DO NOT** allow vapors to come in contact with storage areas used for seed potatoes.
- Let six months elapse before using treated storage area for seed potatoes. All system components (including ducts) and building must be thoroughly cleaned before area is used for storage of seed potatoes.
- **Decco 272 Aerosol** will prevent periderm formation of potatoes; therefore, it must be used only after bruises and cuts have healed (normally two (2) weeks).

Entry Restrictions:

For aerosol or forced-air distribution applications:

DO NOT enter or allow any person, other than a person equipped with the appropriate handler personal protective equipment including the appropriate respirator, to enter the treated area until the area has been ventilated. Ventilation may be for either a total of two (2) hours with fans or other mechanical ventilation or four (4) hours with windows, vents, or other passive ventilation, or until such time that there have been 10 complete air exchanges. The ventilation time may be interrupted, i.e., the time may be accumulated at sporadic intervals, such as 15 minutes of ventilation followed by a period with no ventilation, until the total required ventilation time has accumulated.

TREATMENT OF STORAGES OR OTHER AREAS THAT DO NOT HAVE RECIRCULATING AIR SYSTEMS

Prior to placing the potatoes in the area to be treated, make the following preparations:

1. On the floor of the area, install an air duct approximately 12 inches by 12 inches running the length or width of the potato pile leaving a false wall space at both ends for air circulation. The ducts should be spaced 10 to 12 feet apart and can be perforated metal pipe, slotted wood construction or if the potatoes are in bags, by bridging a 12 inch space between two rows of bags in the bottom layer with bags placed crosswise the space.
2. At the end of each duct in the false wall space where the fog is to be introduced, place a squirrel cage fan positioned to force air through the duct. The exit end of the duct must be blocked to force the air up through the piled potatoes.

When the area is filled and ready to treat, the following steps should be taken:

1. Close off any ventilating systems.
2. Start the squirrel cage fans.
3. Introduce the fog as near as possible to the bottom of the false wall space containing the fans.
4. Operate the fans until the fog has settled.

NOTE: When treating small areas such as trailer trucks or railroad cars, it is recommended that low volume aerosol generators, such as a "Swing Fog," be used.

FORCED AIR DISTRIBUTION METHOD

1. Place **Decco 272 Aerosol** in melting chamber of application unit and connect aerosol generator intake hose to chamber.
2. Set air ducts for recirculation.
3. Place exhaust end of aerosol generator at center of plenum (air mixing chamber) pointing it in direction of air flow. This will assure the best possible distribution of **Decco 272 Aerosol** throughout the duct system.

APPLICATION

Many factors can affect the ability to store potatoes in a dormant, sprout-free condition. Some factors include, temperature at harvest, potato variety, storage temperature and storage duration. Prior to selecting whether to use a rate of 1 pound per 600 hundred weights (60,000 lbs.) or 2 pounds/600 hundred weights (60,000 lbs.), consult with a University/USDA Extension Potato Specialist and/or your Professional **Decco 272 Aerosol** Applicator.

1. Application of **Decco 272 Aerosol** can be made any time after the curing period and before sprouting of potatoes occurs.
2. Select the proper application rate based upon Storage Temperature and Storage Time from the table below based upon the recommendations of the University/USDA Extension Potato Specialist and/or your Professional **Decco 272 Aerosol** Applicator.
3. Once opened use the entire contents of the container.

1 bushel = 60 pounds = 1.6 cubic feet; 1 cwt = 1.67 bushels = 2.5 cubic feet; 2,000 pounds = 20 cwt = 33.4 bushels = 83.5 cubic feet

Application of **Decco 272 Aerosol** can be made any time after the curing period and before sprouting of potatoes occurs.

RECOMMENDED CHLORPROPHAM RATE

To calculate the rate needed use the following formula (alternatively, see TABLE 1 below):

$$\% \text{ of Standard Application Rate} = (2 \times T) + [(5 \times M) - 5]$$

Where: Standard Application Rate = 1 pound active ingredient/600 cwt or 2 pounds active ingredient/600 cwt

T = Storage Temperature

M = Number of Months Storage Time

Example Calculation (Potatoes stored at 45°F for six (6) months)

$$\text{Required Rate} = (2 \times 45) + [(5 \times 6) - 5] = 115\%$$

When treating long-term storage potatoes, the Standard Application Rate of 1 pound active ingredient/600 cwt. (60,000 lbs.) can be raised to 2 pounds active ingredient/600 cwt. (60,000 lbs.).

The maximum application for either a single treatment or the total amount of chlorpropham applied via aerosol fog to potatoes destined for fresh market is 145% of the label's 2 pounds rate or 2.9 pounds per 600 cwt.

The maximum application for either a single treatment or the total amount of chlorpropham applied via aerosol fog to potatoes destined for processing is 165% of the label's 2 pounds rate or 3.3 pounds per 600 cwt.

TABLE 1. Percentage of standard application rate based on the equation above under "Recommended Chlorpropham Rate" heading.

TIME MONTHS	STORAGE TEMPERATURE				
	40°F	45°F	50°F	55°F*	60°F*
1	80%	90%	100%	110%	120%
2	85%	95%	105%	115%	125%
3	90%	100%	110%	120%	130%
4	95%	105%	115%	125%	135%
5	100%	110%	120%	130%	140%
6	105%	115%	125%	135%	145%
7	110%	120%	130%	140%	150%
8	115%	125%	135%	145%	155%
9	120%	130%	140%	150%	160%
10	125%	135%	145%	155%	165%

*Rates for 55°F and 60°F are for processing potatoes only.

Chart assumes treatment soon after suberization time.

Extended Storage - If it becomes necessary to increase the storage duration and/or storage temperature, potatoes will tend to break dormancy and begin sprouting and retreatment may be necessary. Using the above chart, the retreatment dosage is equal to the total amount required for the extended storage time less the amount used for the original storage time. For example, potatoes stored at 45°F were treated based on a two (2) month storage period. A decision was made to extend storage to five (5) months (three (3) months in addition to original two (2) months). The total extended storage would require a total of 110% of the standard rate; the original treatment would have used 95% of the standard rate. In this case, retreatment would require 15% (110%-95%) of the standard treatment.

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Keep container closed. This product inhibits germination of seed potatoes.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Nonrefillable container. **DO NOT** reuse or refill this container. Offer for recycling, if available.

IMPORTANT INFORMATION READ BEFORE USING PRODUCT

CONDITION OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Direction for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Direction for Use of this product reflect the opinion of experts based on field use and tests, and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Decco US Post-Harvest Inc. or Seller. Handling, storage, and use of the product by Buyer or User are beyond the control of Decco US Post-Harvest Inc. and Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Decco US Post-Harvest Inc. and Seller harmless for any claims relating to such factors.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, DECCO US POST-HARVEST INC. AND SELLER MAKE NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ON THIS LABEL.

To the extent consistent with applicable law, Decco US Post-Harvest Inc. or Seller shall not be liable for any incidental, consequential or special damages resulting from the use or handling of this product and **THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF DECCO US POST-HARVEST INC. AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS**

PRODUCT OR, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF DECCOUS POST-HARVEST INC. OR THE REPLACEMT OF THE PRODUCT.

Decco US Post-Harvest Inc. and Seller offer this product, and Buyer and User accept it, subject to the forgoing conditions of sale and limitation of warranty and of liability, which may not be modified except by written agreement signed by the duly authorized representative of Decco US Post-Harvest Inc.