

CHLOROFORM AND BENZENE MIXTURE

ACTIVE INGREDIENTS BY WEIGHT:

CHLOROFORM	50%
BENZENE	50%
TOTAL	100%

WARNING

**KEEP OUT OF REACH OF CHILDREN
KEEP AWAY FROM FIRE, SPARKS, AND
HEATED SURFACES.**

**FLAMMABLE LIQUID
FLAMMABLE AND VOLATILE**

WARNING: HARMFUL VAPOR! HARMFUL IF SWALLOWED. AVOID PROLONGED BREATHING OF VAPOR. AVOID PROLONGED OR REPEATED CONTACT WITH SKIN.

NOTICE: THIS PREPARATION IS SOLD ONLY FOR KILLING SCREW WORMS AND IS NOT FOR MEDICINAL USE.

(SEE RIGHT SIDE PANEL FOR ANTIDOTE.)

USDA Reg. No. 2800-61

CONTENTS 16 FL. OZ. (1 PINT)



HUMCO

LABORATORY

TEXARKANA, TEXAS 75501

USE: For killing screw worms in external wounds in horses and cattle.
DIRECTIONS: Fill infected wound with Chloroform and Benzene. Antidote for
minutes from the wound and repeat application if all worms do not
fall out. Then fill wound and smear or undiseased area with
Specter 12.
Treats animal should be checked down from farm to return to work.

ANTIDOTE: Vomiting, artificial respiration, fresh air, oxygen.
Cold packs.

CALL PHYSICIAN IMMEDIATELY

ACCEPTED
JUN 24 1971
UNDER THE FEDERAL REGULATIONS
FUNCTIONS AND REGULATIONS FOR
FOR THE CONTROL OF PESTICIDES
EPA REG. NO. 2800-61