

ACCEPTED
 N. 100-167
 U.S. DEPARTMENT OF AGRICULTURE
 BUREAU OF ENTOMOLOGICAL PLANT
 QUARANTINE AND NODDITIC
 INSPECTION
 PHOENIX, ARIZONA
 12-1-67

SIROTTA'S

SIRCOFUME

5 GALLONS

LIQUID FUMIGATING GAS

For Use In Vaults, Demolishing Chambers and Air-Tight Rooms

EASY-TO-FOLLOW INSTRUCTIONS

ACTIVE INGREDIENTS 100%:
 Carbon Tetrachloride
 Trichloroethane
 Ethylene Dichloride
 Tetrachloroethylene
 Trichloroethylene


- 1. FOR FUMIGATION IN VAULTS OR AIR-TIGHT ROOMS DURING STORAGE: —**
 (a) Use 1 gallon SIRCOFUME for each 1,000 cubic feet of vault space.
 (b) SIRCOFUME can be fed into vault automatically or placed in fumigator. Or place SIRCOFUME in ducts or shallow pans. Pans or ducts should be placed above the level of the garments, near the ceiling, and evenly distributed throughout the vault. If possible, keep ventilating fans (but not exhaust fans) running during fumigation period. Where it is more convenient, the shallow pans or ducts may be placed on floor aisles and a fan placed so as to circulate the vapors throughout the vault.
 (c) Maintain vault temperature at 70 degrees F. or higher during fumigation period of 8 hours or longer.
 (d) Fumigate as often as necessary. Once a month is usually sufficient. A convenient time is on a week-end.

- 2.** If you have a demolishing or fumigation chamber or air-tight room, fumigate garments before placing them in vault. Use from 2 to 3 quarts SIRCOFUME depending upon capacity and follow instructions 1 (b) and (c).
3. VAULTS, CHAMBERS OR ROOMS SHOULD BE THOROUGHLY AERATED BEFORE ENTERING. To do this, use exhaust fan or open vault and allow fresh air to circulate into vault. For emergency entry, wear a gas mask approved by the U S Bureau of Mines for protection against organic fumigant vapors.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

PRODUCT OF U.S.A.

NO. 20-9-67

 Sirota's Sirofume Liquid Fumigating Gas is Classified By Underwriters' Laboratories, Inc. As Non-Flammable

CAUTION: KEEP OUT OF REACH OF CHILDREN. HARMFUL VAPOR. HARMFUL IF SWALLOWED. VOLATILE LIQUID. Avoid contact with flame or hot surfaces. Contains chlorinated hydrocarbons. Use with adequate ventilation. Avoid prolonged or repeated contact with skin. Do not take internally. **KEEP CONTAINER CLOSED TO PREVENT RUST AND EVAPORATION.**

URDA Registration No. 2826-1

BEST DOCUMENT AVAILABLE

BEST DOCUMENT AVAILABLE

