

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS

DANGER



Corrosive, causes eye damage and skin irritation. Do not get in eyes, on skin or clothing. Wear goggles or face shield and rubber gloves when handling. Do not swallow.



If splashed on skin, wash thoroughly with soap and water. If splashed in eyes, wash immediately with copious amounts of water and secure medical attention immediately. Wash after handling.



This product is toxic to fish and wildlife. Treated effluent should not be discharged into lakes, streams, ponds or public water. Do not contaminate water. Clean equipment or disposal of wastes. Apply this product only as specified on label.

DIRECTIONS FOR USE

NOTICE TO USER:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open flames prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL: Pesticide that cannot be used or chemically reprocessed, should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL: Do not reuse empty container. Return to drum manufacturer or destroy by perforating or crushing and burying in a safe place.


DIRECTIONS

In cotton, spun rayon or polyester fabrics or blends thereof, a level of from 2% to 5% DUR will afford excellent protection against attack by surface growing bacterial and fungal organisms.

The higher level of protection is recommended for use in fabrics which will be subjected to wear. For such applications the use of a water repellent or resin binder is recommended. Many of the water repellent formulations, as well as binders such as PVA or acrylics, are compatible with DURATEX compounds, and will greatly aid in the creation of a more durable system.

For mattress ticking fabrics a level of 2% to 3%, based on the finished weight of the fabric, is recommended. A resin binder such as PVA or acrylic cleared for textile use by the FDA should be employed.

For the protection of adhesives (not-food grade), latex emulsions, and similar systems, a level of 0.75 to 2% is sufficient to protect the product against bacterial or fungal deterioration.



PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS

DANGER



Corrosive, causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed.

If splashed on skin, wash thoroughly with soap and water. If splashed in eyes, wash eyes immediately with copious amounts of water and secure medical attention immediately. Wash after handling.

This product is toxic to fish and wildlife. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE

NOTICE TO USER:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL: Pesticide, that cannot be used or chemically reprocessed, should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL: Do not reuse empty container. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.

DIRECTIONS

In cotton, spun rayon or polyester fabrics or blends thereof, a level of from 2% to 5% DUROTEX will afford excellent protection against attack by surface growing bacterial and fungal organisms.

The higher level of protection is recommended for use in fabrics which will be subjected to weathering. For such applications the use of a water repellent or resin binder is recommended. Many commercial water repellent formulations, as well as binders such as PVA or acrylics, are compatible with the DUROTEX compounds, and will greatly aid in the creation of a more durable system.

For mattress ticking fabrics a level of 2% to 3%, based on the finished weight of the fabric, is recommended. A resin binder such as PVA or acrylic cleared for textile use by the FDA should be employed.

For the protection of adhesives (non-food grade), latex emulsions, and similar systems, a level of 0.75 to 2% is sufficient to protect the product against bacterial or fungal deterioration.

DUROTEX® 7604

A BACTERIOSTATIC AND FUNGISTATIC EMULSION CONCENTRATE FOR TEXTILES AND ADHESIVES

Active ingredients:

10, 10'-oxybisphenoxarsine 2.0%
(Total arsenic as elemental As - 0.60%)
(Water soluble arsenic as elemental As - Less than 0.02%)

Inert ingredients:

98.0%

PLEASE REFER TO TECHNICAL DATA SHEET

READ THIS LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

DANGER

Licensed for use under U.S. Patent No. 3,069,252

EPA REGISTRATION NO 2829-91

EPA EST. REGISTRATION NO. 2829-IL-1

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS
(AND DOMESTIC ANIMALS)**

WARNING

MAY BE FATAL IF SWALLOWED. DO NOT BREATHE VAPOR, FUMES, DUST OR SPRAY MIST. DO NOT GET ON SKIN. DO NOT ALLOW CHILDREN OR PETS TO CONTACT TREATED SURFACES UNTIL SPRAY HAS DRIED. DO NOT SPRAY AIR IN ROOMS OR USE ON PLANTS. APPLY AS A SURFACE SPRAY ONLY AS SPECIFIED ON THIS LABEL. DO NOT ALLOW SPRAY TO CONTACT FOOD, FEEDSTUFFS OR WATER SUPPLIES. THOROUGHLY WASH DISHES AND FOOD HANDLING UTENSILS, IF CONTAMINATED WITH THIS PRODUCT. WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING AND BEFORE EATING OR SMOKING. CLEAN CLOTHING SHOULD BE USED DAILY.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL & CHEMICAL HAZARDS

DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME.

NOTE TO PHYSICIAN: Active ingredients contain a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

STORAGE & DISPOSAL

- 1. Prohibitions** — DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE, DISPOSAL OR CLEANING OF EQUIPMENT. OPEN DUMPING IS PROHIBITED.
- 2. Pesticide Disposal** — PESTICIDE SPRAY MIXTURE OR RINSE WATER THAT CANNOT BE USED OR CHEMICALLY PROCESSED, SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE, AWAY FROM WATER SUPPLIES.
- 3. Container Disposal** — LESS THAN 30 GAL.: TRIPLE RINSE AND OFFER FOR RECYCLING, RECONDITIONING OR DISPOSAL IN APPROVED LANDFILL OR BURY IN A SAFE PLACE. 30 GAL. OR LARGER: RESEAL CONTAINER AND OFFER FOR RECYCLING, RECONDITIONING OR DISPOSAL IN AN APPROVED LANDFILL, OR BURY IN A SAFE PLACE.
- 4. CONSULT FEDERAL, STATE OR LOCAL AUTHORITIES FOR APPROVED ALTERNATIVES.**

To prepare 0.5% Chlorpyrifos ready to use spray, use 2-2/3 oz. of concentrate with 1 gallon of water.
To prepare 0.25% Chlorpyrifos ready to use spray, use 1-1/3 oz. of concentrate with 1 gallon of water.

OCT 12 1979

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 655-566



Manufactured by

prentiss
Drug & Chemical Co., Inc.

Plant: 338 Wilson Avenue
Newark, N.J. 07105
Office: 363 7th Avenue
New York, N.Y. 10001

**prentox[®]
SYNPHY**
**CHLORPYRIFOS
EMULSIFIABLE
CONCENTRATE**
(Contains Dursban[®])

(FOR PROFESSIONAL USE ONLY)

For control of cockroaches, ants, silverfish, spiders, crickets, earwigs and brown dog ticks. Use in and around homes, apartments, garages, similar residential structures, institutions, restaurants and food processing plants. Use outdoors as an aid in reducing annoyance from flies and mosquitoes entering homes.

ACTIVE INGREDIENTS:

Pyrethrins	5.0%
Piperonyl Butoxide Technical*	25.0%
Chlorpyrifos [0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate]	25.0%
Petroleum Distillate	34.1%
Xylene Range Aromatic Solvent	5.9%
INERT INGREDIENTS:	5.0%
TOTAL:	100.00%

*Equivalent to 20.0% (Butylcarbityl)(6-propylpiperonyl) Ether and 5.0% related compounds.

**KEEP OUT OF REACH OF CHILDREN
WARNING**

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED** — Do not induce vomiting. Call a physician immediately.
- IF INHALED** — Take person into fresh air immediately.
- IF ON SKIN** — Wash with plenty of soap and water.
- IF IN EYES** — Flush with plenty of water. Get medical attention, if irritation persists.

SEE ADDITIONAL SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

PRENTOX[®] — Registered Trademark of Prentiss Drug & Chemical Co., Inc.

DURSBAN[®] — Registered Trademark of The Dow Chemical Co.

E.P.A. Reg. No. 655-688

E.P.A. EST. NO. 655-NJ-1

NET CONTENTS _____ GAL. LOT # _____

DIRECTIONS FOR USE (Cont'd)

Or: To prepare a 0.5% Chlorpyrifos ready to use spray use 2 parts of concentrate with 98 parts of deodorized kerosene. To prepare a 0.25% Chlorpyrifos ready to use spray use 1 part concentrate with 99 parts of deodorized kerosene

DIRECTIONS FOR FOOD HANDLING ESTABLISHMENTS —
(Places other than private residences in which exposed food is held, processed, prepared or served).

FOOD AREAS — APPLICATION LIMITED TO CRACK & CREVICE TREATMENT ONLY — Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups) and serving areas (when food is exposed and facility is in operation).

To control roaches, ants, earwigs, waterbugs, silverfish, spiders and crickets, apply in small amounts directly into cracks and crevices using equipment capable of delivering a pin stream of insecticide, in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases, in conduits, motor housings, junction or switch boxes. Prior to application, de-energize electrical equipment. After application, allow time for oil to evaporate before starting motors or plugging switches in "ON" position. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contaminating of food or food processing surfaces.

APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT IS NOT PERMITTED.

SERVING AREAS — Facilities where foods are served, such as dining rooms, but excluding areas where foods may be prepared or held, apply as a spot treatment to selective surfaces such as baseboards, under elements of construction and into cracks and crevices. Avoid treating surfaces likely to be contacted by food. (Do not apply when facility is in operation or foods are exposed).

DIRECTIONS FOR HOUSEHOLD AND OUTDOOR USE IN NON-FOOD AREAS — Including garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets, and similar areas where insects hide or through which they may enter. Repeat treatment as required.

BROWN DOG TICKS — Apply thoroughly as a spot treatment to infested areas, such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor covering, where these pests may be present. Fresh bedding should be placed in animal quarters following treatment. Do not spray pets with this product.

FLIES & MOSQUITOES — Use only on outdoor surfaces. Spray outside surfaces of windows and door frames and other areas where these pests may enter the home. Also spray dark corners and localized nesting areas, such as under eaves, porches, partitions and in garages, where these insects may congregate. Flies & mosquitoes coming to rest on treated surfaces will be killed. Repeat treatment when effectiveness diminishes.

9/79

39