

U.S. ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (WH-567)
WASHINGTON, D.C. 20460

EPA REGISTRATION NO.
2829-102

DATE OF ISSUANCE
AUG 26 1985

TERM OF ISSUANCE

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION

NAME OF PESTICIDE PRODUCT

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

Vinyzene BP-5 DIDP

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Morton Thiokol/Ventron Div.
150 Andover Street
Danvers, MA 01923

656 156702
17 3

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Registration Standard Guidance Package, EPA has reregistered the product listed above. Enclosed is a copy of your label stamped "Accepted." This registration is granted under the authority of section 3(g) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended.

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted.

1. See August 23, 1983, letter and comply with comments 2 and 11.
2. A stamped copy of the label is enclosed for your records

Henry M. Jacoby
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (TS-767)

Enclosure

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE 9/26/85

20FB

346
17
156703
4

AUG 26 1985

Morton Thiokol/Ventron Div.
150 Andover Street
Danvers, MA 01923

Attention: T. C. McEntee

Gentlemen:

Subject: Vinyzene BP-5 DIDP
EPA Registration No. 2829-102
Your Letter Dated June 11, 1985, and Request
For Alternate Formulation Dated March 27, 1985

There is no objection to the use of the alternate formulation requested
in your letter of the above date. The amendment has been inserted in the
file for the subject product.

Sincerely yours,

Henry M. Jacoby
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (TS-767)

RD/FHB:JOB:88655;Hundemann;RD-19;Kendrick;898-1270;6/1/85;del.8/13/85;dej

CONCURRENCES							
SYMBOL ▶							
SURNAME ▶							
DATE ▶							

Thiokol Ventron Division

VINYZENE • ANTIMICROBIALS

PRODUCT SERIES

BP-5
BP-5 DIDP
BP-5 DOP
BP-5 ERLA
BP-5 RG
BP-5 S-160

ACCEPTED
with COMMENTS
in EPA Letter Dated:
REREGISTERED

AUG 26 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

2829-102

DESCRIPTION

VINYZENE antimicrobials are solutions of 10,10'-oxybisphenoxarsine (OBPA) in selected non-volatile plasticizer carriers. They are recommended for PVC, polyurethane and ethylene-vinylacetate copolymer formulations. Low concentrations of VINYZENE antimicrobials will provide long-term protection against a broad spectrum of bacterial and fungal attack and will help prevent surface growth, musty odors, permanent staining, embrittlement and premature product failure.

APPLICATIONS

VINYZENE antimicrobials are recommended for film and sheeting, extruded profiles, plastisols, molded goods, organosols, fabric coatings and similar systems requiring an effective antimicrobial compound. These solutions are compatible with most polymer formulations and will not discolor or detract from the protected product's chemical or physical properties. VINYZENE products can be conveniently incorporated into the formulation.

Properly formulated plastics with VINYZENE protection will resist microbiological deterioration after long-term exposure to heat and severe weathering conditions.

VENTRON CAN PROVIDE MICROBIOLOGICAL SUSCEPTIBILITY TESTING AND ASSISTANCE IN DEVELOPING FORMULATIONS TO MEET YOUR SPECIFIC REQUIREMENTS.

Susceptible items successfully protected with VINYZENE:

SHOWER CURTAINS
FLOOR COVERINGS
WALL COVERINGS
DITCH LINERS
COATED FABRICS
VINYL MOLDING
MARINE UPHOLSTERY

AUTO LANDAU TOPS
TARPAULINS
AWNINGS
REFRIGERATOR CASKETS
WEATHER STRIPPING
SWIMMING POOL LINERS

TYPICAL PROPERTIES

<u>PRODUCT</u>	<u>PLASTICIZER</u>	<u>% OBPA</u>	<u>SPECIFIC GRAVITY 25°C</u>	<u>FLASH POINT</u>
BP-5	Epoxidized Soybean Oil	1.0	0.997	477°F
BP-5 DIDP	Diisodecyl phthalate	1.0	0.966	435°F
BP-5 DOP	Di (2-ethylhexyl) phthalate	1.0	0.983	395°F
BP-5 ERLA	Epoxy Plasticizer	1.0	1.160	376°F
BP-5 RG	Epoxidized Soybean Oil	1.0	0.995	575°F
BP-5 S-160	Butyl benzy! phthalate	1.0	1.115	402°F

RECOMMENDED USE LEVELS

Interior Applications: VINYZENE BP-5 Series - 3.0%

Exterior Applications: VINYZENE BP-5 Series - 5.0%

The recommended use levels are based upon tests conducted in Ventron laboratories and exposure of products to actual service conditions. Recommendations on formulation parameters for products are available from Ventron.

VINYZENE BP-5 formulations are incorporated into a compound by substituting the required level (3% or 5%) for an equal amount of plasticizer. For example, in 1000 lbs. of a compound containing 500 lbs. of DOP plasticizer and requiring a 5% VINYZENE level, 50 lbs. of the DOP would be replaced with 50 lbs. of VINYZENE BP-5 DOP. It is important to remember that the cost of using VINYZENE is, therefore, calculated as the difference in cost between the VINYZENE and the replaced plasticizer.

HANDLING PRECAUTIONS

In their undiluted form, VINYZENE antimicrobials are skin irritants and contact with the skin or eyes should be avoided. If VINYZENE is splashed in the eyes, flush with copious amounts of water and secure immediate medical attention. If it is splashed on the skin, wash thoroughly with soap and water. VINYZENE solutions are harmful if swallowed and should be kept out of the reach of children.

VINYZENE antimicrobials are toxic to fish and wildlife. VINYZENE should not be discharged where it will drain into lakes, streams, ponds, or public water.

Wear eye protection and rubber gloves when handling.

VINYZENE BP-5 formulations should only be used as specified on the labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Triple rinse empty containers and offer for recycling or reconditioning.

Metal drums that cannot be reconditioned and recycled, should be punctured or crushed and disposed of in landfill, or other procedures approved by state and local authorities.

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

STANDARD PACKAGE AND EPA REGISTRATION NUMBER

BP-5		Steel drum, 450 lbs. net weight - EPA 2829-82
BP-5	DIDP	Steel drum, 430 lbs., net weight - EPA 2829-102
BP-5	DOP	Steel drum, 450 lbs., net weight - EPA 2829-104
BP-5	EG	Steel drum, 450 lbs. net weight - EPA 2829-82
BP-5	S-160	Steel drum, 450 lbs. net weight - EPA 2829-82
BP-5	ERLA	Steel drum, 450 lbs. net weight - EPA 2829-82

Seller makes no warranty, expressed or implied, concerning the use of this product, other than as indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

