

#### DESCRIPTION

#### SA-40 WEED KILLER

is one of the most effective, economical preventives for weed growth. Used properly according to directions, this product may be effectively used to kill annual weeds and topkill of perennial weeds around small enclosed oil tank farms, warehouses, tennis courts and similar enclosed non-crop areas.

DANGER: Keep out of reach of children, Do not use or store in or around the home. May be fatal if swallowed. Avoid contact with skin, eyes, or clothing. Wash thoroughly after using. Avoid breathing spray mist. Do not keep poison where food is handled or stored. Avoid food contamination. Keep livestock off treated arcas. Do not contaminate water used for irrigation or domestic purposes. Do not allow domestic animals to graze on treated areas.

U. S. D. A. Reg. No. 2801-4



# SA-40 WEED KILLER

### A Non-Selective Concentrated Weed Killer

ACTIVE INGREDIENTS: Sodium Arsenite\* (NaAsO2) 40% 60%

\*Equivalent to 30.47% arsenic trioxide, arsenic express—as metallic, all in water soluble form 23.05%, equivalent to 5.25 pounds sodium arsenite per gallon.



**POISON** 



ANTIDOTE: Give a toblespoon of salt in a glass of water and repect until vomit fluid is clear. Then give two tablespoons of Epsom Salts or Milk of Magnesia. Make victom-lie down quiet. Coll Physician immediately.

SEE ADDITIONAL WARNINGS ON LEFT AND RIGHT PANELS

DANGER KEEP OUT OF REACH OF CHILDREN

or disposal of specified on th tainers. Wash t Discard in a sa d

#### DIRECTIONS FOR USE

Use one gallon of SA-40 WEED KILLER per 10 gallons of water. Do not contaminate domestic and irrigation waters or areas inhabited by wildlife. Sufficient quantity of the spray should be used 10 thoroughly wet the foilage. Do not use more than one gallon of the spray mixture per 350 square feet. Results are long lasting. In most cases two applications a year, one in the late spring and the other in middle summer will keep treated areas practically free of vegetation. The use of this killer is the most economical method of keeping weeds under control. The spray should not be used on or allowed to drift on lawns, crops or desired plants, or on soils underlaid by their roots.

DANGER: This product is toxic to wildlife. Birds and other wildlife in treated areas may be killed. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label. Do not reuse empty containers. Wash thoroughly with water and detergent. Discard in a safe place.



Manageo Gilaman a


TARASEO CHEMICAL ED

an arear onean

ANABASCO GHEMICAL GO.

NAPASCO EHEMICAL CO.





#### DESCRIPTION

#### SA-40 WEED KILLER

is one of the most effective, economical preventives for weed growth. Used properly according to directions, this product may be effectively used to kill annual weeds and topkill of perennial weeds around small enclosed oil tank farms, warehouses, tennis courts and similar enclosed non-crop areas.

DANGER: Keep out of reach of children, Do not use or store in or around the home. May be fatal if swallowed. Avoid contact with skin, eyes, or clothing. Wash thoroughly after using. Avoid breathing spray mist. Do not keep poison where food is handled or stored. Avoid food contamination. Keep livestock off treated areas. Do not contaminate water used for irrigation or domestic purposes. Do not allow domestic animals to graze on treated areas.

U. S. D. A. Rog, No. 2831-4



# SA-40 WEED MILLER

#### A Non-Selective Concentrated Weed Killer

ACTIVE INGREDIENTS: Sodium Arsenite\* (NaAsO2)
INERT INGREDIENTS: Water

'Equivalent to 30.47% arsenic trioxide, arsenic express—as metallic, all in water soluble form 23.05%, equivalent to 5.25 pounds sodium arsenite per gallon.



POISON



ANTIDOTE: Give a tablespoon of salt in a class of water and repect until vomit fluid is clear. Then give two tablespoons of Epsom Salts or Milk of Magnes.a. Make wetom lie down quiet. Call Physician immediately,

DANGER KEEP OUT OF REACH OF CHILDREN

SEE ADDITIONAL WARNINGS ON LEFT AND RIGHT PANELS



MAKATED EVENUELL ED

TENTO PERSON

PLOAGE FLEATEN ED

्रमण्डा व्यक्तिक व्यक्ति

nasized giench so

COLUMN STATE OF CR. CL.

## DIRECTIONS FOR USE

Use one gallon of SA-40 WEED KILLER per 10 gallons of water. Do not contaminate domestic and irrigation waters or areas inhabited by wildlife. Sufficient quantity of the spray should be used to thoroughly wet the foilage. Do not use more than one gallon of the spray mixture per 350 square feet. Results are long lasting. In most cases two applications a year, one in the late spring and the other in middle summer will keep treated areas practically free of vegetation. The use of this killer is the most economical method of keeping weeds under control. The spray should not be used on or allowed to drift on lawns, crops or desired plants, or on soils underlaid by their roots.

DANGER: This product is toxic to wildlife. Birds and other wildlife in treated areas may be killed. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label. Do not reuse empty containers. Wash thoroughly with water and detergent. Discard in a safe place.



MAPAGED ETEMBAL ED MARIE ETEMB