

2851-7


DIRECTIONS FOR USE

EATING AND DRINKING ESTABLISHMENTS:
(1) Wash utensils with a good detergent. (2) Rinse thoroughly in clear water. (3) Immerse utensils in STERI-LITE DISINFECTANT-SANITIZER-DEODORIZER solution 200 ppm for 2 minutes or as otherwise specified in governing sanitary code. Rinse thoroughly in potable water.

MILK FARMS, CREAMERIES AND FOOD PROCESSING PLANTS: First clean utensils and equipment with a good detergent, rinse well and then sanitize with STERI-LITE DISINFECTANT-SANITIZER-DEODORIZER solution 200 ppm by immersion for 2 minutes. Use same dilution for flank and udder wash prior to milking. Before reuse of equipment coming in direct contact with food, a rinse with potable water is recommended.

CLEAN FLOORS, WALLS AND STORAGE AREAS with a good detergent, rinse well, then wipe or mop with STERI-LITE DISINFECTANT-SANITIZER-DEODORIZER solution 400 ppm or spray with a solution of 800 ppm.

HOSPITAL AND HOUSEHOLD USE: For general disinfecting and deodorizing of floors, walls, baths, showers, toilets, etc., first clean and rinse all surfaces and then sponge or wipe with STERI-LITE DISINFECTANT-SANITIZER-DEODORIZER solution 800 ppm.




STERI-LITE DISINFECTANT-SANITIZER-DEODORIZER 10% SOLUTION

The Original Quarternary Ammonium Compound Powerful Multi-Purpose Germicide
DISINFECTS AGAINST BACTERIA

ACTIVE INGREDIENTS:

n-(Alkyl (50% C14, 40% C12, 10% C16) dimethyl benzyl ammonium chloride)	10.00%
Ethyl alcohol	2.00%
INERT INGREDIENT:	88.00%
Water	



DIRECTIONS FOR DILUTION

For a STERI-LITE DISINFECTANT-SANITIZER-DEODORIZER solution containing 200 ppm active (1:500), add and stir one ounce (two tablespoonsful) to 4 gallons of water. For a STERI-LITE DISINFECTANT-SANITIZER-DEODORIZER solution containing 400 ppm active (1:250), add and stir one ounce (two tablespoonsful) to 2 gallons of water. For a STERI-LITE DISINFECTANT-SANITIZER-DEODORIZER solution containing 800 ppm active (1:125), add and stir one ounce (two tablespoonsful) to one gallon of water.

DANGER

Harmful if swallowed. Causes skin irritation. May cause eye damage. Protect eyes and skin when handling concentrate. In case of contact with eyes, get immediate medical attention. In case of contact flush with plenty of water. Dilute with water as directed. Do not mix with soap or anionic detergents. Articles to be sanitized should first be washed and rinsed. Avoid contamination of food and feed stuff.

Rinse empty container thoroughly with water and discard it.

EPA Reg. No. 2831-7

Phenol coefficient 25 for S. Typhosa at 20° C. A.O.A.C. Method
DANGER : KEEP OUT OF REACH OF CHILDREN
See right panel for additional precautions.

