

Qirections:

:Clean:

To provide direct contact, first remove the water from the bowl by forcing it over the trap with a swab. Hold the bottle over the bowl and apply two to four ounces to the swab. Clean the entire bowl thoroughly, especially up under the rim, the water outlets, flush toilet and rinse out mop.

To Disinfect:

Pour 10 ounces directly into the water remaining in the clean bowl. Then swab the entire bowl and seat and cover thoroughly with this solution. After cleansing rinse well.


To Clean and Disinfect urinals:

Saturate swab thoroughly, holding the bottle over the urinal. Clean the urinal by wetting the entire surface. Particular attention should be paid to the grooves along the sides, and the water outlets at the top. After the surface looks clean, remove screen at the bottom of the urinal and pour two to five ounces on the edge and into the drain to deodorize. Allow to stand two to three minutes then swab the inside pipe thoroughly. Replace screen and flush well.

NET CONTENT: 1 GALLON

L PRODUCT OF

Napasco CHEMICAL CO.



S.

crive ingredients:	
Phosphoric Acid	39.95
Hydrogen Chloride	3.15
Alkyl (50% C-14, 40% C-12, 10% C-16)	
Dimethyl Benzyl Ammonium Chlorides	1.00
Essential Oils	0.30
ert Ingredients	55 60

ma

car

For

pita

ing

Inte

tea

pie

rav

Ext


Gel


ger

ter,

nes

EP/





A concentrated sudsing green liquid that will make toilet bowls clean and sanitary. Before discarding this container rinse thoroughly with water.


For use in homes, hotels, motels, schools, hospitals and all type public and commercial buildings as well as industrial areas.

Antidote

Internal: Call a physician immediately. Drink a teaspoonful or more of magnesia, chalk, or small pieces of soap softened with water in milk or raw egg white.

External: Eyes—wash with water for 15 minutes. Get prompt medical attention. Wipe off acid gently, immediately flood the surface with water, using soap freely, then cover with moist magnesia or baking soda.

EPA Reg. No. 2831-33



ater

h a iply

tire

·im,

op.

ing

and

fter

ittle

the

be

wa-

ioks

inal

and

two

hor-