

NAPASCO



ACTIVE INGREDIENTS
 Allyl Diglycyl Dimethylammonium Chloride 1.25%
 Dimethyl Diglycyl Dimethylammonium Chloride 1.50%
 Essential Oils 43.25%
 Proprietary 50.00%
Total Active 56.00%
INERT INGREDIENTS
 *Contains sodium hypochlorite 56.00%

USES

HOSPITAL SURFACES DISINFECTANT Kills influenza A virus, the Tubercle Bacillus, deadly Staphylococci, streptococci, salmonella, Trichophyton interdigitale (the athlete's foot fungus) and many other germs on bedsteads, bed springs, bed rails, bedside tables, bathroom casings, toilet seats, shower stalls, bathtubs, telephones, door handles, light switches, plumbing and plumbing fixtures, window blinds, empty hampers, waste receptacles, suits, walls, closets, soles of shoes for decontamination places where germs may be a problem. This disinfectant spray penetrates areas hard to reach with non-prepared liquid disinfectants.

PREVENTS MOLD AND MILDEW Use in basements, closets, laundry room, summer cottages, boat storage areas, shower stalls. Excellent for preventing mold and mildew on mattresses, pillows, shower curtains, painted surfaces, tiled walls, curtains and similar surfaces. For mildew control follow directions for disinfection. Application should be repeated once a week or when new growth appears on hard surfaces. Surfaces should be cleaned prior to application.

DIRECTIONS FOR USE

This is a Federal Law to use this product in a manner inconsistent with its labeling.

KILLS ODORS Spray in the air to eliminate cooking, bathroom and other odors. When used as a surface disinfectant, this disinfectant kills odor-causing germs in empty garbage cans, diaper pails, sick rooms, pet areas, places where mold-causing germs are a problem.

TO DISINFECT Hold can upright, 6" to 8" from pre-cleaned surface. Spray surface 2 to 3 seconds until covered with fine mist. Let dry on surface of air flow to remain wet at least 10 minutes before wiping dry. Avoid spraying lacquered or other treated surfaces.

TO DEODORIZE Hold can upright and spray into center of room 1 to 2 seconds.

PRECAUTIONARY STATEMENT

FLAMMABLE. Contents under pressure. Do not puncture. Do not use near fire, sparks or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator. Minimize inhalation. Avoid contact with food and food utensils. Avoid spraying in eyes; if eye contact occurs, flush with water.

DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

EPA Reg. No. 2831-46 EPA Est. 2831-LA-1

FLAMMABLE
WARNING KEEP OUT OF REACH OF CHILDREN
 CONTENTS UNDER PRESSURE
 SEE ADDITIONAL PRECAUTIONS ON BACK PANEL

MANUFACTURED BY
NAPASCO INTERNATIONAL
 THIBODAUX, LA. 70301