PRECAUTIONARY STATEMENTS MAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

charmful if swallowed. Avoid contact with skin or clothing. Causes eye irritation, Do not get in eyes. Wash after handling. Avoid breathing vapor. Do not spray on humans or pets. Do not spray where food or drink is exposed or being consumed.

ENVIRONMENTAL HAZARDS

Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. When used on ships do not wash or flush freshly sprayed surfaces into adjacent waters.

If swallowed, induce vomiting by sticking finger in back of throat or by administration of syrup of ipecac; get medical attention, if in eyes, flush with water for 15 minutes and see a physician. For skin, wash with plenty of soap and water. If irritation develops, get medical attention.

DIRECTIONS FOR USE GENERAL CLASSIFICATION It is a violation of federal law to use this product in a manner in-consistent with its labeling.

STORAGE AND DISPOSAL

Store at temperatures above 32°F.
Do not reuse empty container. Wrap container and put in trash collection.
Do not use in edible product areas of food processing plants, Do not use in edible product areas commercially prepared or restaurants, o, other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed, in the home cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces.

WARRANTY STATEMENT

WARRANIY DIRIEMENT

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

EPA REG. No. 2831-74

EPA Est. 2831-LA-1

NET CONTENTS 1 GALLON (3.8 L.)

DEC 5 1979

Under the federal Insection e. Fungicide, and Rodenticide Act, on amended, for the penticide registered under EPA Reg. No. 2831-



TRANSPARENT EMULSION**

Residual Insecticide Spray

A SYNTHETIC PYRETHROID

DUAL ACTION INSECT KILLER KILLS AS CONTACT AND RESIDUAL SPRAY KILLS ROACHES UP TO 4 WEEKS

CAN BE USED IN NON-FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS

ACTIVE INGREDIENTS

*feresmethrin([5-(phenylmethyl)-3-furanyl] methyl 2.2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate 0.350% w/w

*Cis/trans isomers ratio: max. 30%(±) cis and min. 70%(±) trans. †U.S. Patent Nos. 3,465,007 and 3,542,928 **U.S. Patent No. 3,683,078

•SBP-1382® brand of resmethrin insecticide. Penick Corp., 1050 Wall Street West, Lyndhurst, N.J. 07071

CAUTION: KEEP OUT OF REACH OF CHILDREN

(SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS)

CIRECTIONS FOR USE:

APPLICATION:

INSTRUCTIONS FOR CONTACT AND RESIDUAL SPRAY.

POR INDOOR USE: In non-food areas of food handling establistic ments, commercial, industrial, office, residential, public, institutional and storage buildings, homes, hotels, ship cabins and hospitals. In hospitals patients should be removed prior to treatment. Also for euse in buses, automobiles, and non-food areas of trucks, boxcars and euse in buses, automobiles, and non-food areas of trucks, boxcars and the sam be harmed or stained by water. Also for use indoors in dog that earn be harmed or stained by water. Also for use indoors in dog that earn be harmed or stained by water. Also for use indoors in dog the sam be harmed or stained by water. Also for use indoors in dog that earn be harmed or stained by water. Also for use indoors in dog the sam water was and horse stables, in horse stables, not for application in horses will be used for food.

CORTACT SPRAY — KILLS AND REDUCES INFESTATION CORTACT SPRAY — KILLS AND REDUCES INFESTATION CORTACT SPRAY — KILLS AND REDUCES INFESTATION contact spray. Fill spray tank with PC NER KILL Residual insectice contact spray. Fill spray tank with PC NER KILL Residual insection spray formulation. Keep spray nozzle about 8 to 12 inches from spray of the spray. When possible, spray directly on pests to reduce coarse wet spray. When possible, spray directly on pests and other appliances, baseboards, and storage areas, refrigerators and other appliances, baseboards, and storage areas, refrigerators and other appliances, baseboards, and storage areas, spray directly on insects where possible. Repeat as necessary. Spray directly on insects where possible. Repeat as necessary.

FLEAS: Aids in the control of fleas on pet bedding and in horse stalls. Mold spray nozzle about 18 inches from areas to be treated.

FLEAS: Aids in the control of fleas on pet bedding and in horse stalls. Hold spray nozzle about 18 inches from areas to be treated. Stalls. Hold spray no resting areas and floor around these areas. Apply Direct spray on resting areas and floor around these areas. Apply open until area is moist. Treat pet bedding the same way. Also spray until area is moist. Treat pet bedding the same way. Also spray until inside surface of dog houses. Repeal as necessary. On one allow oets to contact treated areas until spray has dried. Remove not allow oets to contact treated areas until spray has dried. Remove or cover animal feed before spraying. Also, treat dogs, cats and horses with a registered flea control product before they re-enter the treated areas.

the treated areas.

RESIDUAL SPRAY: Aids in the control of COCKROACHES.

CRICKETS, SILVERFISH, / NTS, Kills for up to 4 weeks: Spray baseboards, cracks, and crevices, around door and window frames, and other hiding places such as closts, in back of and under appliances, sinks and cupboards in kitchens and bathrooms. In basements, spray hiding places in cracks and crevices, lower walls and dark places. Apply as a coarse wet spray in a 4 to 6 inch band until area is thoroughly wet but not to point of run-off, Repeat as necessary.

Manufactured By NAPASCO International Thibodaux, Louisiana, 70301