

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists. The use of this product in food processing establishments should be confined to time periods when the plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. Stored food products which are infested should be fumigated or treated by other effective methods using an approved product intended for that purpose.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

SPACE SPRAY: To kill accessible stages of houseflies, including fruit flies, small flying moths, gnats, cheese skippers, and these common stored product pest granary weevils, rice weevils, confused flour beetles, saw-toothed grain beetles, spider beetles, cigarette beetles, Drugstore beetles, Angoumois grain moths, Mediterranean flour moths, Indian meal moths, Tobacco moths, meal worms and grain mites: Close windows and doors and shut off ventilating systems. Use a fogger or vaporizer adjusted to deliver an aerosol spray (no droplets over 50 microns in diameter and 80% less than 30 microns). Apply at the rate of 1 ounce per 1000 cubic feet of space. Direct the spray toward the ceiling and upper corners of the area behind obstructions. Vacate and close off treated areas. Do not reenter for at least 15 minutes after application. Ventilate before reoccupying.

ACCENT

OCT 20 1980

EPA REG. NO. 2831-81

NAPASCO

A-PB

**FOOD PLANT AND GRAIN MILL
FOGGING SPRAY**

EPA Reg. No. 2831-81 EPA Est. No. 2831-LA-1

Designed for Use in Edible Product Areas of Official Establishments Operating Under the Meat, Poultry, Shell Egg Grading and Egg Products Inspection Programs and in Other Food Processing Plants

Apply with Equipment Designed and Adjusted to Deliver a True Aerosol Mist

ACTIVE INGREDIENTS:

Allethrin (allyl homolog of Cloverin I)	1.25%
Related compounds	0.14%
Piperonyl Butoxide, Technical	5.30%
Petroleum Distillate	93.31%
	100.00%

*Equivalent to 4.0% (butylcarbitol) (6-propylpiperonyl) ether and 1.0% related compounds

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid contamination of feed and foodstuffs. See side panels for additional precautionary statements.

**CAUTIONARY STATEMENTS
HUMAN AND DOMESTIC ANIMALS:**

Avoid contact with skin. Avoid breathing vapors. In case of contact, immediately wash with water. Get medical attention if irritation persists. Food processing establishments should be closed if not in operation. Foods should be kept out of reach of children. All food processing surfaces should be thoroughly cleaned before using. Stored food should be fumigated or treated by other means not intended for that purpose.

Keep out of any body of water. Do not use for disposal of wastes. Apply this label.

Do not use in flame.

Do not use the product in a manner inconsistent with the label.

Seal container and put in trash collection. Stages of household pests, including fruit flies, house flies, and these common stored food pests: weevils, confused flour beetles, saw-toothed beetles, cigarette beetles, drugstore beetles, granary weevils, Indian meal moths, and grain mites. Close windows and doors and use fogger or vaporizer adjusted to deliver one ounce per 1000 cubic feet of space. Direct the fog toward corners of the area behind obstructions. Do not reenter for at least 15 minutes after fogging.

DOT 2.0 HRC



EPA 2831-81

A-PB

**FOOD PLANT AND GRAIN MILL
FOGGING SPRAY**

EPA Reg. No. 2831-81 EPA Ftl. No. 2831-LA-1
Designed for Use in Edible Product Areas of Official Establishments
Operating Under the Meat, Poultry, Shell Egg Grading and Egg
Products Inspection Programs and in Other Food Processing Plants

Apply with Equipment Designed and Adjusted to Deliver a True Aerosol Mist

ACTIVE INGREDIENTS:

Allethrin (allyl homolog of Cinerin I)	1.25%
Related compounds	0.14%
*Piperonyl Butoxide, Technical	5.30%
Petroleum Distillate	93.31%
	100.00%

*Equivalent to 4.0% (butylcarbinyl) (6-propylpiperonyl) ether and 1.0% related compounds

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid contamination of feed and foodstuffs.
See side panels for additional precautionary statements

DIRECTIONS (continued)

In mushroom production and processing. To kill mushroom flies or fungus gnats in growing houses, apply at a rate of 1 ounce per 1000 cubic feet of space. Fogger should be operated 8 to 10 feet away from beds and directed slightly upward over them. Circulating fans should be left in operation, but for best results, refrigeration should be turned off. In packing and canning plants, use at a rate of 1 ounce to 2000 cubic feet of space.

SPACE AND CONTACT SPRAY: To kill accessible, exposed stages of silverfish, crickets, roaches, clover mites, cheese mites, earwigs, and ants, first using equipment which can deliver a pin spray, direct spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes and in all places where these insects are known to seek shelter. Contact as many insects as possible, spray directly along trails. Do not allow spray to contact stored food. Then, shutting all doors, windows and shutting off all ventilating systems, proceed with space spraying directions as given above. Use a dosage rate of 1 ounce per 1000 cubic feet of space. Vacate and close off treated area. Do not reenter for at least 15 minutes after application. Ventilate before reoccupying. Repeat treatment as necessary.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

**MANUFACTURED BY
NAPASCO INTERNATIONAL
THIBODAUX, LA 70301**

NET CONTENTS 1 GALLON (3.8 L.)