

ACCEPTED

10-2-68

SANICIDE

A Disinfectant And Deodorant
With Dual Quaternary Action

Phenol Coefficient — 50

Active Ingredients: n-Alkyl (60% C₁₄, 30% C₁₆, 5% C₁₂, 5% C₁₈)
 Dimethyl benzyl ammonium chlorides 5%
 n-Alkyl (50% C₁₂, 30% C₁₄, 17% C₁₆, 3% C₁₈)
 Dimethyl ethylbenzyl ammonium chlorides 5%
 Inert Ingredient: Water 90%

UNDER THE FEDERAL
FUNGICIDE AND
FOR ECONOMIC
ED UNDER NO

2839-1

Comment

Sanicide solutions are stable. They are practically colorless, odorless and are non-corrosive to metals and plastics. One ounce per gallon equals 780 parts per million. DO NOT MIX WITH SOAP.

CAUTION: Harmful if swallowed. KEEP OUT OF REACH OF CHILDREN

Avoid contamination of food. Avoid contact with eyes. Avoid getting the concentrate on the skin. For eyes flush immediately with plenty of water and get immediate medical attention.

DIRECTIONS

FOR DISHES, GLASSES, SILVERWARE AND BOTTLES: wash thoroughly, rinse in clear water, and then immerse in a solution of 1 ounce of Sanicide to 2 gallons of water. Dry by draining on a clean surface.

DISINFECTION IN HOSPITALS: For disinfection of walls, floors and other nonporous surfaces, after cleaning use 1 ounce of Sanicide per gallon of water.

SWIMMING POOLS: For algae control use 1-gal. of Sanicide to each 50,000-gal. of pool water (1 ounce per 400-gal. of water). After first application add one quart of Sanicide to each 50,000 gallons of water every

5 to 7 days depending on weather. During sunny and humid periods more frequent additions may be required.

DEODORIZATION: Sanicide gives instant reduction of many odors. Wash or rinse contaminated surfaces with a solution of 2 ounces of Sanicide to 3 gallons of water.

FOR GOGGLES, GAS MASKS, RUBBER BOOTS, ATHLETIC EQUIPMENT, BATHING SUITS, TOWELS, BEDDING AND CLOTHES: Clean and rinse. Soak articles for ten minutes in a solution of 1 ounce of Sanicide to 2 gallons of water.

USDA Reg. No. 2839-1

Sanitek Products, Inc.

Los Angeles, Calif. 90039

ACCEPTED WITH COMMENTS