

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**SANITEK SANITIZE** has been designed specifically for hospitals, nursing homes, schools, food processing plants, food service establishments and other institutions where housekeeping is of prime importance.

**DISINFECTANT** — To disinfect non-porous surfaces (such as walls, floors, table tops, and 2 ounces **SANITEK SANITIZE** per gallon of water. Apply solution with a mop, cloth, sponge or mechanical scrubber so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes and then let air dry. To disinfect toilet bowls, flush toilet, and 2 ounces of **SANITEK SANITIZE** directly to the bowl water. Clean the bowl completely using scrub brush or toilet brush, making sure to get under the rim. Let stand for 10 minutes and flush.

For heavily soiled areas, a pre-cleaning step is required and recommended. Prepare a fresh solution for each use.

**SANITIZATION** — To sanitize non-food contact surfaces, prepare 1000 ppm active quaternary solution by adding 2 ounces **SANITEK SANITIZE** to 3 1/2 gallons of water.

## PRECAUTIONARY STATEMENTS

Hazard to Human and Domestic Animals

### WARNING

Keep out of Reach of Children. Causes severe eye and skin irritation. Do not get in eyes, skin or on clothing, furniture or surfaces. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food, furniture and wash contaminated clothing.

### STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink plenty of water. Obtain solution if it there are not available. Drink large quantities of water. Call a physician.

### NOTE TO PHYSICIAN

Preclude medical attention from complicating the use of gastric lavage. Measures against convulsion, shock, respiratory depression and convulsion may be needed.

# SANITEK SANITIZE

## DISINFECTANT • SANITIZER • DETERGENT • DEODORIZER

Active Ingredients: n-Alkyl (68% C<sub>17</sub>, 32% C<sub>12</sub>)  
Dimethyl ethylbenzyl ammonium chlorides 2.25%  
n-Alkyl (60% C<sub>17</sub>, 30% C<sub>12</sub>, 5% C<sub>11</sub>, 5% C<sub>10</sub>)  
Dimethyl benzyl ammonium chloride 2.25%

Inert Ingredients: 95.50%

EPA Reg. No. 2839-10 • EPA Est. No. 2839 CA-1

KEEP OUT OF REACH OF CHILDREN

## WARNING

See side panels for additional precautionary statements.  
This Product contains the toxic inert  
Rhodamine B



# SANITEK

3959 GOODWIN AVE., LOS ANGELES, CALIF. 90039 • (213) 245-6781

**DISINFECTANT** — At 2 ounces per gallon dilution **SANITEK SANITIZE** exhibits effective disinfectant activity against the organisms: *Salmonella choleraesuis* and *Staphylococcus aureus*.

At this level the product is also fungicidal against the *Phytophthora blight*, *TRICHOPHYTON MENTAGROPHITES*.

**VERUCIDAL ACTIVITY**: The product when used in environmental dilutions kills surfaces at 2 ounces per gallon of water exhibits effective verucidal activity against influenza A2-Again representative of the common flu virus, Herpes simplex (inclusive form of fever blisters and mononucleosis), Adeno virus type 2 (causative agent of many respiratory infections), and Vaccinia virus (representative of the cow virus group).

## STORAGE AND DISPOSAL

### PROHIBITIONS

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.


### PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

### CONTAINER DISPOSAL

(For plastic containers)  
Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

BEST AVAILABLE COPY



Sanitek Products, Inc.  
3959 Goodwin Avenue  
Los Angeles, CA 90039

Attention: Ronald C. Astorff


Gentlemen:

Subject: Sanitek Carbide  
EPA Registration No. 2539-1  
Your Submission Dated August 20, 1989  
EPA Received Date August 30, 1989

The submitted final printed labels have been placed in your product file. They have not been reviewed in accordance with EPA Notice 81-7.

If you have any questions concerning this letter, please contact Karen Leavy at (703) 557-3966.

Sincerely yours,



John H. Lee  
Product Manager (31)  
Antimicrobial Program Branch  
Registration Division (87505C)

56889: I: Leavy: L-13: KENCO: 09/07/89: 10/18/89: CL: VO: JH: CL

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

NOT REVIEWED  
 In Accordance with FR Notice 62-2.  
 Based on Draft Labeling Dated

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. SANITEK SANITIZE has been designed specifically for hospitals, nursing homes, schools, food processing plants, food service establishments and other institutions where housekeeping is of prime importance.

**DISINFECTION** — To disinfect hard inanimate surfaces (such as walls, floors, table tops) add 2 ounces SANITEK SANITIZE per gallon of water. Apply solution with a mop, cloth, sponge or mechanical sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes and then let air dry.

To disinfect toilet bowls, flush toilet, add 2 ounces of SANITEK SANITIZE directly to the bowl water. Scrub the bowl completely using scrub brush or toilet mop, making sure to get under the rim. Let stand for 10 minutes and flush.

For heavily soiled areas, a pre-cleaning step is required and recommended. Prepare a fresh solution for each use.

**SANITIZATION** — To sanitize non-food contact hard surfaces, prepare 200ppm active solution by adding 2 ounces SANITEK SANITIZE to 3 1/4 gals. of water.

**PRECAUTIONARY STATEMENTS**

Hazard to Human and Domestic Animals

**WARNING**

Keep out of Reach of Children. Causes severe eye and skin damage. Do not get in eyes, skin or on clothing. Harmful if swallowed. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food. Remove and wash contaminated clothing.

**STATEMENT OF PRACTICAL TREATMENT**

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink egg whites, gelatin solution or if these are not available drink large quantities of water. Call a physician.

**NOTE TO PHYSICIAN**

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

**SANITEK SANITIZE**  
**DISINFECTANT • SANITIZER • DETERGENT • DEODORIZER**

Active Ingredients: n-alkyl (68% C<sub>12</sub>, 32% C<sub>14</sub>)  
 Dimethyl ethylbenzyl ammonium chlorides 2.25%  
 n-Alkyl (60% C<sub>14</sub>, 30% C<sub>12</sub>, 5% C<sub>16</sub>, 5% C<sub>18</sub>)  
 Dimethyl benzyl ammonium chlorides 2.25%  
 Inert Ingredients: 95.50%

EPA Reg. No. 2839-10 • EPA Est. No. 28J9 CA-1

**KEEP OUT OF REACH OF CHILDREN**

**WARNING**

See side panels for additional precautionary statements.

This product contains the toxic inert Rhodamine B.



**SANITEK**

NET CONTENTS: ONE U.S. GALLON

3959 GOODWIN AVE., LOS ANGELES, CALIF. 90039 • (213) 245-6781

**DISINFECTION** — At 2 ounces effective disinfectant activity for Staphylococcus aureus.  
 At this level the product is also a METHICILLINASES.  
**VIRUCIDAL ACTIVITY** — The product surfaces at 2 ounces per gallon influenza A2 Asian (representative agent of fever blisters and most of upper respiratory infections) group.

**STORAGE**

**PROHIBITIONS**

Do not contaminate water bodies prohibited.

**RESTRICTIONS**

Wastes may not be disposed of in any way prohibited.

**PRECAUTIONS**

Do not use in areas where food is prepared or stored. Do not use in areas where food is consumed. Do not use in areas where food is stored.

