

USE IN ACCORDANCE WITH DIRECTIONS, WARNING AND CAUTION

WARNING: Do not spray or allow to drift onto desirable flowers, trees, shrubs, vegetables ~~or into lakes or streams.~~

Do not store near fertilizer, fungicides, insecticides or seeds.

CAUTION: Do not get in eyes or on the skin. If spilled on skin, wash off immediately with warm water and soap. Flush eyes with clear water. Avoid any inhalation of spray mist. Avoid contamination of food, foodstuffs, streams or other water sources. Keep beyond the reach of children and domestic animals. ~~Keep livestock off treated areas.~~ Wash hands after using. Harmful if swallowed.

ANTIDOTE: If taken internally, induce vomiting and call a physician at once.

Licensed for use in the control of crab grass according to the method of Patent 2,678,265 by reason of the inclusion in the purchase price of a royalty. A license at the same royalty rate to use the patented method with material obtained from any source will be granted, upon request, by Trustees of U. S. Patent 2,678,265, P. O. Box 204, Summit, New Jersey.

NON WARRANTY: Vineland Chemical Company and seller warrant that this material will conform to ingredients indicated on label, but make no other warranty implied or expressed. Neither Vineland Chemical Company nor seller shall be held responsible for personal injury, property damage or other loss resulting from the handling, storage or use of the product, whether or not in accordance with directions. Buyer assumes all risks and liability therefrom and accepts and uses the product on these conditions. No person is authorized to waive this notice.

NET CONTENTS

GALLONS

Coarse sprays are less likely to drift

Do not use same spray equipment for other purposes unless cleaned with a suitable chemical cleaner.

children and domestic animals.

Do not contaminate water used by fish and wildlife or for domestic and irrigation purposes.



SUPER CRAB-E-RAD+2

Amine METHANEARSONATE 2, 4-D

with Wetting Agent

LIQUID

For Use on Ornamental Turf Grasses

ACTIVE INGREDIENTS:

Dodecylammonium Methanearsonate .. 8.0 %

Octylammonium Methanearsonate 8.0 %

*Octylammonium Salt of 2,4-Dichlorophenoxyacetic Acid 8.16%

INERT INGREDIENTS 75.84%

Total 100.00%

Total Arsenic all in Water Soluble Form 4.10%

*Equiv. to 2,4-Dichlorophenoxyacetic Acid 5.14%

CAUTION: Keep Out of the Reach of Children
See side panel for precautionary measures

Manufactured By

VINELAND CHEMICAL COMPANY

VINELAND, NEW JERSEY

USDA Reg. No. 2853-14

VC-377
Litho in U.S.A.

*A
Selective
Crab
Grass
Destroyer*

*A
Selective
Crab
Grass
Destroyer*



SUPER CRAB-E-RAD+2

Amine METHANEARSONATE 2, 4-D

with Wetting Agent

LIQUID

For Use on Ornamental Turf Grasses

ACTIVE INGREDIENTS:	
Dodecylammonium Methanearsonate..	8.0 %
Octylammonium Methanearsonate	8.0 %
*Octylammonium Salt of	
2,4-Dichlorophenoxyacetic Acid	8.16%
INERT INGREDIENTS	75.84%

Total 100.00%

Total Arsenic all in Water Soluble Form 4.10%

*Equivalent to 2,4-Dichlorophenoxyacetic Acid 5.14%

CAUTION: Keep Out of the Reach of Children
See side panel for precautionary measures

Manufactured By

VINELAND CHEMICAL COMPANY

VINELAND, NEW JERSEY

USDA Reg. No. 2853-14

VC-377

Litho in U.S.A.

A
Selective
Crab
Grass
Destroyer

A
Selective
Crab
Grass
Destroyer

DIRECTIONS

SUPER CRAB-E-RAD+2 kills Dallis Grass, Bull Grass, Sedge, Lemon Grass and selectively kills Crab Grass ~~and many of its seeds~~. Kills Chickweed, Dandelion, Plantain, Knotweed, Purslane, Spotted Spurge, Large Leaf Spurge, Pennywort, Beggar Weed and many others.

For use on Bermuda, Merion Blue, Kentucky Blue, Red Top, Fescue and Zoysia. For use on Bent lawns with average day temperatures under 80°. Water area well prior to application. **DO NOT USE ON** St. Augustine, Carpet, Centipede, Bahia, Dichondra lawns, or Bent putting greens.

1. Be sure soil is moist before treatment. During dry spells, water thoroughly before making application.
2. Resume keeping soil moist day after application and especially during hot, dry weather, if possible.
3. **NEW TURF** should not be treated until after third mowing.
4. For best results use when temperature is 80°F. or above.

RECOMMENDED RATIOS


Rate	Amount of Water	Area Covered
1 Pint	5 Gallons	2000 sq. ft.
1 Gallon	40 Gallons	16000 sq. ft.
2 1/2 Gallons	100 Gallons	1 Acre

Apply when grass leaves are dry. Repeat at 7 day intervals until plants are dead. For small plants, 1 or 2 treatments and for mature plants, 3-4 treatments may be required. Plants should be dead following 5 days after last treatment.

~~Temperature: If above 80° follow direction rate shown for young crab grass.~~

Clean equipment after use by flushing with water. Run rinse water in area away from domestic water sources.

Before using any Herbicide, stop and read the label





USE IN ACCORDANCE WITH DIRECTIONS, WARNING AND CAUTION

Coarse sprays are less likely to drift.

Do not use same spray equipment for other purposes unless cleaned with a suitable chemical cleaner.

children and domestic animals.

Do not contaminate water used by fish and wildlife or for domestic and irrigation purposes.

WARNING: Do not spray or allow to drift onto desirable flowers, trees, shrubs, vegetables or into lakes or streams. Do not store near fertilizer, fungicides, insecticides or seeds.

CAUTION: Do not get in eyes or on the skin. If spilled on skin, wash off immediately with warm water and soap. Flush eyes with clear water. Avoid any inhalation of spray mist. Avoid contamination of food, foodstuffs, streams or other water sources. Keep beyond the reach of children and domestic animals. Keep livestock off treated areas. Wash hands after using. Harmful if swallowed.

ANTIDOTE: If taken internally, induce vomiting and call a physician at once.

Licensed for use in the control of crab grass according to the method of Patent 2,678,265 by reason of the inclusion in the purchase price of a royalty. A license at the same royalty rate to use the patented method with material obtained from any source will be granted, upon request, by Trustees of U. S. Patent 2,678,265, P. O. Box 204, Summit, New Jersey.

NON WARRANTY: Vineland Chemical Company and seller warrant that this material will conform to ingredients indicated on label, but make no other warranty implied or expressed. Neither Vineland Chemical Company nor seller shall be held responsible for personal injury, property damage or other loss resulting from the handling, storage or use of the product, whether or not in accordance with directions. Buyer assumes all risks and liability therefrom and accepts and uses the product on these conditions. No person is authorized to waive this notice.

NET CONTENTS GALLONS

A
Selective
Crab
Grass
Destroyer

VIC
SUPER CRAB
Amine METHAN
with W
LI
For Use on C
ACTIVE INGREDIENTS:
Dodecylammonium Me
Octylammonium Meth
Octyl Ammonium Salt
2,4-Dichlorophen
INERT INGREDIENTS
Total Arsenic all in
*Equiv. to 2,4-Dichlorophen
CAUTION: Keep Out
See side panel for
Manufactured by
VINELAND CHEMICAL COMPANY
VINELAND, N.J.
USDA Reg. No. 2853-14

3 34



SUPER CRAB-E-RAD+2

Amine METHANEARSONATE 2, 4-D

with Wetting Agent

LIQUID

For Use on Ornamental Turf Grasses

ACTIVE INGREDIENTS:

Dodecylammonium Methanearsonate.....	8.0 %
Octylammonium Methanearsonate.....	8.0 %
Octylammonium Salt of 2,4-Dichlorophenoxyacetic Acid.....	8.16%
INERT INGREDIENTS	75.84%

Total 100.00%

Total Arsenic all in Water Soluble Form 4.10%

*Equiv. to 2,4-Dichlorophenoxyacetic Acid 5.14%

CAUTION: Keep Out of the Reach of Children
See side panel for precautionary measures

Manufactured By

VINELAND CHEMICAL COMPANY

VINELAND, NEW JERSEY

USDA Reg. No. 2853-14

VC-377

Litho in U.S.A.

34

**A
Selective
Crab
Grass
Destroyer**

DIRECTIONS

SUPER CRAB-E-RAD+2 kills Dallis Grass, Bull Grass, Sedge, Lemon Grass and selectively kills Crab Grass and many of its seeds. Kills Chickweed, Dandelion, Plantain, Knotweed, Purslane, Spotted Spurge, Large Leaf Spurge, Pennywort, Beggar Weed and many others.

For use on Bermuda, Merion Blue, Kentucky Blue, Red Top, Fescue and Zoysia. For use on Bent lawns with average day temperatures under 80°. Water area well prior to application. **DO NOT USE ON** St. Augustine, Carpet, Centipede, Bahia, Dichondra lawns, or Bent putting greens.

1. Be sure soil is moist before treatment. During dry spells, water thoroughly before making application.
2. Resume keeping soil moist day after application and especially during hot, dry weather, if possible.
3. **NEW TURF** should not be treated until after third mowing.
4. For best results use when temperature is 80°F. or above.

RECOMMENDED RATES

Rate	Amount of Water	Area Covered
1 Pint	5 Gallons	2000 sq. ft.
1 Gallon	40 Gallons	16000 sq. ft.
2 1/2 Gallons	100 Gallons	1 Acre

Apply when grass leaves are dry. Repeat at 7 day intervals until plants are dead. For small plants, 1 or 2 treatments and for mature plants, 3-4 treatments may be required. Plants should be dead following 5 days after last treatment.

~~Temperature: If above 80° follow these rates...~~
Clean equipment after use by flushing with water. Run rinse water in area away from domestic water sources.

Before using any Herbicide, stop and read the label.

35

HEM

B-E-RAD+2

DIAMMONIUM PHOSPHATE 2, 4-D

Wetting Agent

UID

Control Turf Grasses

**A
Selective
Crab
Grass
Destroyer**

Diammonium Phosphate	8.0 %
Diammonium Phosphate	8.0 %
Acetic Acid	8.16%
	75.84%
Total 100.00%	
Water Soluble Form	4.16%
Acetic Acid	5.14%

Keep out of the Reach of Children
Precautionary measures

Manufactured By
AGRICULTURAL COMPANY
NEW JERSEY

VC-377
Litho in U.S.A.

DIRECTIONS

SUPER CRAB-E-RAD+2 kills Dallis Grass, Bull Grass, Sedge, Lemon Grass and selectively kills Crab Grass and many of its seeds. Kills Chickweed, Dandelion, Plantain, Knotweed, Purslane, Spotted Spurge, Large Leaf Spurge, Pennywort, Beggar Weed and many others.

For use on Bermuda, Merion Blue, Kentucky Blue, Red Top, Fescue and Zoysia. For use on Bent lawns with average day temperatures under 80°. Water area well prior to application. **DO NOT USE ON** St. Augustine, Carpet, Centipede, Bahia, Dichondra lawns, or Bent putting greens.

1. Be sure soil is moist before treatment. During dry spells, water thoroughly before making application.
2. Resume keeping soil moist day after application and especially during hot, dry weather, if possible.
3. **NEW TURF** should not be treated until after third mowing.
4. For best results use when temperature is 80°F. or above.

RECOMMENDED RATES

Rate	Amount of Water	Area Covered
1 Pint	5 Gallons	2000 sq. ft.
1 Gallon	40 Gallons	16000 sq. ft.
2 1/2 Gallons	100 Gallons	1 Acre

Apply when grass leaves are dry. Repeat at 7 day intervals until plants are dead. For small plants, 1 or 2 treatments and for mature plants, 3-4 treatments may be required. Plants should be dead following 5 days after last treatment.

~~Temperature: If above 80° F. on the day of application, clean equipment after use by flushing with water. Run rinse water in area away from domestic water sources.~~
Clean equipment after use by flushing with water. Run rinse water in area away from domestic water sources.

Before using any Herbicide, stop and read the label.

ACCEPTED

FEB 13 1967

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REPORT R
ED UNDER NO. 20374
TO ATTACHED COMMENT

35

36