

"WEED-E-RAD" (DMA) Powder may be used along ditch
right-of ways, implement storage yards and other non-
cotton areas.

"WEED-E-RAD" is effective for controlling JOHNSON
GRASS, GOOSE GRASS, WATER GRASS, NUT GRASS,
GREEN and YELLOW FOX TAIL, DALLIS GRASS,
CKLEBUR and other weeds.

RECOMMENDED DIRECTIONS FOR TREATING COTTON

Mix at the rate of 3- $\frac{1}{2}$ to 4- $\frac{1}{2}$ pounds "WEED-E-RAD"
(DMA) Powder plus 2 pints surfactant in 40 gallons of
water. NOTE: Follow mixing instructions as for cotton.

Apply entire mixture as a broadcast spray, thoroughly
wetting foliage and stems of weeds. If regrowth occurs,
spot treatment or a second application will be required.

DO NOT CONTAMINATE WATERS used by wildlife, aquatic
life, domestic animals or for irrigation.

DO NOT GRAZE TREATED AREAS or feed livestock treated
foliage. Avoid storage near food products or feed.

CAUTION: Harmful if swallowed. Avoid contact with skin or
prolonged breathing of spray mist. WASH HANDS AFTER
USING.

ANTIDOTE: If taken internally, induce vomiting, call physi-
cian at once.

NON WARRANTY: Vineland Chemical Company and seller
warrant that this material will conform to ingredients indicated
on label, but make no other warranty implied or expressed.
Neither Vineland Chemical Company nor seller shall be held
responsible for personal injury, property damage or other
loss resulting from the handling, storage or use of the product,
whether or not in accordance with directions. Buyer assumes
all risks and liability therefrom and accepts and uses the
product on these conditions. No person is authorized to waive
these conditions.



WEED-E-RAD DMA-POWDER

ACCEPTED
FEB 25 1967
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 2853-18. SUBJECT
TO ATTACHED COMMENTS.

**POST-EMERGENCE HERBICIDE FOR CONTROL OF
JOHNSON GRASS AND OTHER WEEDS IN COTTON**

ACTIVE INGREDIENT:
*Disodium Methanearsonate 63.00%

INERT INGREDIENTS: 37.00%

Total 100.00%

**Total Arsenic, as l in water soluble form,
expressed as elemental 25.65%**

*Equivalent to 100% Disodium Methanearsonate Hexahydrate

CAUTION: KEEP OUT OF REACH OF CHILDREN

Net Contents lbs.

**Manufactured By
VINELAND CHEMICAL COMPANY
VINELAND, NEW JERSEY**

USDA Reg. No. 2853-18
VC-365
Litho in U.S.A.

Handwritten notes:

1/27/67
1/27/67
1/27/67

W
her
non
W
GR

Two
at t



WEED-E-RAD DMA-POWDER

POST-EMERGENCE HERBICIDE FOR CONTROL OF
JOHNSON GRASS AND OTHER WEEDS IN COTTON

ACTIVE INGREDIENT:


*Disodium Methanearsonate	63.00%
INERT INGREDIENTS:	37.00%

Total 100.00%

Total Arsenic, all in water soluble form,	
expressed as elemental	25.65%

*Equivalent to 100% Disodium Methanearsonate Hexahydrate

CAUTION: KEEP OUT OF REACH OF CHILDREN

Net Contents  lbs.

Manufactured By
VINELAND CHEMICAL COMPANY
VINELAND, NEW JERSEY

USDA Reg. No. 2853-18

VC-365

Litho in U.S.A.

ACCEPTED
FEB 25 1967
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 2853-18. SUBJECT
TO ATTACHED COMMENTS.

"WEED-E-RAD" (DMA) Powder is a selective water-soluble herbicide used Post-Emergence for weed control in cotton and non-crop areas.

"WEED-E-RAD" will control JOHNSON GRASS, GOOSE GRASS, COCKLEBUR, NUT GRASS, and DALLIS GRASS.

Mix at the rate of 3-1/4 to 4-3/4 pounds "WEED-E-RAD" Powder plus 2 pints of a suitable surfactant in 10 gallons of water.

Add "WEED-E-RAD" Powder to water in sprayer. Thoroughly mix by agitation, add surfactant at complete mixing by recirculating solution. Powder must be completely dissolved prior to application. Use promptly. Maintain agitation during operations.

Apply at the rate of one (1) gallon of the mixture each one (1) inch of band width.

Example: For 12 inch band, use 12 gallons of mixture per acre. (13,068 row feet)

Apply as a directed basal spray to weeds when cotton is 3 inches high and up to first bloom. Do not apply until first bloom opens.

Adjust nozzles on spray equipment to allow thorough wetting of weeds. Avoid spraying the cotton. Use fan type nozzle, low volume sprayer, 25 pounds or less pressure. Clean equipment after use by rinsing with water. Run rinse water away from all water sources.

Two applications may be made. Should be applied at the above rate of 3-1/4 to 4-3/4 lbs. per first application.