


2853 - 28

04/12/1965

Center Panel

1/3



RAD-E-CATE 35  
Liquid  
FOR THE DESTRUCTION OF  
GRASS AND WEEDS  
WITHOUT AFFECTING SOIL

AFTER USE .....START NEW LAWN IN 5 DAYS  
No digging necessary

ACTIVE INGREDIENT:

Sodium Dimethylarsinate.....29.00%  
Dimethylarsinic Acid..... 5.00%

INERT INGREDIENTS.....66.00%  
TOTAL 100.00%

Arsenic as elemental, all in water soluble form..16.28%

CAUTION: KEEP OUT OF REACH OF CHILDREN.

See Side Panel For Additional Precautions.

Manufactured by

VINELAND CHEMICAL COMPANY

Vineland, New Jersey

NET CONTENTS.....GALLONS

U.S.D.A. REG. NO.

RAD-E-CATE 35

DIRECTIONS FOR LAWNS OR TURF

\*When undesirable tufty grass...difficult-to-kill weeds exist in lawns or turf, replace with desirable grasses without digging.  
\*Recovate portions or entire lawn quickly without digging.  
\*Applied carefully will control most weeds and grasses around bushes, trees or shrubs...safely.

Apply RAD-E-CATE 35 at any time during the growing season, preferably on a bright, sunny day. Cover foliage thoroughly. RAD-E-CATE 35 works only through foliage...not the root system.

Destruction is spectacular. Average turf should be brown and dead within 5 days. Tufted grasses, certain weeds and matted turf may require a second treatment. Reapply 5 days later if necessary.

When all vegetation is dead, usually 3 to 5 days after required applications, you are ready to seed.

Do not remove dead stubble unless you have matted turf in which case rake out or slice through with vertical cutting equipment. Seed must be lodged on soil to germinate. Bare spots should be scarified to a depth of 1/4" before seeding.

Water heavily before seeding. Seed at rate indicated for new lawns. Use back of rake to work seed to soil line if necessary. A good organic fertilizer will insure proper feeding. A light top dressing of screened peat moss will help retain moisture while seeds are germinating.

CAUTION

Not for use on vegetable gardens. Do not track through treated spots on to untreated lawn areas. Harmful if swallowed. Wash thoroughly with soap and water after handling...avoid contact with skin and eyes, contamination of feed, foodstuffs and fishponds.

WARRANTY

Above representations are based on tests designed to protect turf from improper use. However, no guarantees, expressed or implied, are made and buyer assumes all risk.

~~NET CONTENTS~~ ~~gallons~~

2/3

5-12-65  
2853-28

5-12-65  
2853-28

RAD-E-CATE - 35

#### OTHER AREAS

As residue on soil is not absorbed by roots of surrounding plants, complete killing of weeds and grasses around plants, shrubs, trees, bushes is quickly accomplished by carefully directing spray to the undesirable vegetation.

RATE	QUANTITY OF WATER	COVERAGE
1 gal.	5-25 gal.	5000 sq. ft.
8 gal.	40-200 gal.	1 Acre