

VINELAND MBT 10%

ACCEPTED
JUL 18 1980
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 2853-43

METHYLENEBIS (THIOCYANATE)

INDUSTRIAL MICROBIOCIDAL

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER: Harmful or fatal if swallowed. Corrosive. Do not get in eyes, on skin or on clothing. Causes severe skin irritation and eye damage. Rubber gloves and goggles or face shield are to be worn when concentrate is handled. Wash thoroughly after handling. Avoid breathing vapors. Under alkaline and/or reducing conditions MBT may form hydrogen cyanide or cyanides. Strongly acid solutions may evolve hydrogen cyanide gas. Use in paper mill between pH 3 to 9 only.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with a NPDES permit. For guidance contact your Regional Office of the Environmental Protection Agency.

ACTIVE INGREDIENT:

Methylenebis(thiocyanate) . . . 10%
INERT INGREDIENTS 90%
100%

Keep Out of the Reach of Children

DANGER

STATEMENT OF PRACTICAL TREATMENT:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

See Other Precautions on Side Panel

EPA REG. NO. 2853-43
EPA EST. NO. 2853-NJ-1

NET WEIGHT 450 LBS.
NET WEIGHT 204 Kg.

DIRECTIONS FOR USE

FOR CONTROL OF SLIME IN PAPER MILLS: Apply at the rate of 2-8 ounces (59ml-237ml) by weight per ton of finished paper. Add intermittently or continuously depending on mill requirements. Apply at point well ahead of area of need and where immediate dispersion of water solution not required, preferably where stock is of high consistency such as beater, hydrapulper, and broke chest.

FOR CONTROL OF MICROBIAL ORGANISMS IN RECIRCULATING COOLING WATER TOWERS AND EVAPORATIVE CONDENSERS: Initially add 6 to 12 ounces (177ml-355ml) per 1000 gallons (3.8KI) water. Repeat daily until controlled. Thereafter add 3 to 6 ounces (89ml-177ml) three times per week or as needed to maintain control. Add at central point where uniform mixing is assured. (12 oz. per 1000 gal. [355ml-3.8KI] = 9.3 PPM active; repeated dosing may increase this level.)

CONTAINER DISPOSAL:

Do not reuse empty drum. Return to drum reconitioner or destroy by perforation or crushing and burying in a safe place.

NOTICE: Buyer assumes all responsibility of use and safety of this material not in strict accordance with direction given herewith.

2853-43
07/18/1980

VINELAND CHEMICAL COMPANY

VINELAND, NEW JERSEY



Printed in U.S.A.

11