

ACCEPTED

November 1, 1974

UNDER THE FEDERAL INSECTICIDE

PESTICIDE AND FUNGICIDE ACT

REGISTRATION NO.

2853-45*

ACTIVE INGREDIENTS:

1,4-Bis (bromoacetoxy)-2-butene 48%
2,3-dibromopropionaldehyde 32%

INERT INGREDIENTS 20%

DIRECTIONS FOR USE

SLIMACIDE V-10X is useful for the control of bacterial and fungal slimes in the manufacture of pulp and paper. Apply where agitation is sufficient to provide good distribution in the stock suspension and to the mill system. Add well ahead of areas of maximum need such as the beater, pulper, or stock preparation agents. Administer SLIMACIDE V-10X using pump with outlet of delivery tube positioned well below surface of stock suspension. Dose at regular intervals and at least once daily.

DOSAGE: Apply SLIMACIDE V-10X at 19.40 ml (0.6-16 lbs.) per ton of finished paper produced. Begin at the higher rate and after control is obtained reduce dosage to a level within the dose range necessary to maintain the required degree of biological control.

IMPORTANT: See Technical Data Sheet for further information. Consult your distributor or representative or the manufacturer for technical service.

DANGER: Keep Out of the Reach of Children

See First Aid and Other Precautions on Side Panel

EPA REG. NO. 2853-45

DANGER: Harmful or fatal if swallowed, inhaled or absorbed through skin. May cause eye and skin damage. Do not get in eyes, on skin or on clothing. Do not inhale. Wear rubber gloves, goggles or face shield when handling. Keep away from open flame. Keep container closed when not in use.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable internal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

CONTAINER DISPOSAL: Do not reuse empty drum. Return to drum reconditioner or destroy by incineration or crushing and burying in a safe place away from water supplies.

This product is toxic to fish. Treat empty drum and bottle if charged where it will drain into trees, streams, ponds, or public water. Apply the procedure as specified on this label.

NOTICE: By order of the U.S. Environmental Protection Agency, this material is not in strict accordance with directions given herein with

U.S. Patents 2,640,547, 3,671,240, and 3,582,463
Add. foreign patents