


CHEX-MATE

MSMA-Sodium Cacodylate
Plus Surfactant

ACTIVE INGREDIENTS:

Monosodium Acid Methanearsonate
Sodium Cacodylate
Dimethylarsinic Acid
(Cacodylic Acid)

INERT INGREDIENTS:



28.00%
10.50%
1.80%
61.70%
100.00%

Total

Total Arsenic, as elemental, all in water soluble form 17.9%
Product contains 3.00 lbs. MSMA and 1.25 lbs. cacodylic acid equivalent per gallon.

CAUTION: KEEP OUT OF THE REACH OF CHILDREN

Harmful if swallowed. Avoid skin contact or the breathing of spray mist. Wash hands after using. Avoid storage near food or food products. Keep children and domestic animals off treated areas until washed into soil. Do not graze treated areas. DO NOT CONTAMINATE WATERS used by wildlife, aquatic life, domestic animals, waters used for irrigation or domestic use.

ANTIDOTE: If taken internally, induces vomiting and call physician at once.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

A Product Manufactured by
The Vineland Chemical Co.



VINELAND CHEMICAL COMPANY

VINELAND, NEW JERSEY

Liquid Herbicide

PRODUCT INFORMATION: CHEX-MATE is a non-selective herbicide used post-emergence for general weed control. It is effective on both grasses and broadleaf weeds. The product contains a suitable surface-active agent and no other wetting agent need be added to the spray solution. For best results, apply CHEX-MATE to weeds when actively growing and during air temperatures in excess of 70° F. CHEX-MATE may be used with any spray equipment which provides the desired coverage just short of run-off in accordance with directions below.

DIRECTIONS FOR USE: CHEX-MATE is useful for the control of such grasses and broadleaf weeds as barnyardgrass, goosegrass, crabgrass, green foxtail and yellow foxtail, Johnsongrass, Dallisgrass, nutsedge, sandbur, chickweed, purslane, puncturevine, cocklebur, pigweed and common ragweed. CHEX-MATE will top-kill perennials. Apply CHEX-MATE at the rate of 1-2 gallons per acre in water sufficient for good foliar coverage. Normally, 40-100 gallons of water are required per acre. Should regrowth occur repeat applications as necessary. The product may be used for general weed control along drainage ditchbanks, rights-of-way, fence rows, implement storage yards, roadsides and similar non-crop areas.

Avoid spray contact with foliage of fruit and food crops. Avoid spray contact with desirable ornamentals. Clean equipment after use by flushing with water. Run rinse water in area away from domestic water sources.

CONTAINER DISPOSAL: Do not re-use empty container. Thoroughly rinse empty container with water, crush and discard in safe place.

BEFORE USING ANY HERBICIDE STOP AND READ THE LABEL

NET CONTENTS 5 GALLONS

EPA Reg. No. 2853-51-AA


CHEX-MATE

MSMA, Sodium Cacodylate
Plus Sulfonate

ACTIVE INGREDIENTS

Monosodium Arsenic Trisulfide
Sodium Cacodylate
Dimethyl Sulfonate Acid
(Cacodylic Acid)

INERT INGREDIENTS



28.00%
10.80%
1.80%
61.70%
Total 100.00%

Total Arsenic, as elemental, all in water soluble form 17.9%
Product contains 3.08 lbs. MSMA and 1.25 lbs. cacodylic acid equivalent per gallon.

CAUTION: KEEP OUT OF THE REACH OF CHILDREN

Harmful if swallowed. Avoid skin contact or the breathing of spray mist. Wash hands after using. Avoid storage near feed or food products. Keep children and domestic animals off treated areas until washed into soil. Do not graze treated areas. DO NOT CONTAMINATE WATERS used by wildlife, aquatic life, domestic animals, waters used for irrigation or domestic use.

ANTIDOTE: If taken internally, induce vomiting and call physician at once.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

A Product Manufactured by
The Vineland Chemical Co.



VINELAND CHEMICAL COMPANY

VINELAND, NEW JERSEY

Liquid Herbicide

PRODUCT INFORMATION: CHEX-MATE is a non-selective herbicide used post-emergence for general weed control. It is effective on both grasses and broadleaf weeds. The product contains a surface-active agent and no other wetting agent need be added to the spray solution. For best results, apply CHEX-MATE to weeds when actively growing and during air temperatures in excess of 70° F. CHEX-MATE may be used with any spray equipment which provides the desired coverage just short of run-off in accordance with directions below.

DIRECTIONS FOR USE: CHEX-MATE is useful for the control of such grasses and broadleaf weeds as barnyardgrass, goosegrass, crabgrass, green foxtail and yellow foxtail, Johnsongrass, Dallisgrass, nutsedge, sandbur, chickweed, purslane, puncturevine, cocklebur, pigweed and common ragweed. CHEX-MATE will top-kill perennials. Apply CHEX-MATE at the rate of 1-2 gallons per acre in water sufficient for good foliar coverage. Normally, 40-100 gallons of water are required per acre. Should regrowth occur repeat applications as necessary. The product may be used for general weed control along drainage ditchbanks, rights-of-way, fence rows, implement storage yards, roadsides and similar non-crop areas.

Avoid spray contact with foliage of fruit and food crops. Avoid spray contact with desirable ornamentals. Clean equipment after use by flushing with water. Run rinse water in area away from domestic water sources.

CONTAINER DISPOSAL: Do not re-use empty container. Thoroughly rinse empty container with water, crush and discard in safe place.

BEFORE USING ANY HERBICIDE STOP AND READ THE LABEL

NET CONTENTS 5 GALLONS

EPA Reg. No. 2853-51-AA