

NET CONTENTS: FIVE GALLONS

Harmful if swallowed. Avoid breathing of spray mist. Avoid contact with skin, wash thoroughly after using. Avoid contamination of feed and foodstuffs. Keep out of the reach of children. Do not use in milk rooms or on dairy animals. Misuse as to quantity, timing or method of application can cause damage or injury to animals, persons, property or crops or cause residues in excess of official tolerances.

WARNING

FLAMMABLE! KEEP AWAY FROM HEAT OR OPEN FLAME.

AVOID CONTACT WITH SKIN; WASH THOROUGHLY AFTER USING.

AVOID CONTAMINATION OF FEED AND FOODSTUFFS.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA Reg. No. 2881-25
EPA Est. 5579-ND-1


D - M SPRAY

FOR
DRY MILK PLANTS
AND

BOX CARS CAUTION

Read carefully caution statement on side panel.

Keep out of reach of children.



Manufactured for
LYSTADS INCORPORATED
GRAND FORKS N. DAK. 58201

Sales Offices: Minneapolis - Duluth
Kansas City - Des Moines - Omaha
Billings - Grand Forks - Oklahoma
City - Eau Claire

ACTIVE INGREDIENTS:

Malathion* - 57.0%
Xylene - 32.0

INERT INGREDIENTS

11.0

100.0

(O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate)

Residual spray - boxcars for loading and transporting bagged flour and packaged cereals:

For the control of confused flour beetle, rice weevil, granary weevil, saw-toothed grain beetle, flat grain beetle, red flour beetle, rusty grain beetle, lesser grain borer, Indian meal moth and mite pests infesting empty boxcars into which bagged flour and packaged cereals are to be loaded and transported, apply malathion premium grade 57% emulsifiable liquid as follows:

1. Clean the boxcar thoroughly, then remove and burn all sweepings and debris.
2. Spray walls and floor to the point of runoff with either 1 gallon of malathion premium grade 57% emulsifiable liquid in 25 gallons of water, or 1 gallon of malathion premium grade 57% emulsifiable liquid in 19 gallons of deodorized kerosene. (The deodorized kerosene solution should be made up of 4 parts kerosene-type solvent plus one part aromatic hydrocarbon-type solvent).
3. Let the sprayed boxcar stand empty with the doors open until the spray has thoroughly dried.
4. Line the walls and floor of the boxcar with kraft paper before loading.

For the prevention of spread and the reduction of infestation of black carpet beetles and *Trogoderma* spp. in plants processing dry milk, mix 1 pint of malathion 57% emulsifiable liquid premium grade in 2½ gallons of water.

Clean premises thoroughly before applying and maintain good sanitation at all times.

Use spray equipment and nozzles that will produce a coarse spray.

Application must be made only by an experienced or trained person.

Apply as a residual spray to all sections of the plant and warehouses where insects hide or crawl, such as cracks, corners, edges of floors, lower parts of walls, floors under storage platforms and underneath and behind protected places. Repeat applications as necessary.

Avoid contamination of milk, dry milk, equipment, utensils, work surfaces, containers, and liners.

NET CONTENTS: FIVE GALLONS

Harmful if swallowed. Avoid breathing of spray mist. Avoid contact with skin, wash thoroughly after using. Avoid contamination of feed and foodstuffs. Keep out of the reach of children. Do not use in milk rooms or on dairy animals. Misuse as to quantity, timing or method of application can cause damage or injury to animals, persons, property or crops or cause residues in excess of official tolerances

WARNING

FLAMMABLE! KEEP AWAY FROM HEAT OR OPEN FLAME.

AVOID CONTACT WITH SKIN; WASH THOROUGHLY AFTER USING.

AVOID CONTAMINATION OF FEED AND FOODSTUFFS.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and or handling of this material when such use and or handling is contrary to label instructions

EPA Reg. No. 2881-25
EPA Est. 5579-ND-1

D - M SPRAY

FOR DRY MILK PLANTS

FOR


AND

BOX CARS

CAUTION

Read carefully caution statement on side panel.

Keep out of reach of children.



Residual spray — boxcars for loading and transporting bagged flour and packaged cereals

For the control of confused flour beetle, rice weevil, granary weevil, saw toothed grain beetle, flat grain beetle, red flour beetle, rusty grain beetle, lesser grain borer, Indian meal moth and mite pests infesting empty boxcars into which bagged flour and packaged cereals are to be loaded and transported, apply malathion premium grade 57 emulsifiable liquid as follows:

1. Clean the boxcar thoroughly, then remove and burn all sweepings and debris.
2. Spray walls and floor to the point of run-off with either 1 gallon of malathion premium grade 57 emulsifiable liquid in 25 gallons of water, or 1 gallon of malathion premium grade 57 emulsifiable liquid in 19 gallons of deodorized kerosene. (The deodorized kerosene solution should be made up of 4 parts kerosene-type solvent plus one part aromatic hydrocarbon-type solvent)
3. Let the sprayed boxcar stand empty with the doors open until the spray has thoroughly dried.
4. Line the walls and floor of the boxcar with kraft paper before loading.

For the prevention of spread and the reduction of infestation of black carpet beetles and *Trogoderma* spp. in plants processing dry milk, mix 1 part of malathion 57 emulsifiable liquid premium grade in 2 gallons of water.

Clean premises thoroughly before applying and maintain good sanitation at all times. Use spray equipment and nozzles that will produce a coarse spray.

Application must be made only by an experienced or trained person.

Apply as a residual spray to all parts of the plant and warehouses where the product is made, such as tracks, corners, edges of floors, lower parts of walls, floors, under stair platforms and underneath and behind other tight places. Repeat applications as necessary.

Avoid contamination of milk, dry milk, equipment, utensils, work surfaces, containers and liners.