

# LYSTADS

# FLY BAIT

STORE IN COOL DRY PLACE

**ACCEPTED**  
**OCT 22 1975**  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 2881-31

DO NOT  
REUSE  
CONTAINER.

DESTROY  
WHEN  
EMPTY.

EPA REG. NO. 2881-31  
EPA EST. 2881-ND-1



**CAUTION**

**Keep Out of Reach of Children**

See antidote statement and other warning statements on side panel.

**ACTIVE INGREDIENTS:**

2,2-Dichlorovinyl dimethyl phosphate . . . 0.46%  
Related compounds . . . . . 0.04%

## DIRECTIONS

**BEFORE USE READ DIRECTIONS AND  
CAUTION STATEMENTS CAREFULLY**

**FOR CONTROL OF HOUSEFLIES - (Resistant and Non-Resistant)**  
around and in Dairy and Livestock Barns, Kennels, Open Air Theaters: Use 1/4 pound per 500 sq. ft. of fly feeding area. Scatter on ground or areas where flies congregate. Clean manure and debris from area to be treated around barns and kennels. Apply Lystad's Fly Bait to cleaned area, especially sunny spots. On freshly limed floor, scatter Lystad's Fly Bait on clean feed sacks or papers. Only a portion of the entire area needs to be covered with bait. Outside driveways, ramps and grassy areas near buildings should also be treated.

**POULTRY HOUSES -** Apply at above rate around outside of house only and in food rooms where birds cannot contact. Repeat as necessary.

**BATTERY POULTRY ESTABLISHMENTS -** Scatter on droppings under cages, on walkways and alleyways. Repeat applications weekly.

**FOR REDUCING POPULATIONS OF HOUSEFLIES -** In and around Out-Door Living Areas, Picnic Areas, Patios, Refuse Areas. Use 1/4 pound per 500 sq. ft. of fly feeding area. Scatter on ground or areas where flies congregate.

**SOWBUGS -** Around Patios, Shrubbery and Flower Garden Areas: Use 1/4 pound per 500 sq. ft. Scatter lightly on ground and in hiding places where pests frequent. Do not apply in areas accessible to small children.

## CAUTION

"Harmful if swallowed, inhaled or absorbed through the skin." Induce vomiting if swallowed. Avoid contact with skin. Wash thoroughly after using and before eating or smoking. Avoid contamination of food and food stuffs. Keep out of reach of children, pets, and domestic animals. Do not use inside homes or where milk is stored and processed. DDVP is a cholinesterase inhibitor and can cause symptoms similar to those caused by other organic phosphate compounds although larger exposures are required. If poisoning occurs, CALL A PHYSICIAN IMMEDIATELY. ATROPINE IS ANTIDOTAL. 2 PAM IS ALSO ANTIDOTAL AND MAY BE USED IN CONJUNCTION WITH ATROPINE. Burn container when empty. Stay out of smoke.

"This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label."

Manufactured By  
**LYSTADS EXTERMINATORS**, Grand Forks, North Dakota 58201  
Sales Offices: Minneapolis, Des Moines, Kansas City, Omaha, Sioux Falls, Billings, Oklahoma City, Dallas, Fort Worth and other principal cities.