

LYSTADS

ANT and MOUS

WATER SOLUBLE
WATER SOLUBLE
WATER SOLUBLE

MAKES ONE QUART LIQUID BAIT

ACTIVE INGREDIENT
Sodium salt of 3-(alpha-Acetylfurfuryl)-4-hydroxycoumarin 0.14%
INERT INGREDIENT 99.86%



NW

DIRECTIONS

To prepare liquid bait, simply dissolve the contents of this packet in one quart of clean water. Place one pint to one quart of liquid bait in shallow containers or chicken founts, and expose in locations where rats and mice are known to feed.

PLACEMENT OF BAITS . . . Place baits along walls, in corners and in concealed locations where rats and mice can feed undisturbed. Baits should be placed in locations not accessible to children, pets, wildlife or domestic animals, or in tamper proof bait boxes. Continue baiting until all feeding has stopped. Immediately replace liquid baits that become cloudy.

RATS . . . Pint liquid dispenser should be the minimum amount placed. An uninterrupted supply of bait should be maintained for at least 10 days.

MICE . . . Pint liquid dispenser should be placed at 8 to 10 foot intervals. An uninterrupted supply of bait should be maintained for at least 15 days.

Treated baits should be placed in locations not accessible to children, pets, wildlife and domestic animals, or in tamper proof bait boxes.

Effective use requires CONTINUOUS exposures over a period until rodent activity ceases. Always replenish solution before completely consumed and replace if solution becomes dirty.

CAUTION

DO NOT REUSE CONTAINER. DESTROY WHEN EMPTY.

The active ingredient of this product is an anticoagulant chemical. Therefore, this product and baits prepared from it must be protected from or placed where children, pets, wildlife or domestic animals will not eat or drink them. In case of eating or drinking, give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Call a physician immediately.

NOTE FOR PHYSICIANS: Administration of blood transfusions combined with intravenous injections and oral doses of Vitamin K₁ is indicated.

Manufactured by
LYSTADS, Inc.
EPA Reg. No. 108-35

LYSTADS

WATER SOLUBLE


RAT and MOUSE

Killer

MAKES ONE QUART LIQUID BAIT

ACTIVE INGREDIENT
Sodium salt of 3-(alpha-Acetylfurfuryl)-4-hydroxycoumarin 0.14%

INERT INGREDIENT 99.86%



DIRECTIONS

To prepare liquid bait, simply dissolve the contents of this packet in one quart of clean water. Place one pint to one quart of liquid bait in shallow containers or chicken founts, and expose in locations where rats and mice are known to feed.

PLACEMENT OF BAITS . . . Place baits along walls, in corners, and in concealed locations where rats and mice can feed undisturbed. Baits should be placed in locations not accessible to children, pets, wildlife or domestic animals, or in tamper-proof bait boxes. Continue baiting until all feeding has stopped. Immediately replace liquid baits that become cloudy.

RATS . . . Pint liquid dispenser should be the minimum amount placed. An uninterrupted supply of bait should be maintained for at least 10 days.

MICE . . . Pint liquid dispenser should be placed at 8 to 10 foot intervals. An uninterrupted supply of bait should be maintained for at least 15 days.

Treated baits should be placed in locations not accessible to children, pets, wildlife and domestic animals, or in tamper-proof bait boxes.

Effective use requires CONTINUOUS exposures over a period until rodent activity ceases. Always replenish solution before completely consumed and replace if solution becomes dirty.


CAUTION

DO NOT REUSE CONTAINER - DESTROY WHEN EMPTY

The active ingredient of this product, is an anti-coagulant chemical. Therefore, this product and baits prepared from it must be protected from or placed where children, pets, wildlife, or domestic animals will not eat or drink them. In case of eating or drinking, give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Call a physician immediately.

NOTE FOR PHYSICIANS: Administration of blood transfusions combined with intravenous injections and oral doses of Vitamin K, is indicated.

Manufactured For
LYSTADS, Inc. Grand Forks, N. D. 58201
USDA Reg. No. 2881-35



Effective use requires CONTINUOUS exposures over a period until rodent activity ceases. Always replenish solution before completely consumed and replace if solution becomes dirty.


CAUTION

DO NOT REUSE CONTAINER - DESTROY WHEN EMPTY

The active ingredient of this product, is an anti-coagulant chemical. Therefore, this product and baits prepared from it must be protected from or placed where children, pets, wildlife, or domestic animals will not eat or drink them. In case of eating or drinking, give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Call a physician immediately.

NOTE FOR PHYSICIANS: Administration of blood transfusions combined with intravenous injections and oral doses of Vitamin K, is indicated.

LYSTADS, Inc. Manufactured For
Grand Forks, N. D. 58201
USDA Reg. No. 2881-35



2881-35