

U.S. ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (WH-557)
WASHINGTON, D.C. 20460

EPA REGISTRATION

2881-71

JUN 26 1985

TERM OF ISSUANCE

NAME OF PESTICIDE PRODUCT

Lystads 1% ULV Fogging

NOTICE OF PESTICIDE:

☒ REGISTRATION
☐ REREISTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Lystads, Inc.
P.O. Box 1718
901 University Ave.
Grand Forks, ND 58201

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Add the phrase "EPA Registration No. 2881-71" to your label before you release the product for shipment.
2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Barbara A. Atiner

Product Manager

Registration Division

Washington, D.C. 20460

BEST AVAILABLE COPY

☐ A. F. MONTGOMERY & CO.

SIGNATURE OF APPROVING OFFICIAL

If in Eyes Flush with plenty of water. Contact a physician if irritation persists.

If on Skin Remove contaminated clothing and wash affected areas of skin with soap and water.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not apply when runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Shrimp and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given hereon.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

1% ULV Fogging effectively controls the following insects when the applicator follows the directions for use as given below:

Angoumois Grain Moths, Ants, Boxelder Bugs, Caddises, Cheese Mites, Cheese Skippers, Cigarette Beetles, Clover Mites, Cockroaches, Confused Flour Beetles, Crickets, Dark Mealworms, Deer Flies, Dried Fruit Beetles, Drugstore Beetles, Earwigs, Fruit Flies, Fungus Gnats, Gnats, Grain Mites, Granary Weevils, Horn Flies, Hornets, Horse Flies, House Flies, Indian Meal Moths, Lice, Mosquitoes, Mediterranean Flour Moths, Mushroom Flies, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Silverfish, Small Flying Moths, Spiders, Spider Beetles, Stable Flies, Tobacco Moths, Wasps, Yellow Mealworms.

INDOOR USE, UNBLENDED

The use of this product in food processing or food handling establishments (bakeries, beverage plants, canneries, food processing plants, hospitals, hotels, industrial installations, meat packing plants, restaurants, schools, supermarkets and warehouses) should be confined to time periods when the plants or facilities are not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before reusing.

SPACE AND CONTACT SPRAY APPLICATION

To control accessible adult stages of:

Flies, Fruit Flies, Mosquitoes, Small Flying Moths, Wasps, Hornets, Clover Mites, Cheese Mites, Cheese Skippers, Boxelder Bugs, Earwigs, Ants, Cockroaches, Crickets, Silverfish.

And the following common stored product pests:

Granary Weevils, Rice Weevils, Confused Flour Beetles, Sawtoothed Grain Beetles, Spider Beetles, Cigarette Beetles, Drugstore Beetles, Angoumois Grain Moths, Mediterranean Flour Moths, Indian Meal Moths, Tobacco Moths, Yellow Mealworms, Dark Mealworms, G. Mites, Red Flour Beetles, Caddises.

Close doors and windows and shut off ventilating systems. Use a mechanical aerosol generator or a fogger adjusted to deliver an aerosol spray of no droplets over 50 microns in diameter and 80% less than 30 microns. Direct the spray first into all cracks and crevices behind equipment, cupboards, obstructions or dark harborage areas to provide maximum penetration and impingement on the insects. Then treat as a space spray directing the spray towards the ceiling and upper corners of the area and behind any obstructions, apply at a rate of 1 ounce per 1000 cubic feet of space. Keep area closed for at least one hour. Vacate treated area and ventilate before reoccupying. Repeat treatment as necessary.

TREATMENT OF STORED FOOD AREA

Foods in multi-walled bags or in cloth bags stored in warehouses, storage rooms, flour mills, grain elevators and granaries.

To control accessible adult stages of:

Angoumois Grain Moths, Ants, Boxelder Bugs, Caddises, Confused Flour Beetles, Indian Meal Moths, Mediterranean Flour Moths, Rice Weevils, Sawtoothed Grain Beetles, Yellow Mealworms, Cheese Mites, Cheese Skippers, Cigarette Beetles, Grain Mites, Granary Weevils, Dark Mealworms, Cockroaches, Red Flour Beetles.

Infested stored products should be destroyed, fumigated or treated by other effective methods using an approved product intended for this purpose. As stated above, disperse 1% ULV fogging paper in cracks and crevices, corners, pillars and around stacks of bags, seed pods. Nettle as many stacks of products and then apply as a space spray or dosage of 3 ounces per 1000 cu ft of room space. Repeat application as necessary for insect control. Leave the treated area closed for one hour. Do not remain in the treated area and ventilate before reoccupying.

INDOOR USE, BLENDED

SPACE SPRAY APPLICATION: Use a mechanical fogging or spraying equipment.

To control accessible stages of:

Flies, Fruit Flies, Mosquitoes, Gnats, Small Flying Moths.

Cover or remove exposed food and open food handling surfaces in public product areas of food handling establishments. Close space and shut off air conditioning for circulating equipment. Then disperse 1% ULV Fogging with sufficient to equal 1 gallon of diluted spray. Apply at the rate of 1/2 fluid ounce per 1000 cubic feet. Fill the room with fog. Keep area closed for at least 15 minutes. Vacate treated area and ventilate before reoccupying. Repeat treatment if reinfestation occurs. Do not apply while food processing is underway.

INDOOR ROOM PRODUCTION AND PROCESSING

To control accessible stages of:

General Household Flies, Fungus Gnats.

Use 12 ounces of 1% ULV Fogging with sufficient of 12 equal 1 gallon of diluted spray. Apply to growing houses or 1 ounce per 1000 cubic feet of space. Fogger should be operated 8 to 16 feet every 1500 cubic feet and should be slightly updrafted over them. Operating time should be left in operation, but for best results, foggers should be turned off in processing plants, use at a rate of 1 ounce to 2000 cubic feet of space.

1%

ULV FOGGING

For indoor or outdoor application as a space, area or contact spray. Designed to be controlled and the area to be treated, may be applied by Mechanical Aerosol or ULV Generators as well as conventional fogging or spraying equipment. Designed for use in all areas of official establishments operating under the Meat, Poultry, Shell Egg Grading and Egg Products Programs.

INDOOR USE AREAS

Bakeries	Hotels	Storage or Processing Areas
Beverage Plants	Industrial Installations	Food Products
Canneries	Meat Packing Plants	Surfaces of Bags
Flour Mills	Hotels	Food Products
Food Processing Plants	Office Buildings	Supermarkets
Grain Elevators	Railroad Cars	Truck Trailers
Granaries	Restaurants	Warehouses
Homes	Schools	
Hospitals	Ships' Holds	

OUTDOOR USE AREAS

Cattle Barns	Drive-In	Milking Parlors	Recreation Areas
Corrals	Theatres	Milk Rooms	Swine Houses
Dairies	Feedlots	Ponds	Swine Lots
Drive-In	Golf Courses	Playgrounds	Urban Areas
Restaurants	Horse Barns	Poultry Houses	Zoos

ACTIVE INGREDIENTS:

Pyrethrins	
Piperonyl Butoxide	
Petroleum Distillate	

*Equivalent to min. 4.0% (butylcarbyl) (4-propylpiperonyl) ether and 1.0 compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for cautions.

EPA Reg. No. 2881

EPA Est. No.

Manufactured by Lysol Incorporated
Grand Forks, North Dakota 58201