



CS-420 WASH SANITIZER

CS-420 WASH SANITIZER is recommended for use in either immersion or spray machines to sanitize and clean incubation eggs. CS 420 WASH SANITIZER is also recommended for use in sanitizing dishes, glasses, food processing equipment and utensils including dairy and brewery equipment and utensils.

DIRECTIONS FOR USE:

1. For Egg Wash: Dissolve 1 or 2 oz. of CS 420 WASH SANITIZER in 10 gal. of warm (125°F) water. This provides 100 or 200 ppm of available chlorine respectively. The higher level of chlorine is recommended for hatching eggs and the lower level for commercial eggs. Wash eggs promptly after gathering. Do not try to wash excessively dirty eggs. Water with an iron content in excess of 2 parts per million should not be used. Do not reuse wash water except when used in a continuous type washer. Wash water temperature to be 90°F or higher. Maintain wash water at a temperature of 20°F or 40°F warmer than the eggs. Spray washed eggs with clean potable water containing 1 oz. of CS 420 in each 10 gal. of water. Eggs should be made airtight by deflating or breaking.

2. For dishes, glasses, food processing equipment and utensils: Dissolve 1.2 oz. of CS 420 WASH SANITIZER per 10 gal. of warm (125°F) water. This provides 100 or 200 ppm of available chlorine respectively. Clean and rinse thoroughly. Then dip the items to be sanitized in the solution for 2 to 3 minutes. Remove and drain in clean water and dry. The same solution may be used to clean food processing equipment. Do not use for cleaning of machinery. Do not use for cleaning of machinery.

ACTIVE INGREDIENT

Sodium dichloro-s-triazinetriene dihydrate 28%

(provides 15.8% available chlorine)

INERT INGREDIENTS 72%

CONTENTS 4 LBS (1815 GRAMS)

WARNING! KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Causes eye irritation. May cause skin irritation. Do not get in eyes or on skin. Do not breathe dust.

FIRST AID: If swallowed: feed gruel or cooked cereal followed by olive oil or cooking oil. Call physician. In case of personal contact: remove excess material and flush skin or eyes with fresh water for at least 15 minutes. For eyes get medical attention. Rinse empty container thoroughly with water and discard it. See side panel for use directions.



CALGON COMMERCIAL DIVISION
1000 PAPE AVENUE • ST. LOUIS, MISSOURI 63104
4400 HUNTERS LANE • CITY OF INDUSTRY, CALIFORNIA 91744

EPA Reg. No. 2914-44

Manufactured by
EPA Est. No. 2914 MO 1

DIRECTIONS FOR USE (cont.)

The sanitizing solution should be used promptly after mixing. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, additional CS 420 WASH SANITIZER should be added, to maintain a minimum concentration of 100 ppm available chlorine.

3. For dishes, glasses, food processing equipment and utensils without rinse: Dissolve 1.2 oz. of CS 420 WASH SANITIZER per 10 gal. of warm (125°F) water. This provides 50 ppm of available chlorine. Clean and rinse items prior to use. Then dip the items to be sanitized in the solution for 2 to 3 minutes. Rinse items in clean water.

WARNING!

DIRECTIONS FOR STORAGE AND HANDLING:

Store in a cool, dry, well-ventilated area. Must be in temperature may irritate, irritant and hazardous chlorine containing gases. Oxidizing material. Do not mix with other chemicals. Contact with organic materials may cause fire. Do not use at 350-375°F. The liberation of harmful gases. In case of fire, discontinue if possible by cutting off the supply of air. Use in well-ventilated area. Flood with large amounts of water if necessary.

Do not use empty containers. Rinse empty container thoroughly. The product is toxic to fish. The treated water should not be discharged into a well, stream, or lake. Do not use for drinking water. Do not use for drinking water. Do not use for drinking water. Do not use for drinking water.

177